

Draft

NORTH WALLOPS ISLAND
UNMANNED AERIAL SYSTEMS AIRSTRIP
ENVIRONMENTAL ASSESSMENT

Prepared for
National Aeronautics and Space Administration
Goddard Space Flight Center
Wallops Flight Facility
Wallops Island, VA



December 2011

**DRAFT ENVIRONMENTAL ASSESSMENT
NORTH WALLOPS ISLAND UNMANNED AERIAL SYSTEMS AIRSTRIP**

Lead Agency: National Aeronautics and Space Administration

Cooperating Agency: United States (U.S.) Army Corps of Engineers

Proposed Action: Construction and Operation of an Unmanned Aerial Systems (UAS) Airstrip on North Wallops Island

For Further Information: Joel Mitchell
Natural Resources Manager
Code 250.W
Goddard Space Flight Center's Wallops Flight Facility
National Aeronautics and Space Administration
Wallops Island, VA 23337
(757) 824-1127
Joel.T.Mitchell@nasa.gov

Date: December 2011

Abstract: National Aeronautics and Space Administration (NASA) Goddard Space Flight Center (GSFC) owns and operates Wallops Flight Facility (WFF). The mission of WFF is to support aeronautical research, science technology, and education. Much of the research at WFF is conducted via various carrier systems such as rockets, balloons, and UAS.

In accordance with the National Environmental Policy Act of 1969, NASA has prepared this Environmental Assessment (EA) to analyze the potential environmental consequences of construction and operation of a UAS airstrip on the north end of Wallops Island to support the testing and deployment of existing and future UAS and UAS-based scientific instruments. Under the Proposed Action, WFF would construct a new UAS airstrip that would measure approximately 900 meters (m) (3,000 feet [ft] long [2,500 ft plus an additional 500-ft clear zone]) by 25 m (75 ft) wide; the airstrip would be located entirely within existing restricted airspace, which has been designated by the Federal Aviation Administration (FAA) as R-6604A/B. This EA also includes an evaluation of the No Action alternative; the No Action alternative reflects the *status quo*. This assessment evaluates airspace management; safety; noise; biological resources; topography and soils; water resources; cultural and traditional resources; land use, visual and recreation resources; air quality; hazardous materials, hazardous systems and hazardous waste management; socioeconomics; and transportation.

Draft

NORTH WALLOPS ISLAND
UNMANNED AERIAL SYSTEMS AIRSTRIP
ENVIRONMENTAL ASSESSMENT

December 2011

EXECUTIVE SUMMARY

EXECUTIVE SUMMARY

This Environmental Assessment (EA) analyzes the potential environmental consequences resulting from the construction and operation of a new Unmanned Aerial Systems (UAS) airstrip on the north end of Wallops Island located at the National Aeronautics and Space Administration (NASA) Wallops Flight Facility (WFF) in Accomack County, Virginia. This EA provides a description of the UAS currently operating and those proposed for operations at the new airstrip.

PURPOSE AND NEED FOR THE PROPOSED ACTION

The mission of WFF is to support aeronautical research, science, technology, and education. Beginning in the late 1970's, WFF tested UAS for research applications in support of NASA's *Mini-Sniffer* program, which measured upper atmospheric pollution. Starting in 1993 with the *eXperimental Aerial Platform*, proof-of-concept UAS experiments followed. With the objective of developing platform and instrument systems specifically to support Earth science research, 1996 saw flights of extensively instrumented UAS, beginning with BAI Aerospace's *Exdrone*. UAS test and UAS-based research opportunities currently form an important objective of WFF's Suborbital and Special Orbital Projects Directorate and as such, this type of mission requires an unencumbered operating environment. The purpose of the Proposed Action is to provide an adequately-sized UAS airstrip that would be capable of supporting the testing and deployment of existing and future UAS and UAS-based scientific instruments at WFF. Limitations on the size and use of the existing airstrip have driven the requirement for a new, longer, and wider airstrip at WFF to meet UAS test and research operations.

PROPOSED ACTION AND NO ACTION ALTERNATIVE

Under the Proposed Action, WFF would construct an asphalt airstrip measuring approximately 900 meters (m) (3,000 feet [ft] long [2,500 ft plus an additional 500-ft clear zone]). The width of the airstrip would be 25 m (75 ft); additional width would be provided by a grass buffer and cleared areas as needed for a clear line of sight for UAS operators. UAS-based operations typically would be conducted year round during WFF's normal Air Traffic Control tower hours (Monday through Friday, 0600 to 1800). A maximum of 1,040 UAS sortie operations each year would be conducted from the new airstrip. Under the No Action alternative, WFF would not construct or operate a UAS airstrip on north Wallops Island. UAS would continue to operate from the existing south Wallops Island airstrip.

SUMMARY OF POTENTIAL ENVIRONMENTAL IMPACTS

According to the analysis in this EA, implementation of the Proposed Action would result in minor, but long-term impacts to airspace management, biological resources, noise, and water resources. Minor, short-term impacts would be anticipated to socioeconomics and transportation. Negligible impacts would be anticipated to safety; topography and soils; cultural and traditional resources; land use, visual, and recreation; air quality; hazardous materials, hazardous systems and hazardous waste management. Potential cumulative impacts would be anticipated to biological resources in relation to other projects or past activities that have occurred, or may occur, on the north end of Wallops Island. Under the No Action

alternative, conditions on the north end of Wallops Island would remain unchanged; UAS would continue to operate from the south Wallops Island airstrip; however, the currently experienced limitations on operations would remain.

TABLE OF CONTENTS

TABLE OF CONTENTS

EXECUTIVE SUMMARY ES-1

ACRONYMS AND ABBREVIATIONS I

CHAPTER 1 PURPOSE AND NEED FOR THE PROPOSED ACTION1-1

1.1 INTRODUCTION1-1

1.2 BACKGROUND FOR PURPOSE AND NEED.....1-4

1.3 PURPOSE AND NEED FOR THE PROPOSED ACTION1-8

 1.3.1 Purpose 1-8

 1.3.2 Need 1-8

1.4 LEAD AND COOPERATING AGENCIES1-9

CHAPTER 2 DESCRIPTION OF THE PROPOSED ACTION AND NO ACTION ALTERNATIVE2-1

2.1 ALTERNATIVE IDENTIFICATION PROCESS.....2-1

 2.1.1 Alternatives Considered But Not Carried Forward 2-4

 2.1.2 Original Proposal..... 2-11

 2.1.3 Alternatives Analyzed in this EA 2-11

2.2 PROPOSED ACTION2-12

2.3 NO ACTION ALTERNATIVE2-17

2.4 ENVELOPE CONCEPT2-17

2.5 NATIONAL ENVIRONMENTAL POLICY ACT GUIDANCE.....2-18

2.6 SUMMARY OF POTENTIAL ENVIRONMENTAL IMPACTS.....2-20

CHAPTER 3 DESCRIPTION OF THE AFFECTED ENVIRONMENT AND CONSEQUENCES.....3-1

3.1 ANALYSIS APPROACH3-1

3.2 AIRSPACE MANAGEMENT3-2

 3.2.1 Affected Environment 3-3

 3.2.2 Environmental Consequences..... 3-4

3.3 SAFETY.....3-4

 3.3.1 Affected Environment 3-6

 3.3.2 Environmental Consequences..... 3-7

3.4 NOISE.....3-8

 3.4.1 Affected Environment 3-9

 3.4.2 Environmental Consequences..... 3-10

3.5 BIOLOGICAL RESOURCES3-12

 3.5.1 Affected Environment 3-12

 3.5.1.1 Vegetation..... 3-13

 3.5.1.2 Wildlife..... 3-17

 3.5.1.3 Special-Status Species 3-20

 3.5.1.4 Essential Fish Habitat 3-29

3.5.2	Environmental Consequences.....	3-30
3.5.2.1	Vegetation.....	3-30
3.5.2.2	Wildlife.....	3-31
3.5.2.3	Special-Status Species	3-34
3.5.2.4	Essential Fish Habitat	3-40
3.6	TOPOGRAPHY AND SOILS.....	3-40
3.6.1	Affected Environment	3-41
3.6.2	Environmental Consequences.....	3-41
3.7	WATER RESOURCES.....	3-42
3.7.1	Affected Environment	3-43
3.7.2	Environmental Consequences.....	3-48
3.8	CULTURAL AND TRADITIONAL RESOURCES	3-51
3.8.1	Affected Environment	3-51
3.8.2	Environmental Consequences.....	3-53
3.9	LAND USE, VISUAL, AND RECREATION RESOURCES	3-54
3.9.1	Affected Environment	3-54
3.9.2	Environmental Consequences.....	3-55
3.10	AIR QUALITY	3-56
3.10.1	Affected Environment	3-59
3.10.2	Environmental Consequences.....	3-59
3.11	HAZARDOUS MATERIALS, HAZARDOUS SYSTEMS, AND HAZARDOUS WASTE MANAGEMENT.....	3-61
3.11.1	Affected Environment	3-62
3.11.2	Environmental Consequences.....	3-63
3.12	SOCIOECONOMICS	3-65
3.12.1	Affected Environment	3-65
3.12.2	Environmental Consequences.....	3-66
3.13	TRANSPORTATION.....	3-66
3.13.1	Affected Environment	3-66
3.13.2	Environmental Consequences.....	3-67
3.14	APPLICABLE STATUTES AND REGULATIONS.....	3-68
CHAPTER 4	MITIGATION AND MONITORING	4-1
4.1	MITIGATION.....	4-1
4.2	MONITORING	4-2
4.3	ADAPTIVE MANAGEMENT	4-3

CHAPTER 5 CUMULATIVE EFFECTS AND IRREVERSIBLE AND IRRETRIEVABLE COMMITMENT OF RESOURCES5-1

5.1 CUMULATIVE EFFECTS.....5-1

5.2 SCOPE OF CUMULATIVE EFFECTS ANALYSIS5-1

5.3 POTENTIAL CUMULATIVE EFFECTS BY RESOURCE.....5-5

5.4 IRREVERSIBLE AND IRRETRIEVABLE COMMITMENT OF RESOURCES5-9

CHAPTER 6 REFERENCES CITED6-1

CHAPTER 7 AGENCIES AND PERSONS CONSULTED7-1

CHAPTER 8 LIST OF PREPARERS AND CONTRIBUTORS8-1

APPENDIX A COORDINATION LETTERS AND RESPONSESA-1

APPENDIX B BIOLOGICAL ASSESSMENT.....B-1

APPENDIX C FEDERAL CONSISTENCY DETERMINATIONC-1

APPENDIX D NATIONAL HISTORIC PRESERVATION ACT, SECTION 106 CORRESPONDENCED-1

APPENDIX E AIR QUALITY CALCULATIONSE-1

LIST OF FIGURES

Figure 1. Location of WFF1-2

Figure 2. NASA Controlled/Restricted Airspace R-6604A/B and Location of the Existing and Proposed UAS Airstrip1-3

Figure 3. UAS Currently Operating and Proposed for Future Operations at WFF1-6

Figure 4. Initial UAS Airstrip (2003)1-7

Figure 5. Expanded UAS Airstrip (2005)1-7

Figure 6. South Wallops Island UAS Airstrip after a Storm.....1-9

Figure 7. Various WFF Mission Areas on Wallops Island2-3

Figure 8. Alternative Locations Considered at WFF2-7

Figure 9. Alternative Locations Considered on the North End of Wallops Island.....2-8

Figure 10. Representative View of Proposed UAS Airstrip2-13

Figure 11. Proposed UAS Airstrip – Typical Pavement Section and Infiltration Trench.....2-15

Figure 12. Vegetation Map of North Wallops Island.....3-15

Figure 13. Wetlands Map of North Wallops Island3-16

Figure 14. USGS Topographic Map of Wallops Island and the Surrounding Waters3-44

Figure 15. Geographic Extent of the Cumulative Effects Analysis Area with Historic Impacts5-3

LIST OF TABLES

Table 1. UAS Operating and Proposed for Operations at WFF1-7

Table 2. Application of Screening Criteria for Off-Site Locations2-5

Table 3. Application of Screening Criteria for On-Site Locations.....2-6

Table 4. Summary of Potential Environmental Impacts2-20

Table 5. Resources Considered in this UAS Airstrip EA.....3-2

Table 6. Predicted Construction Noise Levels at Selected Distances3-11

Table 7. Wading Birds Found at WFF in FY 20103-18

Table 8. Waterfowl Found at WFF in FY 20103-19

Table 9. Federal and State Listed Threatened and Endangered Species and Species of Concern Known to Occur in the Region3-21

Table 10. EFH Species and Life-States in Waters Adjacent to the Proposed Construction Site.....3-29

Table 11. Acreage Affected by Clearing and Fill Activities3-31

Table 12. Soils in the Vicinity of the Proposed Action.....3-41

Table 13. National Ambient Air Quality Standards3-57

Table 14. Estimated Emissions for Construction of UAS Airstrip3-60

Table 15. Estimated Annual Operational Emissions (tons)3-61

Table 16. Chincoteague, Virginia Population3-65

Table 17. Summary of Mitigation Measures to be Taken4-2

Table 18. Summary of Areas Affected by Various Actions at North Wallops Island in ha (ac).....5-2

Table 19. Summary of Resource Areas with Potential Cumulative Impacts from Implementation of the Proposed Action.....5-6

Table 20. Recipients of Coordination Letter and Draft EA7-1

ACRONYMS AND ABBREVIATIONS

Acronyms and Abbreviations

ac	Acre	GSA	General Services Administration
AGL	Above Ground Level	GSFC	Goddard Space Flight Center
ANSI	American National Standards Institute	GTM	Generic Transport Model
APE	Area of Potential Effects	GWP	Global Warming Potential
AQCR	Air Quality Control Region	ha	hectare
ARTCC	Air Route Traffic Control Center	HAP	Hazardous Air Pollutants
ATC	Air Traffic Control	JP	Jet Propellant
BA	Biological Assessment	kg	Kilogram
BMP	Best Management Practice	km	Kilometer
CAA	Clean Air Act	lbs	Pounds
CEQ	Council on Environmental Quality	LID	Low Impact Development
CFR	Code of Federal Regulations	L _{max}	Maximum Sound Level
CH ₄	Methane	m	meter
CO	Carbon Monoxide	m ³	cubic meter
CO ₂	Carbon Dioxide	MARS	Mid-Atlantic Regional Spaceport
CO _{2e}	Carbon Dioxide Equivalent	MEC	Munitions and Explosives of Concern
COA	Certificate of Authorization	mi	Mile
CWA	Clean Water Act	MSDS	Material Safety Data Sheet
cy	cubic yard	MSFCMA	Magnuson-Stevens Fishery Conservation and Management Act
CZM	Coastal Zone Management	NAAQS	National Ambient Air Quality Standards
CZMA	Coastal Zone Management Act	NACA	National Advisory Committee for Aeronautics
dB	Decibel	NAOTS	Naval Air Ordnance Test Station
dBA	A-Weighted Decibel	NAS	National Airspace System
DNL	Day-Night Average Sound Level	NASA	National Aeronautics and Space Administration
EA	Environmental Assessment	NEPA	National Environmental Policy Act
EFH	Essential Fish Habitat	NHTSA	National Highway Traffic Safety Administration
EIS	Environmental Impact Statement	NMFS	National Marine Fisheries Service
EO	Executive Order	N ₂ O	Nitrous Oxide
ESA	Endangered Species Act	NO ₂	Nitrogen Dioxide
FAA	Federal Aviation Administration	NO _x	Nitrogen Oxides
FACSFAC	Fleet Area Control and Surveillance Facility	NOAA	National Oceanographic and Atmospheric Administration
FHWA	Federal Highway Administration	NOTAM	Notice to Airmen
FIRM	Flood Insurance Rate Map	NOTMAR	Notice to Mariners
FMC	Fishery Management Council	NPR	NASA Procedural Requirements
FONPA	Finding of No Practicable Alternative	NPS	National Park Service
FONSI	Finding of No Significant Impact	NRCS	National Resources Conservation Service
ft	foot/feet		
FUDS	Formerly Used Defense Sites		
FY	Fiscal Year		
GHG	Greenhouse Gas		

NRHP	National Register of Historic Places	USCB	U.S. Census Bureau
O ₃	Ozone	USDA	U.S. Department of Agriculture
OPAREA	Operating Area	USEPA	U.S. Environmental Protection Agency
Pb	Lead	USFWS	U.S. Fish and Wildlife Service
PM ₁₀	Particulate Matter 10 microns or less in diameter	VAC	Virginia Administrative Code
PM _{2.5}	Particulate Matter 2.5 microns or less in diameter	VACAPES	Virginia Capes
ppb	Parts per billion	VDCR	Virginia Department of Conservation and Recreation
ppm	Parts per million	VDEQ	Virginia Department of Environmental Quality
R-	Restricted Area	VDGIF	Virginia Department of Game and Inland Fisheries
RCRA	Resources Conservation and Recovery Act	VDHR	Virginia Department of Historic Resources
RSM	Range Safety Manual	VMRC	Virginia Marine Resources Commission
SEL	Sound Exposure Level	VOC	Volatile Organic Compound
SHPO	State Historic Preservation Office	W-	Warning Area
SO ₂	Sulfur Dioxide	WFF	Wallops Flight Facility
SO _x	Sulfur Oxides	WS	Wildlife Services
SRIPP	Shoreline Restoration and Infrastructure Protection Program	µg/m ³	micrograms per cubic meter
TBT	Tributyltin		
TSDf	Treatment, Storage, and Disposal Facility		
UAS	Unmanned Aerial System		
U.S.	United States		
USACE	U.S. Army Corps of Engineers		
USC	U.S. Code		

CHAPTER 1

PURPOSE AND NEED FOR THE PROPOSED ACTION

CHAPTER 1

PURPOSE AND NEED FOR THE PROPOSED ACTION

1.1 INTRODUCTION

The Space Act of 1958 (as amended) was the United States (U.S.) federal statute that created the National Aeronautics and Space Administration (NASA). The Space Act gave the responsibility for planning, directing, and conducting the nation's civilian space program and aeronautics and aerospace research activities to NASA (NASA 2008a). It also gave NASA the authorization to enter into cooperative agreements, leases, and contracts with public and private entities in the use of NASA's services, equipment, and facilities in support of scientific research and discovery. The Space Act was recodified in 2010 and is now referred to as the "National Aeronautics and Space Act."

NASA Goddard Space Flight Center (GSFC) owns and operates NASA Wallops Flight Facility (WFF). WFF is located in the northeast portion of Accomack County, Virginia on the Delmarva Peninsula. The facility is comprised of three separate land masses: the Main Base, Wallops Mainland, and Wallops Island (Figure 1). The Main Base comprises approximately 720 hectares (ha) (1,800 acres [ac]) and includes offices, laboratories, maintenance and service facilities, a NASA-owned airport, air traffic control facilities, hangars, runways, aircraft maintenance and ground support buildings, and water and sewage treatment plants. Wallops Mainland consists of approximately 40.5 ha (100 ac) with long-range radar, communications, and optical tracking installations. Wallops Island comprises approximately 1,680 ha (4,600 ac), most of which is marshland, and includes launch and testing facilities, rocket storage buildings, assembly shops, and other related support structures.

The mission of WFF is to support aeronautical research, science, technology, and education. WFF provides NASA and other U.S. government agencies, as well as foreign and commercial organizations access to resources such as special use (i.e., controlled/restricted) airspace, runways, and launch pads, as well as the technical expertise and project oversight to conduct a wide-variety of scientific research in a low-cost environment. Much of the research at WFF is conducted via various carrier systems such as rockets, balloons, manned aircraft, and unmanned aerial systems (UAS).

WFF's Suborbital and Special Orbital Projects Directorate is responsible for management of Wallops Research Range located on Wallops Island. The Research Range is where the majority of scientific research launch activities occur. To support suborbital missions, restricted airspace (R-) 6604A/B was authorized through the Federal Aviation Administration (FAA). Restricted airspace is established when it is determined necessary to confine or segregate activities considered hazardous to nonparticipating aircraft (14 Code of Federal Regulations [CFR] § 1.1). R-6604A/B, owned and operated by WFF, is available 24 hours a day, 7 days a week, from the surface to unlimited altitude. This restricted airspace covers the entirety of Wallops Island and extends over the Atlantic Ocean for approximately 5.0 kilometers (km) (3 miles [mi]) (Figure 2).



Figure 1. Location of WFF




Figure 2. NASA Controlled/Restricted Airspace R-6604A/B and Location of the Existing and Proposed UAS Airstrip

Those UAS launch operations which require restricted airspace, are an important mission at WFF. UAS perform a wide variety of functions; the majority of these functions are some form of remote sensing (e.g., atmospheric monitoring and testing, hurricane analysis, etc.). Commercial UAS manufacturers and others come from around the world to WFF to conduct product trials, pilot training, and science missions from a UAS airstrip located on the south end of Wallops Island (Figure 2). WFF is proposing to construct and operate a new UAS airstrip on the north end of Wallops Island to support the testing and deployment of existing and future UAS and UAS-based scientific instruments. Limitations on the size and use of the existing airstrip have driven the requirement for a new, longer, and wider airstrip at WFF to meet UAS test and research operations.

This Environmental Assessment (EA) has been prepared by NASA in accordance with the requirements of the National Environmental Policy Act (NEPA) of 1969; the Council on Environmental Quality (CEQ) regulations implementing NEPA (Title 40 of the CFR §§ 1500-1508); NASA procedures for implementing NEPA (14 CFR 1216.3); and NASA Procedural Requirements 8580.1 *Implementing the National Environmental Policy Act and Executive Order (EO) 12114*.

1.2 BACKGROUND FOR PURPOSE AND NEED

In 1945, the National Advisory Committee for Aeronautics (NACA) established a launch site on Wallops Island under the direction of the Langley Research Center. This site was designated the Pilotless Aircraft Research Station and conducted high-speed aerodynamic research to supplement wind tunnel and laboratory investigations into the problems of flight. In 1958, Congress established NASA, which absorbed Langley Research Center and other NACA field centers and research facilities. At that time, the Pilotless Aircraft Research Station became a separate facility and was named Wallops Station. Wallops Station operated directly under NASA Headquarters in Washington, DC. In 1959, NASA acquired the former Chincoteague Naval Air Station on the Main Base, and administrative activities were moved to this location. In 1974, the Wallops Station was renamed Wallops Flight Center. The name was later changed to WFF in 1981 when the installation became part of GSFC in Greenbelt, Maryland. For over 65 years, WFF has launched thousands of research vehicles in the quest for information on the flight characteristics of airplanes, launch vehicles, and spacecraft, and to increase the knowledge of the Earth's upper atmosphere and the near space environment. The research vehicles vary in size and power from small UAS to orbital class rockets.

The employment of UAS in earth science research has increased significantly in the last decade. WFF has been in the forefront of these efforts. In fact, the first UAS to fly into a tropical storm system in the Atlantic took off from Wallops Island in 2005. These efforts have not escaped the notice of the scientific community. In its 2007 Decadal Survey for Earth Sciences, the National Academy of Sciences recommended that NASA increase its suborbital capabilities and that NASA should lead in exploiting unmanned aerial vehicle technology. The survey went on to say that "...unmanned aerial vehicle technology should increasingly be factored into the nation's strategic plan for Earth Science." In the

same year, appropriations committees from both Houses of Congress urged NASA to utilize UAVs in pursuit of Earth Science research. The House committee advocated expansion of the existing NASA UAS program. The Senate committee strongly encouraged NASA to continue a 2006 effort to utilize the unique assets and location of WFF to begin a program where UAS would be utilized to achieve the key objectives of the Earth Science Decadal Survey in fiscal year 2008. Over the last two years, NASA WFF has invested nearly \$5 million in Congressionally-directed funds to develop and demonstrate advances in Earth Science instruments and small UAS support systems to conduct research previously requiring large piloted aircraft. A highly miniaturized Laser Identification Detection and Ranging system flown on a small UAS platform has recently collected data that is expected to enable a new class of low-cost terrain mapping science missions, many of which are expected to occur from WFF.

In addition to NASA's role in furthering earth science research, the agency has assumed an active role in UAS flight testing and validation. There are currently two bills in Congress (the FAA Reauthorization Act and the National Defense Authorization Act) which would mandate the establishment of four to six UAS test sites in the United States. The purpose of these sites would be to support the integration of UAS into the National Airspace System (NAS). In an October 19, 2011, letter, four members of Virginia's congressional delegation suggested that, given its experience with UAS operations and its existing support infrastructure, WFF is an ideal location for one of these test ranges. This designation, if received, is expected to lead to a significant growth in requests from other Federal agencies (e.g., FAA, Department of Defense [DoD]) and commercial developers to conduct UAS operations from WFF. Accordingly, NASA is proposing to expand its UAS operations at WFF in response to these directives as well as the growing needs of its existing user base.

Figure 3 provides the most common and largest UAS that currently operate from the south Wallops Island airstrip. Table 1 provides an overview of the various UAS models. As shown in Table 1, the Viking 100- and 300- class vehicle models require a 450 m (1,500 ft) airstrip for safe takeoff and landing and are therefore the largest UAS capable of operating from the existing airstrip. The Viking 400-class vehicle model is proposed for future operations at WFF.




Figure 3. UAS Currently Operating and Proposed for Future Operations at WFF

Table 1. UAS Operating and Proposed for Operations at WFF

<i>Model/Class of Vehicle</i>	<i>Wingspan (m/ft)</i>	<i>Length (m/ft)</i>	<i>Maximum Weight with Payload (kg/lbs)</i>	<i>Minimum Airstrip Requirement (m/ft)</i>	<i>Power</i>	<i>Maximum Airspeed (kph/knots)</i>	<i>Endurance (hours)</i>
Aerosonde ¹	3.0/9.5	1.5/5.6	14/30	none	1.2 kilowatt-electric	115/62	40
GTM AirSTAR ²	2.0/7.0	2.5/8.0	23/50	450/1,500	Turbofan engine	120/65	10-12 minutes
Viking 100 ³	4.5/15.0	2.5/8.0	68/150	450/1,500	16 horsepower	102/55	10-14
Viking 300 ³	5.5/17.5	4.0/13.5	144/318	450/1,500	25 horsepower	104/56	8-10
Viking 400 ³	6.0/20.0	4.5/14.7	240/530	760/2,500	38 horsepower	111/60	8-12
Exdrone ⁴	3.0/9.5	2.0/6.2	2/6	100/300	8 horsepower	144/78	2
Scan Eagle ⁵	3.0/9.5	2.0/5.6	2/6	10/30	1.2 kilowatt-electric	204/110	40
Shadow 200 ⁶	6.0/20.0	4.0/12.0	4/12	30/500	38 horsepower	130/70	4
Blimp (tethered)	2.0/7.0	7.0/23.0	7/23	none	n/a	n/a	n/a

Notes: ¹ Manufactured by Aerosonde. ² GTM (Generic Transport Model) AirSTAR is manufactured by NASA Langley Research Center. The GTM is similar to an upscale model airplane and is the smallest of the UAS piloted at WFF. ³ Manufactured by L3 BAI Systems. ⁴ Launched via catapult; stopped by chute or skid. ⁵ Launched via catapult; stopped via SkyHook. ⁶ Launched via catapult; wheel landing. kg=kilogram, lbs=pounds, kph=kilometers per hour.

Since 2003, UAS have been operating from an airstrip on a then remote portion of south Wallops Island. The airstrip (Figure 4), formerly a paved road, measured 230 m long by 15 m wide (750 ft long by 50 ft wide). In 2005, the airstrip was expanded to accommodate larger classes of UAS. The airstrip was lengthened to 450 m (1,500 ft); two staging pads were also added (Figure 5). While this airstrip met an immediate and emerging need, the location has proven to be insufficient for continued UAS flight operations.



Providing the facilities and support services for UAS as a platform for scientific instruments is a primary function of WFF’s suborbital research program. UAS technologies have matured since the 1980s and 1990s, as has the interest in the use of UAS as platforms for scientific research. WFF has the capability to provide the necessary services (i.e., restricted airspace, airstrip, and oversight) in a low-cost environment to support a growing UAS test and UAS-based research environment.

1.3 PURPOSE AND NEED FOR THE PROPOSED ACTION

1.3.1 Purpose

The purpose of the Proposed Action is to provide an adequately-sized UAS airstrip that would be capable of supporting the testing and deployment of existing and future UAS and UAS-based scientific instruments at WFF. UAS test and UAS-based research opportunities form an important objective of WFF's Suborbital and Special Orbital Projects Directorate and as such, this type of mission requires an unencumbered operating environment.

1.3.2 Need

A new airstrip at north Wallops Island is needed to support WFF's ongoing and future UAS and UAS-based test research. Limitations on use of the existing UAS airstrip, as presented below, have inhibited opportunities for scientific testing and research at WFF.

- The airstrip has a north/south orientation making it susceptible to (east/west) cross winds. Due to the small size and light weight of most UAS, strong east/west winds often preclude and/or limit UAS operations. Historical wind data for Wallops Island indicates that winds are generally from the west/northwest or east/southeast directions (NASA 2010a).
- During storm events, the existing airstrip is often inundated with surf and sand. Severe beach erosion from hurricanes and nor'easters (as evident in Figure 6) has virtually eliminated the beachfront and dunes that provided protection in the past. Although, WFF is in the process of restoring the Wallops Island shoreline (NASA 2010b), the beach restoration project will not prevent storm driven flood waters from the back bays from inundating the existing UAS airstrip.
- WFF's rocket launch program has expanded with the current construction of a new launch pad north of the UAS airstrip. Mandatory safety constraints from increased rocket launch activities at the nearby Mid-Atlantic Regional Spaceport (MARS) are anticipated to further reduce UAS research opportunities. The airstrip is inactivated prior to and immediately following rocket launch activities and static test firing of the rocket engines. Approximately 18 orbital launches, 60 sounding rockets, and 2 static test firing of rockets would occur each year (NASA 2009a). Each of these activities has the potential to reduce opportunities for UAS flight operations from the existing airstrip (see Figure 8).
- The existing airstrip (450 m [1,500 ft] long) is not capable of supporting the next generation of UAS. The Viking 400-class UAS would require, at a minimum, a 760 m (2,500 ft) long airstrip; an additional 75 m (250 ft) clearance zone on each end would provide for safe operations.



Figure 6. South Wallops Island UAS Airstrip after a Storm

Based on the limitations presented, the requirement to operate UAS in restricted airspace, and WFF's Suborbital and Special Orbital Projects Directorate's mission to provide the infrastructure and support services for scientific research and discovery, NASA has determined the need to construct a new UAS airstrip on the north end of Wallops Island.

1.4 LEAD AND COOPERATING AGENCIES

NASA is the proponent for the North Wallops Island airstrip and is the lead agency for preparation of this EA. The U.S. Army Corps of Engineers (USACE) is a co operating agency. As defined in 40 CFR § 1508.5, and further clarified in subsequent Council on Environmental Quality memoranda, a cooperating agency can be any Federal, state, Tribal, or local government which has jurisdiction by law or special expertise regarding any environmental impact involved in a proposal or a reasonable alternative.

USACE is a cooperating agency because they possess both regulatory authority and specialized expertise pertaining to the Proposed Action. Under Section 404 of the Clean Water Act (CWA), the USACE has jurisdiction over the disposal of dredged and fill material in Waters of the U.S., including wetlands.

CHAPTER 2

DESCRIPTION OF THE PROPOSED ACTION AND NO ACTION ALTERNATIVE

CHAPTER 2

DESCRIPTION OF THE PROPOSED ACTION AND NO ACTION ALTERNATIVE

This chapter describes the WFF proposal to construct and operate a new UAS airstrip on the north end of Wallops Island in Accomack County, Virginia. The new airstrip would measure approximately 900 m (3,000 ft long [2,500 ft plus an additional 500 ft clear zone]) by 25 m (75 ft) wide and would be located entirely within existing restricted airspace R-6604A/B (refer to Figure 2).

Section 2.1 describes the process used to identify alternatives to be analyzed in this EA as well as those eliminated from further study. Section 2.2 presents the Proposed Action. Section 2.3 describes the No Action alternative as required by CEQ regulations; the No Action alternative reflects the *status quo*. Alternatives to the Proposed Action were considered; however, no other location at WFF would meet the overall purpose and need.

2.1 ALTERNATIVE IDENTIFICATION PROCESS

WFF defined six criteria to identify reasonable alternatives. Based on fulfilling the purpose and need for the Proposed Action, WFF determined that a reasonable alternative must meet the following criteria:

- Meet the needs of the GSFC UAS scientific and research community;
- Provide a location on WFF in which all UAS departures, landings, and operations are within controlled/restricted airspace;
- Limit conflicts with other WFF or WFF-tenant mission objectives and activities;
- Ensure the dimensions (i.e., length and width) of the airstrip are sufficient to accommodate existing and future planned UAS;
- Ensure the UAS airstrip is oriented to maximize use of the prevailing winds in the region; and
- Provide operational safety.

While the following criteria and their applications were used to determine the optimal location for the new UAS airstrip at WFF, the criteria were also applied in considering alternative locations outside of the boundaries of WFF.

Criterion 1: Meet the Needs of the GSFC UAS Scientific and Research Community

Each NASA Center is directed to meet the needs of the scientific and research community as provided in the recodified National Aeronautics and Space Act of 2010. GSFC is the NASA Center of Excellence for Earth Science Research and conducts studies involving the coastal zone, hurricane tracking, and instrument validation. As WFF is a GSFC facility, the administrative burden for GSFC scientists working at WFF is greatly reduced. Additionally, at approximately 260 km (160 mi) from GSFC, WFF is extremely convenient and cost-effective for GSFC scientists performing research and testing scientific instrumentation. Use of other facilities or NASA Centers for UAS-based research and engineering tests would dramatically impact the cost and logistics for the GSFC research community. WFF's UAS capabilities (including airstrip infrastructure) have been developed to support local research missions (e.g., hurricane and oceanography studies) as well as to contribute to remotely deployed campaigns (e.g.,

arctic ice research). WFF-based UAS operations are critical for tests needed to support both scenarios, as much of the research sensors and instrumentation are developed by GSFC scientists. This matured capability, including the specific ability to launch, test, operate, and recover unique research systems, is a key element in growing utilization of UAS by GSFC scientists, instrument developers, and collaborators. Such new technology would then be used to conduct valuable scientific research at WFF and throughout the world.

Criterion 2: Controlled/Restricted Airspace

The FAA is responsible for overseeing the National Airspace System (NAS), including the safety, security, and efficiency of operations by the military, government, private pilots, and commercial entities. That responsibility extends to the operation of UAS. UAS that have not been certified or authorized by the FAA to operate in the NAS are required to operate (i.e., takeoff, cruise, and land, with appropriate safety margins) in controlled/restricted airspace areas. R-6604A/B is NASA-controlled/restricted airspace that overlies all of Wallops Island, the majority of the Mainland, and a portion of one of three Main Base runways (refer to Figure 2). UAS operating from WFF are not certified or authorized to operate in the NAS unless an approved Certificate of Authorization (COA)¹ has been granted by the FAA. Under a COA, WFF UAS operations could be conducted in the NAS, usually with very strict limitations, under the guidance of Air Traffic Control (ATC).

Criterion 3: Limit Conflicts with other WFF Mission Areas

As shown in Figure 7, multiple launch pads including MARS Expendable Launch Vehicle pads and NASA sounding rocket pads dominate the Island's south end; mid-Wallops Island is dominated by U.S. Navy (Navy) facilities and radar systems along with rocket processing and integration facilities. The lack of these types of operational activities at the Island's north end is evident because this area is dedicated to rocket motor storage and fueling operations. Preparation and launch activities associated with the launch pads occur throughout the year. To meet the expanding needs of the NASA and MARS rocket programs, WFF is proposing to construct a Payload Processing and Fueling Complex approximately 3 km (1.75 mi) from the northern extent of the launch range.

Wallops Mainland lies to the west of the launch range and is connected by Causeway Road (Figure 7); it is the location of large radar, tracking and telemetry systems. Operations on the Main Base are divided between the core campus administrative and processing facilities, which are bounded to the north and east by the airfield.

¹ A COA is an authorization issued by the FAA for a specific UAS activity that requires take-off, flying and/or landing, including the related safety margins, within the NAS. In most cases, FAA will provide a formal response within 60 days from the time a completed application is submitted (FAA 2010).



Figure 7. Various WFF Mission Areas on Wallops Island

Criterion 4: Airstrip Dimension

The airstrip must accommodate the minimum requirement for takeoff and landing of existing and future UAS. The largest UAS that would be authorized to operate from the airstrip is the Viking 400-class of vehicle. The minimum airstrip length for the Viking 400 is 750 m (2,500 ft). Additional area beyond the primary airstrip surface area is also required. This area, the clear zone, extends with the width and length of the primary surface area. Clear zones provide additional clear, typically unpaved surface area to stop an aircraft in the event of a mishap; thereby reducing potential property damage. To provide the necessary area for a Viking 400, a 75 m (250 ft) clear zone would be provided on each end of the airstrip. The width of the airstrip would accommodate the wing span of the largest UAS (i.e., Viking 400) while adding additional surface area to account for drifting off the airstrip centerline due to various conditions, such as wind, weight, or operator controls. WFF determined that an airstrip measuring approximately 900 m (3,000 ft long [2,500 ft plus an additional 500 ft clear zone]) by 25 m (75 ft) wide would meet its needs for a UAS airstrip.

Criterion 5: Airstrip Orientation

Aircraft use the flow of wind over the wings to generate lift in order to fly. By taking off into the wind, the aircraft lifts off sooner and the result is a lower ground speed and a shorter take-off run necessary for the aircraft to become airborne. Landing into the wind has the same advantages; the aircraft would use less of the airstrip and the ground speed would be lower at touchdown. A review of historical wind data for Wallops Island indicates that winds are generally from the west/northwest or east/southeast (NASA 2010a). An airstrip placed in this orientation would provide optimal winds for UAS test and UAS-based research opportunities.

Criterion 6: Operational Flight Safety

Flight safety is generally associated with the containment of vehicle flight within approved operational areas and impacts within planned impact areas. The potential exists for loss of control of a UAS during test flight training. A UAS airstrip from where unproven UAS would operate would need to be confined to an area where there is little probability of a crash injuring people or infrastructure on the ground. As such, an operational UAS airstrip would need to be located in an area where people, vehicles, homes, or businesses would not be found and overflights of these areas would not occur. A 1 km (0.5 mi) safety buffer would be required around the UAS airstrip during test takeoff and landing operations. If this radius is not available, there would be a requirement to temporarily evacuate people in the area, close nearby roads, and shelter people in place during takeoff and landing (personal communication, Patterson 2011).

Alternatives Considered But Not Carried Forward

Off-Site Locations

Numerous off-site alternative locations were considered to determine their viability to conduct UAS test and UAS-based research using criteria developed by WFF. Table 2 provides the results from application

of six criteria followed by a brief summary. None of the off-site locations meet the full list of criteria necessary to be considered as practicable alternatives.

Table 2. Application of Screening Criteria for Off-Site Locations

	<i>Criterion 1</i>	<i>Criterion 2</i>	<i>Criterion 3</i>	<i>Criterion 4</i>	<i>Criterion 5</i>	<i>Criterion 6</i>
	<i>Meet Needs of GSFC UAS Scientific and Research Community</i>	<i>Controlled/Restricted Airspace</i>	<i>Limit Conflicts with other WFF Mission Areas</i>	<i>Airstrip Dimension</i>	<i>Airstrip Orientation</i>	<i>Operational Flight Safety</i>
NASA Langley Research Center/Langley Air Force Base	- / -	- / -	✓	- / ✓	- / ✓	- / ✓
Kennedy Space Center	-	✓	✓	✓	✓	✓
Naval Air Station Patuxent River	-	✓	✓	✓	✓	✓
Accomack County Airport	-	-	✓	✓	✓	-
Land Parcels Adjacent to WFF	-	-	✓	✓	✓	-

Legend: ✓ = yes; - = no.

NASA Langley Research Center (LaRC) and *Langley Air Force Base (LAFB)* are adjacent facilities located in Hampton, Virginia which often cooperate closely and could conceivably work together to conduct UAS operations; therefore, they will be considered as one entity. Though LaRC does have a UAS research group, the Center does not possess the services, equipment, facilities (including runways) that UAS operations require. The GTM AirStar (refer to Figure 3) is manufactured by LaRC; however, the aircraft cannot be operated at the Center; the GTM AirStar is flown exclusively at WFF. LAFB possesses the needed facilities the base does not have the controlled/restricted airspace to support UAS test and UAS-based research operations. Moreover, LAFB is an operational base, meaning that the requirements for a test and research facility would not be provided. Therefore the Air Force Base does not meet Criteria 1 and 2. Lacking the requirements under these Criteria, LaRC/LAFB is not carried forward as an alternative location.

Kennedy Space Center in Florida possesses the services, equipment, facilities, and controlled/restricted airspace to support UAS test and UAS-based research operations as required under Criterion 2 through 6; however, Kennedy Space Center is a different administrative entity from GSFC, the location is remote from WFF, and is not located in the mid-Atlantic region. As such, this location would not meet the needs of the GSFC UAS scientific and research community under Criterion 1. Kennedy Space Center is not carried forward for additional consideration.

Naval Air Station Patuxent River is a U.S. Naval Air Station located on the Chesapeake Bay in St. Mary's County, Maryland approximately 320 km (200 mi) from WFF. The Naval Air Station is the Navy's primary location for research, development, test, evaluation, engineering and fleet support for naval aircraft and systems. Webster Field provides an airstrip and airspace for UAS operations. Overall, the installation would meet the requirements under Criterion 2 through 6; however, the Air Station is not a NASA-supported Center and due to its location, the coastal zone/ocean research objectives would not be available rendering this location unable to meet the needs of the WFF UAS scientific and research

community as required under Criterion 1. Accordingly, further consideration of Naval Air Station Patuxent River is not warranted.

Accomack County Airport, located in Melfa, Virginia is approximately 60 km (35 mi) from WFF. The airport has two 1,500 m (5,000 ft) long by 30 m (100 ft) wide north/south runways that would be capable of supporting aircraft of the size proposed at WFF and would meet the requirements under Criteria 3 through 5; however, this location was not considered further since it is not a NASA-supported Center as described under Criterion 1, it does not meet the controlled/restricted airspace requirements as described under Criterion 2, and due to the proximity of business and residential areas within 0.8 km (1 mi) of the airstrip, the location would fail to meet the operational flight safety requirements under Criterion 6. The Accomack County Airport is not considered a viable alternative and is not considered further.

Purchase of off-site land parcels surrounding the entrance to Wallops Mainland and north towards the Main Base was considered; however, these off-site land parcels would be located outside of R-6604A/B, a requirement under Criterion 2. Additionally, UAS operating from WFF are permitted only to operate and fly over areas where people, vehicles, or homes and businesses would not be located and overflights of these areas would not occur. Although rural, the areas around both the Mainland and Main Base are populated. Operating UAS in populated areas and areas located outside of R-6604A/B would pose an unacceptable risk to the public and residential property from mishaps that could occur with untested/unproven UAS; Criterion 6 would not be met resulting in a failure to also meet the requirements under Criterion 1. As such, purchase of off-site land parcels is not considered further.

On-Site Locations

In addition to the criteria developed in Section 2.1, consideration of the magnitude of potential environmental impacts eliminated some on-site alternatives from further consideration. Table 3 provides the results from application of the criteria followed by a brief summary. Figure 8 provides the location of alternatives considered at WFF but not carried forward for detailed analysis; Figure 9 provides more focus of the alternative locations considered on the north end of Wallops Island.

Table 3. Application of Screening Criteria for On-Site Locations

	<i>Criterion 1</i>	<i>Criterion 2</i>	<i>Criterion 3</i>	<i>Criterion 4</i>	<i>Criterion 5</i>	<i>Criterion 6</i>
	<i>Meet Needs of GSFC UAS Scientific and Research Community</i>	<i>Controlled/Restricted Airspace</i>	<i>Limit Conflicts with other Mission Areas</i>	<i>Airstrip Dimension</i>	<i>Airstrip Orientation</i>	<i>Operational Flight Safety</i>
Expansion of Existing UAS Airstrip	-	✓	-	-	-	✓
Causeway Road (Route 803)	✓	✓	-	✓	✓	-
Mainland	-	✓	-	-	-	-
Expansion of R-6604A/B over Main Base Runways	✓	✓	✓	✓	✓	-
Alternative Location 1	✓	✓	-	✓	-	-
Alternative Location 2	✓	✓	-	-	✓	-
Proposed Location	✓	✓	✓	✓	✓	✓

Legend: ✓ = yes; - = no.



Figure 8. Alternative Locations Considered at WFF




Figure 9. Alternative Locations Considered on the North End of Wallops Island

Expansion of the Existing UAS airstrip on the south end of Wallops Island was considered, but not carried forward as a viable alternative. The north/south orientation of the airstrip makes it susceptible to east/west cross winds; the airstrip is often inundated with water and sand from storm events, and mandatory safety constraints from increased rocket launch activities at the nearby MARS would continue to reduce UAS test/research opportunities. Additionally, expansion of the existing airstrip to a length necessary to accommodate the next class of UAS, the Viking 400, would place the south end unacceptably close to Resource Conservation and Recovery Act (RCRA) permitted hazardous waste Treatment, Storage, and Disposal Facility (TSDF) (refer to Figure 8). This alternative would be incapable of meeting Criterion 3, 4, and 5 and the continuing needs of the UAS scientific and research community (Criterion 1) would be adversely affected. Expansion of the existing airstrip was not considered a viable alternative and is not carried forward for detailed analysis.

Causeway Road (Route 803) links Wallops Island to the Mainland. WFF considered using a section of the road south of the Causeway Bridge since the location, dimensions, and orientation of the road segment would meet the requirements of Criterion 1, 2, 4, and 5; however, the road does not present a flat, level surface required for safe operations. Additionally, UAS operations would require scheduled road closures, up to 3 days in a row in some cases, and extra roadway maintenance to ensure the road was clear of debris. Use of Causeway Road could place limitations and restrictions on other NASA mission areas, in conflict with the requirements under Criterion 3. Furthermore, the proximity of the Mainland's occupied facilities would present an unacceptable risk to people and structures resulting in failure to meet Criterion 6. As such, this alternative location was not considered viable and therefore not carried forward for further analysis.

The Mainland is a thin strip of land adjacent to Wallops Island. The Mainland is the location for WFF's radar, optical, communications, and command transmitter facilities along with the Wallops Geophysical Observatory and the Atmospheric Sciences Research Laboratory. Due to the structures found on the Mainland, operation of a UAS airstrip would conflict with existing mission activities, present unnecessary hazards to persons on the ground, and would require UAS to fly over MARS to remain within R-6604 A/B and avoid populated areas to the north, south, and west of the Mainland. The Mainland would not provide suitable space to construct an airstrip of the required length or orientation; would present an unacceptable risk to persons in the Mainland's occupied facilities; and would therefore fail to meet the needs of the scientific and research community. Only Criterion 2 would be met at this location. As such, the Mainland as an alternative location is not carried forward for detailed analysis.

Expansion of R-6604 over the Main Base runways was considered. In 2009, WFF submitted a proposal to the FAA for expansion of restricted airspace R-6604 to the west to encompass the airspace above NASA's property. The intent of the proposal was to meet the needs of ongoing and future UAS and UAS-based test research at a location void of constraints and limitations such as those presented at the existing UAS airstrip and to ensure that non-participating aircraft would not be granted access while the restricted airspace was active. The expansion would have enveloped the airspace above all three runways of WFF's Research Airport and the entire Main Base area. Expansion of the restricted airspace would

have permitted UAS to take off from the Main Base runways, transit to an already established restricted area (i.e., R-6604A/B), and return to the Main Base runways for landing without the need for a COA. Expanding R-6604 over the Main Base would have given WFF the ability to effectively accommodate multiple flight platforms and move the current UAS operations away from the MARS furthering WFF's support of the needs of the scientific community.

Subsequent to NASA's request, FAA rejected the proposal for restricted airspace expansion instead suggesting that WFF apply for a COA for each UAS vehicle configuration. The time required to secure a COA (nominally 60 days) would severely limit the necessary flexibility to test a variety of new UAS.

It is noteworthy that this alternative would not have been the definitive solution, as it would have only rectified the potential for the encroachment of non-participating aircraft during UAS operations. To meet NASA flight safety criteria (to protect persons and property on the ground) for unproven UAS transiting to or from the Main Base airfield, Route 175 would be closed for up 20 to 30 minutes for each takeoff and landing. Closure of Route 175 is undesirable to NASA as this road is the only means of vehicular ingress and egress to Chincoteague, Accomack County's largest town. Additionally, the Main Base runways are adjacent to the NASA and NOAA workforce as well as various high value assets (e.g., NASA telemetry assets and NOAA tracking assets). For UAS missions flown on the Main Base, significant flight restrictions would be required to protect people and property; some UAS would be denied because the risk is too great, even with restrictions. Likewise, several of the approach paths to the runways overfly housing developments, all within 0.8 km (0.5 mi) mile of the end of the respective runway. This places additional restriction on UAS take-off and landing options.

In summary, expansion of R-6604 would not ensure the flexibility necessary to fulfill the requirements under Criterion 1 and would fail to meet the requirements under Criteria 2 and 6. Therefore, this alternative is not carried forward for detailed analysis.

Alternative Location 1 was initially considered for placement of the proposed UAS airstrip. An existing road would provide access to the site, the location would be outside of the munitions and explosives of concern (MEC) hazard area, outside of areas modeled as having an increased sensitivity for potential archaeological resources, and would not encroach upon the bald eagles' nest situated to the northeast. The location of the airstrip would require UAS to operate over active piping plover nesting areas at altitudes near the airstrip of 150 m to 300 m (500 ft to 1,000 ft). The U.S. Fish and Wildlife Service (USFWS) has requested that UAS not operate within 300 m (1,000 ft) horizontally or vertically of sections of the beach on which piping plovers are known to nest during breeding season (USFWS 2003). Construction of an airstrip at Alternative Location 1 would have to cross over a wetland area potentially impacting 1.1 ha (2.75 ac) of wetlands. Additionally, in 2010, WFF identified an area just south of Alternative Location 1 for potential placement of a Rocket Motor Storage Building. The building would contain Class 1.1 explosives; a 380 m (1,250 ft) safety buffer (i.e., hazard arc) would surround the building and encompass the majority of Alternative Location 1 rendering it unusable for UAS operations. Given the placement of the Rocket Motor Storage Facility, Alternative Location 1 would not meet the

requirements under Criteria 3, 5, and 6. This alternative was not considered further and is not carried forward for detailed analysis.

Alternative Location 2 was also an initial consideration for placement of the proposed UAS airstrip. An existing road would provide access to the site, the location would be just outside of the MEC hazard area, outside of areas modeled as having an increased sensitivity for potential archaeological resources, it would not encroach upon the bald eagle's nest situated to the northeast, and the airstrip would be oriented southeast-northwest. Construction of an airstrip at Alternative Location 2 would potentially impact 0.5 ha (1.25 ac) of wetlands. As would occur under Alternative Location 1, the location of the airstrip would require UAS to operate over piping plover nesting areas at altitudes near the airstrip of 150 m to 300 m (500 ft to 1,000 ft), encroaching upon the USFWS-requested 305 m (1,000 ft) "no fly" buffer. Additionally, the potential placement of the Rocket Motor Storage Facility south of the site would require a 380 m (1,250 ft) hazard arc around the building. The buffer would surround the building and would encompass the majority of the alternative site rendering it unusable for UAS operations (Criterion 1). Lastly, the airstrip could not have been practically built to the required length as this would require extending it onto the beach and into the Atlantic Ocean, thereby failing Criterion 4. Alternative Location 2 was not considered a viable alternative since it would not meet the requirements under Criteria 3, 4, and 6; this alternative is not carried forward for detailed analysis.

Original Proposal

Based on consideration of the 6 Criteria, WFF determined that the north end of Wallops Island was the preferred location for the UAS airstrip. In 2009, WFF originally proposed to construct a 1,600 m (5,200 ft) long by 25 m (75 ft) wide UAS airstrip on the north end of Wallops Island at the location currently proposed. Construction of the airstrip under the original proposal would have affected approximately 14 ha (34 ac) of wetlands from clearing and fill activities. The southeast end of the airstrip would have encroached within the 200 m (660 ft) buffer around the bald eagle's nest and would have extended into the piping plover nesting area located to the southeast. Additionally, essential fish habitat (EFH) found in the tidal wetlands may have been adversely impacted from clearing and fill activities. After careful consideration of the potential environmental impacts associated with an airstrip of that length in this location, WFF surveyed its UAS user community and determined that a shorter airstrip would satisfy the majority of the UAS missions expected to fly at WFF in the reasonably foreseeable future. As such, the airstrip length originally proposed has been reduced to 900 m (3,000 ft) while the width of the airstrip would remain at 25 m (75 ft).

Alternatives Analyzed in this EA

As shown in Table 3, application of the criteria for defining the location for a new UAS airstrip, indicate that one location would meet the overall purpose and need, would fulfill the requirements under Criteria 1 through 6, and would result in the least amount of potential environmental impacts. This EA analyzes the preferred alternative (Proposed Action) and the No Action alternative. The No Action alternative reflects

the *status quo*, in which a new UAS airstrip would not be constructed; use of the existing south Wallops Island UAS airstrip would continue.

2.2 PROPOSED ACTION

Under the Proposed Action, WFF would construct an asphalt airstrip measuring approximately 900 m (3,000 ft long [2,500 ft plus an additional 500 ft clear zone]) on the north end of Wallops Island. The width of the airstrip would be 25 m (75 ft) wide; additional width would be provided by a grass buffer and cleared areas as needed for a clear line of sight for UAS operators. Figure 10 provides a representative view of one section of the proposed airstrip followed by a discussion on the design, construction, maintenance, and operation of the UAS airstrip under the Proposed Action.

The USACE, as a cooperating Federal agency, would undertake a “connected action” (40 CFR 1508.25) that is related to, but unique from WFF’s proposed action, the construction and operation of a UAS airstrip. In the pre-construction phase of the project, WFF would be required to submit an application for authorization from USACE because the Proposed Action would result in unavoidable impacts to jurisdictional wetlands. Therefore, USACE’s proposed action would be to issue WFF a permit under Section 404 of the CWA for the placement of fill in waters of the U.S. (wetlands). As such, the effects of USACE’s proposed action are also considered in this EA.

Design, Construction and Maintenance of the Proposed UAS Airstrip

Design

The UAS airstrip would incorporate typical manned aircraft runway design elements such as the necessary airstrip length, width, shoulders, and clear zone. The length and width of the airstrip would be the minimum required to support the takeoff/landing requirements of the largest UAS proposed (i.e., Viking 400-class) for operations at the airstrip. The unpaved shoulders of the airstrip would provide passage of maintenance or other vehicles and the occasional UAS that may veer off course. The clear zones would extend beyond the end of the airstrip and would provide additional area for takeoff operations. The airstrip would be designed to ensure that the surface area is flat, without humps, depressions, or other surface variations and the shoulders of the airstrip would be sloped to direct water to an infiltration trench.

Consideration of Climate Change

The airstrip would be designed so that the centerline of the asphalt would be at 1.97 m (6.47 ft) above approximate Mean Sea Level. The sea level rise at WFF over the next 50 years is projected to be between 0.25 m (0.84 ft) and 0.78 m (2.53 ft) (USACE 2011). Since the mean tidal range in the vicinity is 1.1m (3.6 ft), and the spring tidal range is 1.3 m (4.4 ft) it is unlikely that the maximum projected sea level rise would threaten the airstrip, even combined with a spring tide (USACE 2011). Storm surges would have the potential to inundate the airstrip, however, and UAS missions would have to be cognizant of this issue when scheduling operations. The expectation is that locating the airstrip on the northern portion of Wallops Island in the lee of Gunboat Point would best protect it from full impacts of the increased




Figure 10. Representative View of Proposed UAS Airstrip

severity of storms (and damaging surf) that would be experienced along the Wallops Island beach, which is the location of the existing UAS airstrip.

Construction

Prior to the start of construction activity, silt fencing and other approved measures to control erosion, sedimentation, and the integrity of a known archaeological site would be put in place. Following these control measures, two structures (a metal observation tower and a wood frame observation platform) located within the project area would be removed. The area comprising the base and clearing limits of the airstrip would be cleared of all vegetation. Vegetation alongside the length (out to 30 m [100 ft] on each side of the centerline) of the airstrip would be cleared (Figures 10 and 11). Trees would be cut to ground level; digging below ground to remove stumps and roots is not anticipated since the area for the airstrip would be elevated with up to 1 m (3 ft) of fill in most areas. The site would then be filled, compacted, and graded to design specifications prior to application of the asphalt.

Construction of the UAS airstrip and associated road improvements would affect approximately 3.26 ha (8.05 ac) of vegetated areas from clearing; clearing would encompass the minimum required for the buildup of the UAS airstrip and that needed to safely conduct UAS operations. Airstrip construction would also fill approximately 1.0 ha (2.47 ac) of non-tidal wetlands. The appropriate permits for construction in a wetland area would be obtained prior to commencement of construction activities.

The UAS airstrip would need to be elevated approximately 1 m (3 ft) above the existing ground surface to ensure sufficient surface water runoff for UAS operations. A Low Impact Development (LID) infiltration trench would be constructed to capture the surface water runoff; the trench would be constructed in accordance with Virginia stormwater management regulations and Virginia Department of Conservation and Recreation (DCR) standards for pre- and post-development stormwater quality and discharge rates. Figure 11 provides a typical pavement section of the proposed airstrip and infiltration trench.

A staging pad for aircraft and support vehicles (i.e., government vehicles, fire truck, mobile command station, and road sweeper) in preparation for and during flight operations would be located just below the point where the access road meets the airstrip. Crushed gravel would be used to improve a portion of the existing dirt access road that provides service to the northernmost end of Wallops Island. An extension leading off of the existing paved road would connect to the existing access road (refer to Figure 9). Infrastructure improvements to provide electrical and telecommunication service would be implemented.

WFF anticipates construction of the UAS airstrip would require approximately 9 to 12 months to complete. Construction activities would occur during daylight hours.




Figure 11. Proposed UAS Airstrip – Typical Pavement Section and Infiltration Trench

Maintenance

UAS operators require a clear line of sight during take-offs and landings; therefore, vegetation alongside the length (out to 30 m [100 ft] on each side with some variations) of the airstrip would be maintained by mowing and via hand clearing with simple mechanical tools, as needed, throughout the year. Beyond the ends of the airstrip, the vegetation height would also be maintained in order to provide the necessary line of sight for UAS operators. Clearing around the known archaeological site would be performed in accordance with a plan approved January, 2011, by the Virginia Department of Historic Resources (VDHR).

Operations at the New UAS Airstrip

Typical UAS-based operations would be conducted year round during WFF's normal ATC tower hours (Monday through Friday, 0600 to 1800). From 2007 to 2009, annual UAS operations varied between 70 and 130 sorties² (personal communication, Justis 2010a). Under this proposal, WFF proposes to conduct on average, four UAS sorties each day. A maximum of 1,040 UAS sortie operations³ would occur each year. This total would include the transition of UAS flight operations from the south Wallops Island airstrip. The number and frequency of operations would be dictated by the type of UAS test and UAS-based research being conducted in a given year.

Night operations would be probable but infrequent, taking place under special circumstances (e.g., hurricane monitoring). The airstrip would have no permanent lighting; should lighting be required for the rare nighttime operation, the lighting would be provided via mobile vehicle source at the minimum intensity necessary for task performance.

UAS Proposed for Operations

A representative list of UAS that would operate from the north Wallops Island airstrip is provided in Table 1. The Viking 400- class of vehicle would be the largest UAS authorized that would be operated from the proposed airstrip. The Viking 400 has a 6 m (20 ft) wingspan, is 4.5 m (14.7 ft) in length, and would have a maximum weight of 240 kg (530 lbs). The maximum length for takeoff and landing the Viking 400, including safety margins, is 760 m (2,500 ft).

UAS operators are and would remain responsible for transporting their respective aircraft to and from WFF; operators are not provided storage or maintenance space while on the installation. On average, a UAS operations team would consist of three people who would remain in the local area for up to two weeks. Additionally, WFF range safety personnel, consisting of up to three persons would remain on site during UAS operations. If the UAS would be used as a base for NASA scientific instrumentation, up to two NASA science personnel would also be present to monitor the instrument's functionality.

² A sortie consists of a single UAS flight operation from takeoff through landing.

³ A sortie operation applies to flight activities outside of the airfield/airstrip space environment.

UAS would be controlled by the operator via a truck mounted mobile command center or a hand-held control switch, depending on the type of UAS being operated. Operators would be required to maintain a clear line of sight for UAS take-offs and landings. WFF would not permit UAS to be remotely controlled unless prior approval by WFF Range Safety Office was provided. With the exception of the Aerosonde listed above, UAS operating from the airstrip would be fueled with a common jet propellant (JP). JP-5 is the most frequently used fuel for turbine engines. This fuel would not be stored on site; each UAS operator would be responsible for transporting and dispensing fuel for each day's use. The average UAS operating from WFF would hold approximately 11 liters (3 gallons) of JP-5 fuel.

2.3 NO ACTION ALTERNATIVE

CEQ regulations (40 CFR Part 1502.14(d)) for implementing NEPA require analysis of a No Action alternative. "No Action" means that implementing the Proposed Action would not occur. The resulting environmental effects from taking No Action would be compared to the effects of implementing the Proposed Action. Under the No Action alternative, WFF would not construct or operate a UAS airstrip on north Wallops Island. This alternative would reduce UAS testing and UAS-based research opportunities at WFF. UAS would continue to operate from the south Wallops Island airstrip; however, limitations on operations currently experienced (as described in Section 1.3.2) would remain.

2.4 ENVELOPE CONCEPT

This EA evaluates the effects of construction and operation of a larger UAS airstrip on the north end of Wallops Island. As several different UAS would be expected to fly from the proposed airstrip in the future, the largest UAS and payload, in terms of potential environmental impact, were chosen as the demonstration, or "envelope," to provide a benchmark for assessing impacts on environmental resource areas.

Under the envelope concept, existing and future UAS possessing similar qualities as the "envelope" would be expected to have less than or equal impacts. For example, if noise from the envelope UAS has an insignificant impact on a resource, a quieter operating UAS would fall within the same range of impacts and also have an insignificant impact.

The envelope UAS for noise is the Viking 300. The manufacturer (L-3) has stated that the noise from an operating Viking 300 is approximately 70 decibels (dB) at an altitude of 300 m (1,000 ft). The Viking 400, while larger, would operate more quietly than the Viking 300 due to a design change that includes the installation of a muffler system. The Viking 300 is then the envelope against which future UAS would be compared for noise affects to sensitive receptors. The Viking 400 would be the largest UAS (in terms of physical size and quantities of onboard materials) that would operate from the new airstrip, and would be the envelope against which future UAS would be compared for other impacts (e.g., hazardous materials).

Existing and future UAS not specifically mentioned in this EA would be considered within the scope of this document if analysis determines that their impacts do not exceed those associated with the envelope UAS. The subsequent analysis and final determination would be documented in a Memorandum to be

kept in the official project files. If the analysis finds that the impacts are outside the scope of this EA, further NEPA documentation may be prepared.

2.5 NATIONAL ENVIRONMENTAL POLICY ACT GUIDANCE

This WFF UAS Airstrip EA was prepared in accordance with the requirements of NEPA of 1969; the CEQ regulations implementing NEPA (40 CFR 1500-1508); and NASA Procedural Requirements 8580.1 *Implementing the National Environmental Policy Act and EO 12114* as promulgated in 14 CFR § 1216 Subpart 1216.3. The steps involved in the environmental analysis process used to prepare this EA are outlined below.

1. **Conduct Scoping** – On July 14, 2010, coordination letters were sent to federal, state, and regional government agencies. Comments were requested on WFF’s proposal to construct and operate a UAS airstrip on the north end of Wallops Island. Chapter 7 provides the list of agencies and organizations to which the coordination letters were sent; Appendix A provides a sample of the 2010 coordination letter and the responses received. Included in Appendix A is the 2009 coordination letter and responses received on the original proposal. The primary issues that emanated from the scoping process include concerns for biological resources (i.e., bald eagles, peregrine falcons, piping plovers, sea turtles, wetlands, and rare plants and communities), cultural resources (1952 North Observation Mound and archaeological Site 44AC0089), potential limitations on Navy radar operations, and cumulative impacts from previous and planned WFF activities. A public information meeting was held at the WFF Visitor Center August 2, 2010; a total of six people attended the meeting. One written comment in support of the project was received and one other person asked if there would be land or water closures associated with the airstrip proposal.
2. **Prepare a draft EA** – The first comprehensive document for public and agency review is the draft EA. The EA examines the environmental impacts of the Proposed Action and No Action alternative.
3. **Announce that the draft EA has been prepared** – An advertisement will be placed in two newspapers local to WFF – the Chincoteague Beacon and the Eastern Shore News. The advertisement will notify the public as to the availability of the draft EA for review in local libraries and on the World Wide Web (http://sites.wff.nasa.gov/code250/UAS_DEA.htm). The draft EA will be made available at the following libraries: Island Library, Chincoteague, Virginia; and Eastern Shore Public Library, Accomac, Virginia.
4. **Provide a public comment period** – A 30-day period for public review of the draft EA will be initiated. This provides the public and agencies the opportunity to provide comments concerning the findings presented.
5. **Prepare a final EA** – Following the public comment period, a final EA is prepared. This document is a revision (if necessary) of the draft EA, includes consideration of public and agency comments, and provides the decision-maker with a comprehensive review of the Proposed Action and the potential environmental impacts. The final EA will be made available

at the following libraries: Island Library, Chincoteague, Virginia; and Eastern Shore Public Library, Accomac, Virginia. The final EA will also be made available on the World Wide Web at: (http://sites.wff.nasa.gov/code250/UAS_FEA.htm).

6. **Issue a Finding of No Significant Impact (FONSI) or Notice of Intent (NOI) to prepare an Environmental Impact Statement (EIS)** – The final step in the process is either a signed FONSI if the analysis supports this conclusion, or a determination that an EIS would be required for the proposal. Advertisement of the signed FONSI (as well as availability of the final EA) would be published in the Chincoteague Beacon and the Eastern Shore News. If a determination to prepare an EIS is made, a NOI would be published in the *Federal Register*.

Related NEPA Activities

In January 2005, NASA published a Final Site-wide EA and FONSI for its existing and reasonably foreseeable activities at WFF. However, since 2005, WFF has experienced mission growth and is actively undertaking efforts to identify future opportunities. To that end, NASA determined that its planning process would be most efficiently accomplished with the preparation of another master planning-type NEPA document. On July 11, 2011, NASA published a NOI to prepare a WFF Site-wide Programmatic EIS (PEIS) in the *Federal Register* (76 FR 40751). The Site-wide PEIS will allow the early identification of broad issues needing consideration prior to the implementation of specific proposed projects.

The letter from the Virginia congressional delegation referenced in Section 1.2 requested that WFF include a UAS test range in its environmental planning, suggesting that the consideration of the test range be included in the Site-Wide PEIS. However, to meet the expected timeline established by the pending legislation for use of the north Wallops Island UAS airstrip, and to ensure continuity of operations in light of likely storm damage and mission conflicts, NASA needs to have the ability to begin work on the project in advance of rendering a Record of Decision (ROD) for the Final Site-wide PEIS, which is anticipated in mid-2013. Moreover, the programmatic nature of the Site-wide PEIS will not allow for the level of specificity necessary to facilitate an informed decision regarding the airstrip; a project-specific document would. Therefore, NASA prepared this separate, project-specific EA to analyze the potential impacts of the north Wallops Island UAS airstrip in advance of its completing the Site-wide PEIS. This EA (or EIS, if required) will be incorporated by reference and included in the Site-wide PEIS cumulative effects analysis. Likewise, any activities scoped for inclusion in the Site-wide PEIS that are within the geographic boundaries of the cumulative effects analyses for this EA are fully considered in Section 5.3.

2.6 SUMMARY OF POTENTIAL ENVIRONMENTAL IMPACTS

The potential environmental impacts from implementation of the Proposed Action and No Action alternative are summarized in Table 4 below.

Table 4. Summary of Potential Environmental Impacts		
<i>Resource</i>	<i>Proposed Action</i>	<i>No Action Alternative</i>
Airspace Management	Minor, long-term impacts to airspace management could occur with an increase in UAS operations. UAS operations would continue to occur in R-6604A/B and Warning Area (W-) 386. Conditions under which civilian pilots and general aviators need to request permission to enter R-6604A/B or W-386 when the airspace is active, would remain unchanged.	No change to existing conditions; UAS operations would remain at present levels and continue to occur in R-6604A/B and W-386.
Safety	UAS operations present potential ground or flight safety risks; however, with an excellent safety record and pre-flight and flight procedures that would continue to be followed, the potential for adverse ground or flight safety impacts would be very minor.	No impact would be anticipated; ground and flight safety procedures would continue to be observed.
Noise	Minor, short-term impacts to the noise environment during construction activities. The noise environment under the flight track near the airstrip could generate noise of approximately 83 dB representing a minor, long-term impact; noise in the operating airspace would not be expected to exceed 43 dB Day-Night Average Sound Level (DNL).	No impacts would occur under the No Action under which the existing noise conditions at the north end of Wallops Island would remain unchanged.
Biological Resources	Minor, short-term and long-term impacts to biological resources would be anticipated under the Proposed Action. The introduction of new noise from airstrip construction and UAS overflight operations would be anticipated to startle wildlife; however, measures (i.e., minimum overflight of beach and avoidance of a bald eagle nest) would reduce these impacts. Minor, long-term impacts to upland and non-tidal wetland communities would occur. Approximately 3.26 ha (8.05 ac) of vegetation would be cleared and roughly 1.0 ha (2.47 ac) of non-tidal wetlands would be filled. The loss of habitat would not adversely impact wildlife species abundance or population sustainability. Minor, short-term impacts to federal threatened, endangered, or candidate species (loggerhead sea turtle, piping plover, and red knot) from overflight noise or nighttime lighting (if applicable) could occur; however, each of the species would be monitored and UAS operations mitigated if it was determined necessary. Construction would remove approximately 0.93 ha (2.3 ac) of maritime dune woodland; this ecosystem is considered rare by the Commonwealth of Virginia; however this impact would be minor when considered with the context of existing like habitat in the Mid-Atlantic region. Minor indirect impact to EFH.	Short- and long-term impacts to biological resources would remain unchanged with implementation of the No Action alternative.
Topography and Soils	Localized and very minor impacts to the topography from grading and fill activities. Spill or leaks from construction vehicles and later from UAS refueling or personnel vehicles could adversely affect soils; site-specific Best Management Practices (BMPs) addressing spill prevention and control measures would be implemented.	BMPs addressing spill prevention and control measures would continue to be implemented at the existing UAS airstrip.

Table 4. Summary of Potential Environmental Impacts (con't)

<i>Resource</i>	<i>Proposed Action</i>	<i>No Action Alternative</i>
Water Resources	All activities occur with Virginia's Coastal Zone Management (CZM) area. WFF has determined that the Proposed Action is consistent with the enforceable polices of the Coastal Zone Management Program. Functionality of the floodplain would not be affected. Minor, long-term impacts to wetlands would occur as up 1.0 ha (2.47 ac) of non-tidal wetlands would be filled. WFF would obtain the necessary permits to secure authorization for these impacts and to identify appropriate compensation mitigation measures. NASA would ensure that its actions comply with EO 11988, <i>Floodplain Management</i> , and 14 CFR 1216.2 (NASA Regulations on Floodplain and Wetland Management) to the maximum extent possible.	No impact to water resources from implementation of the No Action alternative would be anticipated.
Cultural and Traditional	No impact to Site 44AC0089 (Revolutionary War earthwork) with implementation of avoidance and mitigation measures approved by the VDHR. No impacts to architectural resources or traditional cultural properties.	No impacts to cultural or traditional cultural resources would occur under the No Action alternative.
Land Use, Visual and Recreation	No adverse impact to land use under the current designation. Minor adverse impacts to visual resources would occur with the change in the viewshed; however, natural vegetation along the beach from and tidal wetlands would shield much of the airstrip from view. No impact to recreation.	The existing land use classification would remain unchanged. The viewshed would not be changed; the lack of recreational areas on the island would continue.
Air Quality	Negligible impacts to air quality from construction and operational activities; annual emissions would not exceed 227 tonnes (250 tons) per year for any criteria pollutant. Greenhouse gas emissions would remain far below 25,000 tonnes (27,500 tons) per year.	Impacts to air quality from existing UAS operations would remain unchanged.
Hazardous Materials, Hazardous Systems and Hazardous Waste Management	The potential for minor adverse impacts exists due to the use of hazardous materials during construction and UAS flight; however, the impacts would be localized and measures to ensure the safety of people and the environment would be implemented. WFF and USACE would provide personnel with education and oversight on the proper procedures to follow should MECs be discovered during the clearing and construction at the site.	No change in the measures to protect human health and the environment would occur under the No Action alternative.
Socioeconomic	Minor, short-term positive impacts to the local economy during the construction phase. Minor long-term positive impacts to the local economy would occur each year from the purchase of food, supplies, and lodging by research scientists and students conducting UAS operations at WFF.	No change to impacts provided to the local economy from existing UAS operations.
Transportation	Minor, short-term adverse impacts to the local area roads from construction traffic would be anticipated. Vehicular traffic from UAS operations would be expected to increase under the Proposed Action; however, the impact to transportation resources would be negligible.	Vehicular traffic would remain at present levels under the No Action alternative.
Cumulative Effects	Minor cumulative impacts due to loss of upland vegetation and non-tidal wetlands. Mitigation would be provided to compensate for all wetland losses.	No cumulative impacts under continued use of the existing UAS airstrip.

CHAPTER 3

DESCRIPTION OF THE AFFECTED ENVIRONMENT AND ENVIRONMENTAL CONSEQUENCES

CHAPTER 3

DESCRIPTION OF THE AFFECTED ENVIRONMENT AND CONSEQUENCES

3.1 ANALYSIS APPROACH

NEPA requires focused analysis of the areas and resources potentially affected by an action or alternative. It also provides that an EA should consider, but not analyze in detail, those areas or resources not potentially affected by the proposal. In other words, an EA should not be encyclopedic; rather, it should be succinct. NEPA also requires a comparative analysis that allows decision makers and the public to differentiate among the alternatives. Therefore, this EA focuses on those resources that would be affected by UAS operations conducted from the north end of Wallops Island.

CEQ regulations (40 CFR §§ 1500-1508) for NEPA also require an EA to discuss impacts in proportion to their significance and present only enough discussion of other than significant issues to show why more study is not warranted. The analysis in this EA considers the existing conditions of the affected environment and compares those to conditions that might occur should WFF implement the Proposed Action or No Action alternative.

Affected Environment

The affected environment for this UAS Airstrip EA includes the north end of Wallops Island where the airstrip would be constructed, and R-6604A/B and the Virginia Capes (VACAPES) Operating Area (OPAREA) (i.e., W-386) where UAS flight operations would continue to occur.

Resources to Be Analyzed

Table 5 presents the results of the process of identifying resources to be analyzed in detail in this EA. This assessment evaluates airspace management; safety; noise; biological resources; topography and soils; water resources; cultural and traditional resources; land use, visual, and recreation resources; air quality; hazardous materials, hazardous systems, and hazardous waste management; socioeconomics; and transportation. These resources are analyzed in detail in Sections 3.2 through 3.13 because they may be potentially affected by implementation of the Proposed Action.

Resources Not Carried Forward for Detailed Analysis

Potential impacts to environmental justice and protection of children were assessed; impacts to these resources would be negligible and do not warrant detailed analysis. The following provides the rationale for this approach.

Table 5. Resources Considered in this UAS Airstrip EA		
<i>Resource</i>	<i>Potentially Affected by UAS Activities</i>	<i>Analyzed in Detail in this EA</i>
Airspace Management	Yes	Yes
Safety	Yes	Yes
Noise	Yes	Yes
Biological Resources	Yes	Yes
Topography and Soils	Yes	Yes
Water Resources	Yes	Yes
Cultural and Traditional Resources	Yes	Yes
Land Use, Visual, and Recreation Resources	Yes	Yes
Air Quality	Yes	Yes
Hazardous Materials, Hazardous Systems, and Hazardous Waste Management	Yes	Yes
Socioeconomics	Yes	Yes
Transportation	Yes	Yes
Environmental Justice and Protection of Children	No	No

Environmental Justice and Protection of Children

In 1994, EO 12898, *Federal Actions to Address Environmental Justice in Minority and Low-Income Populations*, was issued to focus attention of federal agencies on human health and environmental conditions in minority and low-income communities and to ensure that disproportionately high and adverse human health or environmental effects on these communities are identified and addressed. In 1997, EO 13045, *Protection of Children from Environmental Health Risks and Safety Risks (Protection of Children)*, was issued to ensure the protection of children. Environmental justice addresses the disproportionate effect of a federal action on low-income or minority populations. If implementation of the Proposed Action were to have the potential to significantly affect people, those effects would have to be evaluated for how they adversely or disproportionately affect low-income or minority communities. No aspect of WFF’s UAS airstrip proposal would result in a disproportionate impact to the human health or environmental conditions in minority or low-income communities, because none of these communities reside within the affected environment for the Proposed Action. Neither the Proposed Action or No Action alternative would result in an adverse impact to the health and safety of children; therefore, further analysis of this resource is not warranted for this EA.

Resources Carried Forward for Detailed Analysis

Twelve resources are carried forward for detailed analysis as presented in Table 5.

3.2 AIRSPACE MANAGEMENT

The safe, orderly, and compatible use of the nation’s airspace is made possible through a system of flight rules and regulations, airspace management actions, and ATC procedures just as the use of the nation’s highway system is governed by traffic laws and rules for operating vehicles. The NAS is designed and managed to protect aircraft operations around most airports and along air traffic routes connecting these airports, as well as within special areas where activities such as military flight testing and training are conducted. The FAA has the overall responsibility for managing the NAS and accomplishes this through

close coordination with state aviation and airport planners, military airspace managers, and other entities. The FAA assigns responsibility for units of airspace to Air Route Traffic Control Centers (ARTCCs); WFF is located within the Washington ARTCC (Air Nav 2010).

3.2.1 Affected Environment

This section describes restricted area airspace R-6604A/B, the types of operations that are conducted within R-6604A/B, and within the offshore warning areas in which UAS may operate.

Airspace Management

Within the NAS are certain categories of special use airspace called restricted areas and warning areas. Restricted areas separate potentially hazardous military activities, such as air-to-ground training, from other aviation activities. General aviation or civilian aircraft must have permission from air traffic control to enter a restricted area when it is active or “hot.” A warning area is airspace of defined dimensions, extending from three nautical miles outward from the coast of the U.S. that contains activity that may be hazardous to nonparticipating aircraft. R-6604A/B is NASA-controlled/restricted airspace that overlies all of Wallops Island, the majority of the Mainland, and a portion of the Main Base runways (refer to Figure 2). R-6604A/B also connects to offshore W-386. R-6604A/B is available 24 hours a day, 7 days a week from the surface to unlimited altitude, while W-386 is from the surface to unlimited altitude with hours of use being intermittent. Notices-to-Airmen (NOTAM) are issued when these areas are activated. When not in use, R-6604A/B and W-386 are “cold” and the airspace is returned to the NAS.

The northwestern portion of R-6604A/B presents some ambiguity since this portion overlies, approximately, the southeast portion of the WFF airport air traffic area. Normally the WFF control tower is the focal point of control for all air traffic transiting that portion of R-6604A/B extending into the airport air traffic area. However, the point of control for this northwest portion is relinquished to the WFF Range Test Director by the control tower operator on certain occasions when test range operations dictate a need. Non-participating aircraft must contact the WFF Range Control Center or the Washington ARTCC to obtain clearance to transit through any portion of the restricted area.

The Navy Fleet Area Control and Surveillance Facility (FACSFAC) VACAPES controls the offshore warning areas, including W-386. As a designated ATC facility, FACSFAC VACAPES is responsible for all aircraft (general, military, and commercial) operating within its area of responsibility, the scheduling of offshore warning areas and operating areas, and the preparation of NOTAMs and Notice-to-Mariners (NOTMARs) for broadcast by the FAA and U.S. Coast Guard, respectively. FACSFAC VACAPES also coordinates ATC and flight monitoring.

UAS Operations

The majority of UAS operations at WFF consist of experimental or first flight aircraft. Some UAS (e.g., Global Hawk) have been proven reliable and are flown from the Main Base under a COA; however, the vast majority of UAS operating at WFF are flown from the UAS airstrip on south Wallops Island. R-6604A/B and W-386 support flight activities that could be hazardous to non-participating aircraft. First

flight and experimental UAS operating from WFF do not operate over Chincoteague Island, Assateague Island National Park, or over any populated areas.

3.2.2 Environmental Consequences

Proposed Action

Under the Proposed Action, UAS would continue to operate in R-6604A/B and W-386. No changes would be required to R6604A/B or W-386 to permit continued UAS operations. Use of other VACAPES warning areas is possible, depending on mission requirements, but would be infrequent (personal communication, Dickerson 2010). Typically, UAS operations would be conducted year round during WFF's normal control tower hours (Monday through Friday, 7 AM to 5 PM) with occasional night and weekend operations. A maximum of 20 UAS operations would be conducted each week (i.e., 5 days each week; 4 operations a day) for a maximum of 1,040 UAS operations each year from the proposed new airstrip. Civil aircraft operations within the WFF region would not be measurably affected by UAS operations at the new airstrip or within testing airspace due to restricted airspace and warning area separation rules. Given that UAS activity would increase at WFF, the restricted airspace would be activated more frequently, thereby diverting non-participating aircraft either above or around the "no-fly zones." Conditions under which general aviators or civilian pilots would need to request permission to enter R-6604A/B or W-386 when active would remain unchanged. Flight monitoring and ATC responsibilities at WFF Range Control Center, Washington ARTCC, and FACSFAC VACAPES would continue. NOTAMs and NOTMARs for broadcast by the FAA and U.S. Coast Guard, when needed for UAS operations in R-6604A/B and W-386, would also remain unchanged.

No Action Alternative

Implementation of the No Action alternative would have no effect on the NASA-controlled/restricted airspace R-6604A/B or W-386. UAS operations would remain at present levels and would operate within R-6604A/B and W-386. Conditions under which general aviators or civilian pilots would need to request permission to enter R-6604A/B or W-386 when active would also remain unchanged.

3.3 SAFETY

The WFF Safety Office plans, develops, and provides policies and procedures to ensure that risks are controlled and minimized during ground and flight operations. A UAS safety certification process is performed prior to ground and/or flight operations to ensure that the mission would be compliant with applicable NASA safety regulations and WFF NASA Procedural Requirement (NPR) 8715.5, *Range Flight Safety Program*, and Range Safety Manual (RSM)-2002, *Range Safety Manual for Goddard Space Flight Center/Wallops Flight Facility* (NASA 2008b). The WFF Aircraft Office is responsible for UAS certification.

The following are key steps in the UAS safety certification process.

- **UAS Operations Standards** – The intention of WFF is to establish operations standards for UAS so they can be routinely operated on the Research Range with minimal oversight and mission

participation by the Safety Office. UAS are classified in three ways: 1) those that have successfully operated at WFF; 2) those that have proven airworthiness elsewhere; and 3) those that have never flown before. Systems that have already been operated at WFF generally receive the most rapid project acceptance and flight approval, as this coordination process has already been previously approved. Extensive changes to the system would invalidate the prior approval. Those systems that have operated elsewhere generally require review by WFF officials of documented activities, performance, and design characteristics prior to flight approval. UAS that have never flown before would generally require WFF officials to review the design characteristics and performance predictions prior to flight approval. All flight approvals are subject to standard safety certification evaluations.

- **Safety Risk Analysis** – Prior to flight approval, the UAS operator must provide sufficient background information on the specific UAS so that WFF safety and range management personnel can ascertain a technical and operational understanding of the UAS. This information is used as a starting point for determining any potential hazards and to review existing safeguards. From the information provided the Safety Office provides a Safety Risk Analysis that defines the operations, restrictions, and precautions that must be observed during a UAS mission at WFF. This ensures that UAS risks during ground and flight operations are identified, eliminated, or at least mitigated to the lowest practical level to prevent harm. The Safety Risk Analysis consists of four key elements:
 - **Range Safety System** – A range safety system is required for all UAS operating in WFF airspace unless the UAS range is less than all protected areas or the kinetic energy does not exceed 0.2 kilogram force-meters (38 foot-pounds). In small UAS, a loss-of-signal fail-safe that triggers the fail-safe mode in the onboard receiver and activates the preset functions that force descent may be used. Verification that the predetermined range safety system or fail-safe are functioning prior to take-off completes this verification process.
 - **Radio Control System** – The radio control system (i.e., antenna and receiver) must meet specific requirements to ensure avoidance of any potential interference. Details for locating, constructing, and shielding antennas and receivers on UAS are described in the *Wallops Flight Facility Uninhabited Aerial Vehicle User's Handbook*, 840-HDBK-0002 (NASA 2005a).
 - **Airworthiness** – The first flight of any UAS would be a test flight to determine airworthiness. A configuration document would be maintained describing the flight test, airworthiness, and aircraft configuration. Only experienced, essential personnel would be in the area during the test flight. The WFF Aircraft Office is responsible for issuing the airworthiness certification to the UAS user for operations at WFF.
 - **System Hazards** – Also assessed by the Safety Office are any potential hazards that are associated with the UAS, which could include mechanical systems, vehicle/payload and ground based transmitters, hazardous chemicals and chemical systems, noise hazards, gas

turbine hazards, or any other hazardous system or material that may be utilized by the UAS.

- **UAS Operations Crew** – Overall safety of operations is entirely dependent on the personnel operating and maintaining the UAS and equipment. Personnel must be sufficiently skilled and proficient in their tasks and procedures must be comprehensive and unambiguous. Since crew roles may vary for different UAS, WFF does not require specific crew configurations and responsibilities. WFF is, however, open to reviewing the UAS operator's approach to defining roles and responsibilities to ensure any safety concerns are satisfied.
- UAS design and test features must meet the standards as specified in the Range Commanders Council Standard 323, *Range Safety Criteria for Unmanned Aerial Vehicles*, or a tailored set of equivalent requirements to meet specific hazard analysis requirements (NASA 2008b).

3.3.1 Affected Environment

The affected environment for safety considers the requirement of a UAS airstrip and ground and flight safety requirements of the operational airstrip. Ground safety considers activities associated with UAS pre- and post-flight hazardous operations while flight safety considers the takeoff, in-flight, and landing activities of UAS aircraft within the UAS operating environment.

Ground Safety

To insure that risks are controlled and minimized, day-to-day operations and maintenance activities conducted at WFF are performed in accordance with applicable NASA safety regulations; NPR 8715.5, Range Safety Program; and RSM-2002, *Range Safety Manual for Goddard Space Flight Center/Wallops Flight Facility* (NASA 2008b). The ground safety goal of WFF is to minimize the risks to personnel and property involved in conducting ground operations at the facility and to prevent mishaps. A Ground Safety Plan is prepared for each UAS operation (NASA 2008c).

There are two fire stations at WFF, one on the Main Base and one on Wallops Island, each are manned 24 hours a day by fully trained firefighters and emergency medical technicians. The stations support all normal aircraft activities and generally provide support to include hazardous materials, water supply, rescue, and emergency medical service operations to WFF. The Emergency Operations Center is manned at all times and serves as the communications and alarm center for all WFF emergency services (NASA 2005a). Additionally, a fully equipped first aid and emergency treatment facility is located in Building F-160. A nurse and a physician are on duty during normal working hours (8:00 a.m. to 4:30 p.m.).

Flight Safety

Flight safety is generally associated with the containment of vehicle flight within approved operational areas and vehicle impacts within planned impact areas. The goal of flight safety is to protect the public, range participants, and property from the risk created by conducting potentially hazardous flight operations (e.g., UAS operations) at WFF and to prevent mishaps. Since the variables (vehicle aerodynamic and ballistic capabilities, azimuth and elevation angles, wind effects, air and sea traffic, and

proposed impact areas) are unique, a flight safety analysis would be performed for each mission. Vehicle design, reliability, performance, and error predictions for each flight case are reviewed by the Safety Office personnel to assess the safety of the operational vehicle. Flight safety data are prepared by the WFF Flight Safety Group prior to any flight operations where WFF has flight safety responsibilities. This data is published in a Flight Safety Plan and describes the proposed vehicle flight and the means safely contain the flight.

All mission activities are planned such that the risk (probability of hazard to the public) does not exceed 100×10^{-6} , the maximum acceptable risk level. For those missions where the risk cannot be mitigated below acceptable levels, the risk is analyzed and variances are approved or disapproved according to 803-PG-8715.1.2, *Range Safety Deviation & Waiver Process*. In all cases, the risk is minimized as low as reasonably practical. The range safety analysis establishes hazard areas that could be used in the event that control of a UAS could not be maintained. WFF coordinates its operations with the FAA, the U. S. Coast Guard, and other organizations, as required, to clear potential hazard areas (NASA 2008b).

The unique aspect of UAS flying operations is that the vehicle is unmanned. An external pilot flies the UAS via a data-link from a ground control station, or it is controlled by an internal computer. In flight, if malfunctions occur and the data-link (either communication or global positioning system) is lost, the UAS is programmed to return to a predetermined area within R-6604A/B. Then, it circles while attempts are made to restore the data-link. If all fails, the aircraft simply circles until fuel exhaustion and falls into the water. The circular pattern flown within R-6604A/B ensures that there is little or no risk to persons on the ground (personal communication, Justis 2010b).

UAS flight operations at WFF have an excellent safety/reliability record. A total of 312 UAS operations in the past 3 years have resulted in no crashes or injury to personnel. One hard landing resulted in an Aerosonde vehicle skidding off the airstrip and into a ditch. Four intrusions of aircraft flying into the UAS operations area (R-6604A/B) have been recorded. As a result, UAS must now be equipped with radar tracking systems to prevent interference and potential impact with other WFF test vehicles (personal communication, Justis 2010b).

3.3.2 Environmental Consequences

Impacts would be considered significant if UAS flight operations or associated activities posed a substantial present or potential hazard to personnel or the general public.

Proposed Action

Safety procedures currently in place for UAS operations would continue to be followed. WFF would continue to adhere to procedures to protect the public and staff; therefore, the potential risk from implementation of the Proposed Action would be negligible. UAS flight operations are arranged so that if an incident were to occur, it would cause the least possible injury to personnel and damage to facilities or surrounding property. Only mission essential personnel would be permitted on the UAS airstrip during ground and flight operations.

UAS flown from Wallops Island are not authorized to operate over Chincoteague Island, Assateague Island National Park, or over populated areas if the risk is too high. Although risks from UAS flight operations can never be completely eliminated, WFF carefully plans each UAS flight operation to minimize the risks involved while enhancing the probability for attaining the mission objectives. The Safety Office develops a flight safety plan and flight safety risk analysis that defines the operations, restrictions, and precautions to be observed during UAS operations at Wallops prior to each UAS flight (NASA 2008c). This analysis ensures that UAS risks during flight operations are identified and eliminated, or at least mitigated to the lowest practical level. Avoidance of population centers would continue to ensure the safety of the general public and protection of property.

UAS equipped with the WFF mandated radar tracking system would conform to the radio frequency utilization and applicable procedures for UAS as specified in the *Wallops Flight Facility Frequency Utilization Management Handbook*, would continue to be observed (NASA 2008d).

No Action Alternative

Implementation of the No Action alternative would not affect ground or flight safety in regards to UAS operations beyond baseline conditions. UAS would continue to fly from the south Wallops Island airstrip. Safety procedures currently in place for operating UAS at WFF would remain unchanged.

3.4 NOISE

Sound, expressed in decibels (dB), is created by vibrations travelling through a medium such as air. Noise is often defined as any sound that is undesirable because it interferes with communication, is intense enough to damage hearing, diminishes the quality of the environment, or is otherwise annoying. Response to noise varies by the type and characteristics of the noise source, distance between source and receptor, receptor sensitivity, and time of day. Noise may be intermittent or continuous, steady or impulsive, and may be generated by stationary or mobile sources. There are two noise sources discussed in this EA. The first is noise generated by construction activities and equipment at the site of the proposed airstrip. The second is noise generated by UAS operations.

Noise is represented by a variety of metrics. Each noise metric was developed to account for the type of noise and the nature of the receptor exposed to the noise. Human hearing is more sensitive to medium and high frequencies than to low and very high frequencies, so it is common to use “A-weighted” (dBA) metrics, which account for this sensitivity. This weighting provides a good approximation of the response of the average human ear and correlates well with the average person’s judgment of the relative loudness of a noise event. Within this EA, A-weighted levels are used for noise and are described by the sound level¹, the Sound Exposure Level (SEL)², Equivalent Sound Level (L_{eq})³, and Day Night Average Sound

¹ Sound level is the amplitude of the sound that occurs at any given time.

² SEL accounts for both the maximum sound level and the length of time a sound lasts. SEL does not directly represent the sound level heard at any given time, but rather provides a measure of the total sound exposure for an entire event. SEL values are analogous to a line source (a moving object) which has a distance variation of 3 dB per doubling, whereas L_{max} variation with distance follows a point source (a stationary object) which is 6 dB per doubling of distance. SEL for UAS are evaluated as line source.

Level (DNL)⁴. Maximum Sound Level (L_{\max}) is the highest A-weighted integrated sound level measured during a single event in which the sound level changes value with time (e.g., an aircraft overflight). During an aircraft overflight, the noise level starts at the ambient or background noise level, rises to the maximum level as the aircraft flies closest to the receptor, and returns to the background level as the aircraft recedes into the distance. Noise levels are computed over a 24-hour period and adjusted for nighttime annoyances to produce the DNL.

Aircraft operations represent the most identifiable noise concern to communities, even though communities and even isolated areas receive more consistent noise from other sources (e.g., cars, construction equipment, and wind). Noise generated by aircraft overflights often receives the greatest attention with annoyance being the primary consequence of aircraft noise.

3.4.1 Affected Environment

The north end of Wallops Island is fairly remote with almost no vehicular or pedestrian activity. An evaluation of monitored noise data gathered from eight locations throughout WFF was recently completed. Noise measurements were taken from May 25 to June 2, 2011 and included noise measurements taken near the site of the proposed UAS airstrip. The results of the study provide a more detailed understanding of the background sound levels. The hourly sound levels show a diurnal variation typical of background sound levels. These sound levels varied by as much as 10 dBA from day to night, although these variations were site specific. The study also determined that the background sound levels are strongly correlated with the wind conditions. Since the site of the proposed UAS airstrip is close to the coast, off-shore breezes play a significant role in the local soundscape. The breeze causes rustling in the leaves of the local plants, raising the background sound level. The results of the study concluded that the background weekday hourly L_{eq} levels ranged from 47 dBA to 57 dBA.

Chincoteague Island and Assateague Island National Park both lie northeast of the project site. The nearest residential home (i.e., sensitive receptor) is approximately 3.1 km (1.9 mi) away on Chincoteague Island.

Construction

Construction noise varies greatly depending on the construction process, type and condition of equipment used, and the layout of the construction site. Overall, construction noise levels are governed primarily by the noisiest pieces of equipment (dump truck, front end loader, grader, etc.). Typically, the sound level attenuates or drops off at a rate of 6 dBA for each doubling of the distance (i.e., if the noise level is 76 dBA at 15 m [50 ft], it is 70 dBA at 30 m [100 ft]) from a point source (FHWA 2007). In cases where the nearby surroundings consist of an “absorptive” ground surface, such as soft dirt, grass, or scattered bushes

³ L_{eq} represents an average of the sound energy occurring over a specified period. In effect, L_{eq} is the steady-state sound level that in a given period would contain the same acoustical energy as the time-varying sound that actually occurs during the same period. In this EA, the 1-hour L_{eq} is used. L_{eq} best describes continuous or ongoing sounds, including traffic and construction.

⁴ DNL combines the levels and durations of noise events, and the number of events over a 24-hour time period; it is the community noise metric recommended by the U.S. Environmental Protection Agency (USEPA) (USEPA 1974).

and trees, an additional 1.5 dBA per doubling of distance is normally assumed, resulting in a total drop-off rate of 7.5 dBA per doubling of distance from a point source.

Operations

Noise generated by UAS varies by model and activity (i.e., idle, takeoff, steady state, or landing). The Viking 300 is the loudest of the UAS proposed for operations at the new airstrip. As such, the Viking 300 is set as the “envelope” noise source.

3.4.2 Environmental Consequences

Determination of significance of potential impacts to the noise environment from the Proposed Action is based on the level of increased noise when compared to the existing noise environment. Generally, noise exposure levels above 65 DNL are considered incompatible over residential, public use (i.e., schools), or recreational areas (USEPA 1974). Noise in the affected environment would be created during construction activities and UAS operations.

Proposed Action

Construction

Construction noise levels at a particular receptor or group of receptors can be difficult to predict. Heavy construction vehicles, the major source of noise during construction projects, are constantly moving in unpredictable patterns, therefore no one receptor is expected to be exposed to construction noise of long duration. The FHWA has developed an analysis tool, the Roadway Construction Noise Model (RCNM), which serves as a basic screening tool that can be used for the prediction of construction noise during the various stages of project development and construction (FHWA 2006). NASA employed the RCNM to assess the potential significance of noise impacts during construction of the North UAS airstrip.

The loudest phase of construction is expected to be during land clearing activities. Accordingly, the results of the analysis may be considered “worst case” and that subsequent activities (e.g., placement of fill material, paving, etc.) would have lesser effects. The RCNM analysis scenario assumed that two excavators, two dump trucks, and two chainsaws would be operating simultaneously in the same point location (and distance from receiver), which is considered conservative as it would generate the highest sound levels. Table 6 presents calculated land clearing sound levels at selected distances from the construction activity. As the areas surrounding the proposed construction site consist of forest, scrub/shrub and marsh, it is likely that sound attenuation would approach the 7.5 dBA per doubling of distance from the source, however as the model’s most appropriate use is as a screening tool rather than for precise estimation, Table 6 presents a range of potential noise levels, the first from an attenuation rate of 6 dBA, followed by 7.5 dBA per doubling of distance.

Table 6. Predicted Construction Noise Levels at Selected Distances			
<i>Distance from Source (m)</i>	<i>6.0 dBA Attenuation L_{eq}</i>	<i>7.5 dBA Attenuation L_{eq}</i>	<i>Background Weekday L_{eq} (dBA)</i>
50	73	71	47-57
100	67	63	
200	61	56	
300	58	52	

In summary, minor, temporary impacts to the noise environment in the vicinity of the project site would occur. The use of heavy equipment for site preparation and development (e.g., vegetation removal, grading, and back fill) could potentially generate noise above average ambient noise levels; however, the noise levels would be typical of standard construction activities, and would typically occur only during normal Monday through Friday working hours (i.e., between 7:00 a.m. and 5:00 p.m.). Sensitive noise receptors would include wildlife; see Section 3.5.2 for a discussion of noise impacts to affected wildlife. It is unlikely that noise from construction activities at the site would be heard at Chincoteague Island. No other sensitive receptors are located at or near the site of the proposed airstrip.

Operations

Of the UAS currently operating and proposed for operations at the new UAS airstrip, the Viking 300 has been determined to be the loudest. The basic sound level of the Viking 300 is 70 dB at 300 m (1,000 ft) flight altitude at 100 kilometers per hour (56 knots) (this is the L_{max} occurring during the flyover). For aircraft flyovers at these speeds, the SEL is approximately 10 dB greater than the L_{max} , which would give an estimated SEL value of 80 dB for a 300 m (1,000 ft) flyover. A 150 m (500 ft) minimum cruise altitude near the airstrip is proposed. The reduction of the altitude by a factor of 2 would increase the SEL by 3 dB. Thus, the estimated SEL underneath the flight track near the airstrip at 150 m (500 ft) would be approximately 83 dB. Under the Proposed Action, it is projected that the average operational day would consist of no more than four UAS sorties, which means eight operations per day (one sortie equals one departure and one arrival).

UAS sorties would occur during daylight hours, with the potential for an occasional nighttime operation taking place under special circumstances (e.g., hurricane monitoring). Therefore, the estimated maximum DNL value underneath the flight track is calculated using the following formula:

$$DNL = SEL + 10 \cdot \log(\text{Number of passes}) - 49.4^5$$

Using this formula, a maximum DNL for UAS operations under this proposal would be:

$$DNL = 83 \text{ dB SEL} + 10 \cdot \log(8) - 49.4 = DNL 43 \text{ dB}$$

The SEL values from these events ranged from 56 dBA to 88 dBA (BRRC 2011). These levels are within the range expected from Viking 300 operations. This does not mean that the Viking 300 would not be heard; however, the noise from the proposed operations would potentially intrude into the background sound level at a rate similar to current conditions at that site. Based on the above calculation for the

⁵ 49.4 equals the $10 \cdot \log$ of the number of seconds in a 24-hour day (86,400 seconds).

Viking 300 and considering the results of the recent sound study, UAS operations would not create significant noise levels in the surrounding area, assuming the operational parameters remain as projected.

No Action Alternative

Implementation of the No Action alternative would result in no changes to existing noise conditions at the north end of Wallops Island. UAS operations would remain at present levels and continue to occur at the existing UAS airstrip located at the south end of Wallops Island.

3.5 BIOLOGICAL RESOURCES

Biological resources encompass plant and animal species and the habitats within which they occur. Biological resources for this EA include vegetation, wildlife, and special-status species.

Vegetation includes all existing upland terrestrial plant communities, wetland plant communities, and submerged aquatic vegetation, with the exception of special-status species. The affected environment for vegetation encompasses the north end of Wallops Island.

Wildlife includes all vertebrate (mammals, birds, amphibians, reptiles, and fish) and invertebrate animals with the exception of those identified as threatened, endangered, or special-status, which are discussed separately. The affected environment for wildlife also encompasses the north end of Wallops Island.

Special-status Species include any species which is listed, or proposed for listing, as threatened or endangered by the U.S. Fish and Wildlife Service (USFWS) or National Marine Fisheries Service (NMFS) under the provisions of the Endangered Species Act (ESA); any species designated by USFWS as a "listed," "candidate," "sensitive," or "species of concern," and any species which is listed by the Commonwealth of Virginia in a category implying potential danger of extinction. Although not all special status species and/or their habitats are protected under the ESA, their consideration early in the planning process could avoid future conflicts that might otherwise occur.

Essential Fish Habitat has been delineated by NMFS and includes aquatic habitat (i.e., wetlands, coral reefs, seagrasses, and rivers) where federally managed fish species spawn, breed, feed, or grow to maturity.

3.5.1 Affected Environment

The affected environment for vegetation, wildlife, special-status species, and EFH focuses on the north end of Wallops Island where construction activities and the majority of UAS flight operations would occur. The Virginia Department of Conservation and Recreation (VDCR) Division of Natural Heritage designates conservation sites for the Commonwealth of Virginia. A conservation site may include one or more rare plants, animals, or natural communities. Conservation sites are given a biodiversity significance ranking based on rarity, quality, or number of element occurrences they contain. The VDCR has indicated that the project area is located within the North Wallops Island Conservation Site (Appendix A) and has been given a biodiversity ranking of B2 which represents a site of very high significance. The rare plants and communities of concern, as identified by VDCR in a 1994 to 1995 field survey, included the maritime dune woodland community, seaside plantain (*Plantago maritime var juncooides*), big-head

rush (*Juncus megacephalus*), and southern beach spurge (*Chamaesyce bombensis*). These species are described in the *Special-status Species* section below. During scoping for this EA, VDCR recommended that a study be performed to evaluate the project's impacts on colonial waterbirds (i.e., herons, egrets and terns) and migratory songbirds. Additionally, VDCR recommended the following bird species be evaluated for potential impacts: peregrine falcon (*Falco peregrinus*), northern harrier (*Circus cyaneus*), piping plover (*Charadrius melodus*), Wilson's plover (*Charadrius wilsonia*), and little blue heron (*Egretta caerulea*). VDCR indicated that no documented state listed plants or insects would be affected by the Proposed Action.

3.5.1.1 Vegetation

Within and adjacent to the proposed project area there are several distinct ecological communities. These include forested uplands and non-tidal wetlands (emergent and scrub-shrub), tidal wetlands, and maritime habitat. The quality of these habitats ranges from high to low due to previous human disturbance and the presence of the non-native invasive species, common reed (*Phragmites australis*) (Timmons Group 2009). The following descriptions generally depict the habitats encountered while transiting from the drier, more central portions of the island seaward to the inshore waters of the Atlantic Ocean. Figure 12 provides the vegetation types in the affected area.

Uplands

Upland habitat is found towards the center of the project area roughly running the same southeast to northwest direction as the proposed airstrip. The eastern portion of the project area contains a larger percentage of forested and scrub-shrub uplands than the western portion. The majority of the forested upland areas are characterized as mature pine with mixed hardwoods. Dominant species within this community include loblolly pine (*Pinus taeda*), black cherry (*Prunus serotina*), American holly (*Ilex opaca*), and eastern red cedar (*Juniperus virginiana*). Dominant species within the scrub-shrub upland areas include wax myrtle (*Myrica cerifera*), poison ivy (*Toxicodendron radicans*), common greenbrier (*Smilax rotundifolia*), black cherry, American holly, eastern red cedar, and Sassafras (*Sassafras albidium*) (Timmons Group 2009).

Non-Tidal Wetland/Marsh

To the west of the project area and west of North Seawall Road, the dominant habitat is tidal marsh which transition into smaller areas of non-tidal Palustrine (non-tidal wetlands that are substantially covered with vegetation) emergent and scrub-shrub wetlands. Scrub-shrub wetlands are located between the tidal and non-tidal wetlands located to the north and south. Palustrine emergent wetlands are more prevalent to the north of North Seawall Road, while Palustrine scrub-shrub wetlands are more dominant to the south of the road. Palustrine scrub-shrub wetland communities are dominated by wax myrtle, poison ivy, common greenbrier, and groundsel bush (*Baccharis halimifolia*). Palustrine emergent wetlands are mainly dominated by common reed, with a low persistence of soft rush (*Juncus effuses*) in some areas. Wetlands in the affected area are provided in Figure 13; Section 3.7 provides additional discussion regarding wetlands and their classification.

Tidal Wetland/Marsh

The tidal marsh complexes are dominated by species typically occurring in these communities. Transitioning from upper tidal marsh to lower tidal marsh, dominant plant species include common reed, salt bush (*Iva frutescens*), seashore mallow (*Kosteletzkya virginica*), marsh mallow (*Althaea officinalis*), seaside goldenrod (*Solidago sempervirens*), common glasswort (*Salicornia europaea*), salt meadow hay (*Spartina patens*), salt grass (*Distichlis spicata*), and salt marsh bulrush (*Scirpus robustus*). Typical lower tidal communities include salt meadow hay and smooth cordgrass (*Spartina alternifolia*). Non-vegetated tidal mud flats and tidal drainage patterns are present within the low marsh habitat along the southeastern boundary of the project area. Section 3.7 provides additional discussion regarding wetlands and their classification.

Maritime Habitats

Maritime habitats are those that are directly influenced by the ocean and are in close proximity to the surf and ocean breezes. These habitat types are all well outside of the project's ground disturbance zone, but they occur under the flight paths that would likely be used by UAS. Maritime habitats on north Wallops Island include dune and maritime grasslands, inter-dune swales, upper and lower beach zones, over-wash flats, and nearshore open water.

Maritime grasslands, which occur on the foredunes and secondary sand dunes, are characterized by American beachgrass (*Ammophila breviligulata*), saltmeadow cordgrass, beach panic grass (*Panicum amarum*), and seaside goldenrod. Relatively pristine occurrences of this habitat type can be found at the northern end of Wallops Island. A relatively rare plant species, southern beach spurge (*Chamaesyce bombensis*), has been documented in the area.

Inter-dune swales ("sea swales") are seasonally to semi-permanently flooded, maritime herbaceous wetlands occupying deep inter-dune basins and swales. These swales occur chiefly in the northern and north central parts of the island. Common threesquare (*Schoenoplectus pungens* = *Scirpus pungens*), other Cyperaceae, grasses such as switchgrass (*Panicum virgatum*) and saltmeadow cordgrass, rushes (*Juncus* spp.), sea pink (*Sabatia stellaris*), saltmarsh fimbristylis (*Fimbristylis spadicea*), seaside goldenrod, and other herbaceous species are present. The state rare species Carolina fimbry (*Fimbristylis caroliniana*), long-awned sprangletop (*Leptochloa fusca* ssp. *fascicularis*), and Big-head rush have been recorded at the inter-dune swales and moist clearings at the northern end of Wallops Island.

Beach systems include upper beaches and over-wash flats, which are situated just above the mean high tide limit, but are flooded by high spring tides and storm surges. They are generally sparsely vegetated with American searocket (*Cakile edentula*), seabeach orach (*Atriplex arenaria*), and Russian thistle (*Salsola kali*), a common invasive non-native beach species.




Figure 12. Vegetation Map of North Wallops Island




Figure 13. Wetlands Map of North Wallops Island

Marine systems consist of the open ocean overlying the continental shelf and its associated high-energy coastline. Salinities exceed 30 parts per thousand with little or no dilution except outside the mouths of estuaries. Marine systems are divided into two subsystems, subtidal and intertidal. In subtidal subsystems the substrate is continuously submerged, whereas in intertidal subsystems the substrate is exposed and flooded by tides. Substrates may consist of rock bottom, unconsolidated bottom, aquatic bed, reef, rocky shore, and unconsolidated shore. The beaches at Wallops Island are classified as intertidal with an unconsolidated sand bottom and the adjacent waters are classified as subtidal with an unconsolidated bottom. Shoreline erosion and accretion constantly change the character of the shoreline. Currently, the widest beaches on Wallops Island occur on the northern and southern portions of the east shore, with the central portion of the island being nearly devoid of beaches and protected by a seawall.

3.5.1.2 Wildlife

Mammals

Common mammals such as white-tailed deer (*Odocoileus virginianus*), opossum (*Didelphis virginiana*), raccoon (*Procyon lotor*), and grey squirrel (*Sciurus carolinensis*) are all found on the island. Raccoon and red fox (*Vulpes fulva*) are occasionally found in the upper beach zone and the inter-tidal beach zone. Smaller mammals such as the white-footed mouse (*Peromyscus leucopus*), meadow vole (*Microtus pennsylvanicus*), rice rat (*Oryzomys palustris*), and eastern cottontail (*Sylvilagus floridanus*) can also be found in portions of the island (NASA 2008e). These mammals use the maritime forest and other sections of the island for forage and shelter.

Birds

Approximately 15 species of shorebirds visit Wallops Island during the spring and fall migrations. Some of the more frequent migrants observed include sanderling (*Calidris alba*), semi-palmated plover (*Charadrius semipalmatus*), short billed dowitcher (*Limnodromus griseus*), and dunlin (*Calidris alpina*). Willets (*C.semipalmatus*) are common during the breeding season. During the summer months, three species of terns are present, including the Royal tern (*Sterna maxima*), least tern (*S. antillarum*), and common tern (*S. hirundo*). Common birds found on and near the beaches and dunes include laughing gull (*Larus atricilla*), herring gull (*L. argentatus*), and great black-backed gull (*L. marinus*). Forster's terns (*S. forsteri*) can also sometimes be found over-wintering in certain areas. Piping plover, listed as both a federally threatened and state endangered species, and Wilson's plover, a state listed threatened species, have both been known to nest on the northern and southern ends of Wallops Island (NASA 2008e). The red knot (*Calidris canutus*) a *candidate species* for federal listing can be found feeding on Wallops Island. More information on threatened and endangered species can be found in the Special-Status Species section.

Numerous species of wading birds, including Great Egret, (*Casmerodius albus*), Snowy Egret (*Egretta thula*), Cattle Egret (*Bubulcus ibis*), Great Blue Heron (*Ardea herodias*), Tricolored Heron (*E. tricolor*), Little Blue Heron (*E. caerulea*), Glossy Ibis (*Plegadis falcinellus*), and White Ibis (*Eudocimus albus*), inhabit the marshes to the west of Wallops Island either year round or as summer visitors. The majority

of wading birds at WFF are found in the extensive marsh and habitats west of Wallops Island where the shallow ponds, guts, and flats provide ample foraging area for the birds to prey on fish, crustaceans, and amphibians.

The U.S. Department of Agriculture’s (USDA) Wildlife Services Office (WS) conducts surveys of birds at WFF wetland habitats several times monthly. Although these surveys are confined to the WFF Main Base marsh areas, it reasonable to assume that these results are analogous to the marsh areas to the west of Wallops Island 5km (3 mi) to the southeast. Together, Great Egrets and Glossy Ibis represent 83percent of the observations for the wading bird group. Except for the Great Blue Heron, these birds are migratory and are almost non-existent at Wallops Island during the months of November through February. Table 7 provides details on which wading bird species were observed by the WS at WFF in 2010 (Scharle and Harter 2010).

<i>Common Name</i>	<i>Percentage of Total Wading Birds Observed</i>
Great Egret	53
Glossy Ibis	30
Great Blue Heron	6
Snowy Egret	6
Tricolored Heron	2
Cattle Egret	1
Little Blue Heron	1
White Ibis	1

Waterfowl are another group included in the WS wildlife surveys. Except for the Canada Goose (*Branta canadensis*) and limited numbers of American Black Duck (*Anas rubripes*) and Mallards (*Anas platyrhynchos*), which are year-round residents, these birds are migratory and are not present at WFF during the spring and summer months. By far the most prevalent species found in the WFF area is the Snow Goose (*Chen caerulescens*) which represents approximately 80 percent of the waterfowl population and has been seen in the WFF area in flocks numbering hundreds, even thousands of individuals. Although this bird is often found feeding or loafing in marshes, a 2008-2009 avian survey conducted by the U.S. Navy found that snow geese at WFF are concentrated at the western fringe of the Wallops Island marshes, foraging on private agricultural lands bordering the wetland areas (personal communication, Ailes 2011). The second most abundant species at WFF is the American Black Duck which is frequently observed feeding, flying, or loafing about the Wallops Island marshes. Canada geese and mixed species of dabbling and diving ducks are also present. In Table 8 below, the waterfowl species observed at WFF by the WS in FY 2010 are listed.

<i>Common Name</i>	<i>Percentage of Total Wading Birds Observed</i>
Snow Goose	80
American Black Duck	9
Canada Goose	7
Diving Ducks	2
Other Dabbling Ducks	2
Green-Winged Teal	1

The scrub shrub areas of the island are populated by various species of passerines (perching birds), including sparrows, red-winged blackbird (*Agelaius phoeniceus*), boat-tailed grackle (*Quiscalus major*), fish crow (*Corvus ossifragus*), gray catbird (*Dumetella carolinensis*), and common yellowthroat (*Geothlypis trichas*). Mourning doves (*Zenaida macroura*) are also commonly observed (NASA 2008e).

Several species of raptors also inhabit the islands including bald eagle (*Haliaeetus leucocephalus*) peregrine falcon, northern harrier, and osprey (*Pandion haliaetus*). These species are found mainly in the marshy areas to the west on Wallops Island. Great horned owls (*Bubo virginianus*) have been observed in the maritime forest.

Amphibians and Reptiles

Fowler's toad (*Bufo woodhousei*) is present on Wallops Island and can be found under stands of bayberry. Green tree frogs (*Hyla cinerea*) are often found in the northern portion of the island in freshwater depressions. Low-lying shrubby areas of the island are home to reptiles such as the black rat snake (*Elaphe obsoleta*), hognose snake (*Heterodon platyrhinos*), snapping turtle (*Chelydra serpentina*), box turtle (*Terrapene carolina*), and northern fence lizard (*Sceloporus undulatus*). Diamondback terrapin (*Malaclemys terrapin*) can be found in saltmarsh estuaries, tidal flats, and lagoons (NASA 2008e).

Invertebrates

Wallops Island, particularly the tidal marsh area, has an extensive variety of invertebrates. Saltmarsh cordgrass marshes have herbivorous (plant-eating) insects such as the saltmarsh grasshopper (*Orchelimum fidicinium*) and the tiny plant hopper (*Megamelus* spp.). Plant hopper eggs are in turn preyed upon by a variety of arthropods, the group of animals that includes insects, spiders, and crustaceans. The tidal marshes are inhabited by a number of parasitic flies, wasps, spiders, and mites. The spiders prey mostly on herbivorous insects, and mites prey primarily on microarthropods (small invertebrates) found in dead smooth cordgrass. Saltmarsh mosquitoes (*Ochlerotatus sollicitans*) and greenhead flies (*Tabanus nigrovittatus*) are prevalent insects on Wallops Island. Periwinkle snails (*Littorina irrorata*) and mud snails (*Ilyanassa obsoleta*) are found on the marsh surface.

Fish

Common fish in the waters near Wallops Island and Mainland include the Atlantic croaker (*Micropogonias undulatus*), sand shark (*Carcharias taurus*), smooth dogfish (*Mustelus canis*), smooth butterfly ray (*Gymnura micrura*), bluefish (*Pomatomus saltatrix*), spot (*Leiostomus xanthurus*), and summer flounder (*Paralichthys dentatus*).

3.5.1.3 Special-Status Species

The federal ESA provides for the protection of federally listed threatened and endangered species of plants and animals, as well as designation of critical habitat for animal species. The ESA establishes the policy that federal agencies, in exercise of their authorities, shall seek to conserve and protect endangered and threatened species. It also establishes a consultation process through which federal agencies, such as NASA and USFWS, can facilitate avoidance of agency actions that would adversely affect, or result in a “take,” of federally listed species or critical habitat. The taking prohibition includes any harm or harassment, and applies within the U.S. and on the high seas.

The list of federally listed threatened and endangered species that are known to occur in the region or are known to occur on Wallops Island is provided in Table 9. Where dually-listed by the State of Virginia, the state listing status is also provided. In general, this includes listed species that may be occupying habitats directly impacted by construction of the new UAS airstrip and associated facilities, as well as species that may be indirectly affected from lights, overflight UAS noise, and the visual disturbance from UAS suddenly appearing over the beach. The table also includes other species mentioned in the VDCR August 2010 scoping letter for the project, even though some have no formal federal or state protection under the federal ESA or state equivalent (in the State of Virginia - Title 29.1. *Game, Inland Fisheries and Boating. Chapter 5. Wildlife and Fish Laws. Article 6. Endangered Species*). Both the VDCR and Virginia Department of Game and Inland Fisheries (VDGIF) place emphasis on species considered to be “*Species of Greatest Conservation Need*” within the State of Virginia’s Comprehensive Wildlife Conservation Strategy (VDGIF 2005). The Action Plan breaks Species of Greatest Conservation Need down into four Tiers, as follows:

- **Tier I – Species of Critical Conservation Need** – that face an extremely high risk of extinction or extirpation.
- **Tier II – Species of Very High Conservation Need** – that have a high risk of extinction or extirpation.
- **Tier III – Species of High Conservation Need** – where extinction or extirpation is possible.
- **Tier IV – Species of Moderate Conservation Need** – that may be rare in parts of their range, particularly on the periphery.

As a federal agency, NASA consults with VDCR and VDGIF on species that are dually listed under the federal ESA and state ESA. Listed species that occur on Wallops Island and have the potential to be affected by the Proposed Action are provided in Table 9. Only species that are known to occur on Wallops Island and have at least some potential to be affected by the Proposed Action are discussed further, following Table 9.

Biological Assessment and USFWS Informal Consultation

NASA prepared a Biological Assessment (BA) to evaluate potential project-related effects on federally listed species (Appendix B). These effects, along with potential effects to State listed species and State

species of concern, are presented in Table 9. In a September 22, 2011, letter from the USFWS, the service concluded the informal consultation process. This letter follows the BA in Appendix B.

The USFWS concurred with NASA’s determination of “no effect” to protected species from proposed construction activities since the activities would be “limited to areas outside habitat that supports the listed species.” USFWS concurred with NASA’s determination of “no effect” to the federally listed seabeach amaranth, Delmarva fox squirrel, and northeastern tiger beetle and NASA’s determination of “may affect, but is not likely to adversely affect” piping plovers with the addition of avoidance and monitoring measures agreed to by NASA WFF and USFWS (see Chapter 4). USFWS did not concur with NASA’s determination of “no effect” to sea turtles and instead determined that based on the mitigation measures proposed by NASA to minimize potential impacts to nesting sea turtles, construction and operation of the UAS airstrip would result in minor, insignificant disturbances. USFWS determined that the Proposed Action “may affect, but is not likely to adversely affect” nesting sea turtles. USFWS also determined that a Bald and Golden Eagle Act permit would not be required since the Proposed Action would not occur within known eagle concentration areas and the project would employ a 200 m (660 ft) encroachment buffer surrounding the active nest within which no construction activities would occur.

Table 9. Federal and State Listed Threatened and Endangered Species and Species of Concern Known to Occur in the Region¹

<i>Common Name</i>	<i>Scientific Name</i>	<i>Federal Listing Status</i>	<i>State Listing Status²</i>	<i>Likelihood of Occurrence</i>	<i>Seasonality of Occurrence</i>	<i>Required Habitat & Potential to Occur Onsite</i>
Plants						
Seabeach Amaranth	<i>Amaranthus pumilus</i>	Threatened	Threatened	Slight	Year-round	Restricted to open sandy portions of ocean beaches between the high tide line and the toe of the primary dune. Nearest known location in Virginia is Hog Island. August 2010 and 2011 surveys of Wallops Island have determined that Seabeach Amaranth is not present.
Seaside Plantain	<i>Plantago maritime</i> var. <i>juncoides</i>	--	Rare	May Occur ⁴	Year-round	Perennial herb in coastal wetlands with sandy soils. Documented in VDCR 1994-95 surveys as present in north Wallops Island. September 2011 VDCR survey of Wallops Island ⁴ has determined that Seaside Plantain is not present in the project footprint.

Table 9. Federal and State Listed Threatened and Endangered Species and Species of Concern Known to Occur in the Region¹ (con't)

<i>Common Name</i>	<i>Scientific Name</i>	<i>Federal Listing Status</i>	<i>State Listing Status²</i>	<i>Likelihood of Occurrence</i>	<i>Seasonality of Occurrence</i>	<i>Required Habitat & Potential to Occur Onsite</i>
Plants (con't)						
Big-headed Rush	<i>Juncus megacephalus</i>	--	Rare	Known to Occur ⁴	Year-round	Emergent perennial in coastal wetlands. Blooms in early summer. Several colonies found in 2011 in the "old road bed" outside of the project area. September 2011 survey of Wallops Island ⁴ has determined that Big-headed Rush is not present in the project footprint.
Southern Beach Spurge	<i>Chamaesyce bombensis</i>	--	Rare	May Occur ⁴	Year-round	Annual forb of coastal dunes and high energy beaches. Flowers June-Oct. Documented in VDCR 1994-95 surveys as present in north Wallops Island. VDCR September 2011 survey of Wallops Island ⁴ has determined that Southern Beach Spurge is not present in the project footprint.
Invertebrates						
Northeast Beach Tiger Beetle	<i>Cicindela d. dorsalis</i>	Threatened	Threatened	Slight	Year-round	Present historically from Cape Cod south through the Chesapeake Bay shorelines but now believed extirpated from nearly this entire region. Normally occurs from about the fore-dune to the high tide line on ocean and bay beaches. Not known to occur on Wallops.
Fish						
Atlantic Sturgeon	<i>Acipenser oxyrinchus oxyrinchu</i>	Candidate	Tier II SGCN	May be present	All year	The life stages of Atlantic Sturgeon most vulnerable to increased sediment (i.e., from construction activities) are eggs and larvae which are subject to burial and suffocation. However, given that eggs and larvae are found solely in natal rivers, no eggs and/or larvae would be present in the project area; only sub-adults and adults may be present in nearby coastal waters.

Table 9. Federal and State Listed Threatened and Endangered Species and Species of Concern Known to Occur in the Region¹ (con't)

<i>Common Name</i>	<i>Scientific Name</i>	<i>Federal Listing Status</i>	<i>State Listing Status²</i>	<i>Likelihood of Occurrence</i>	<i>Seasonality of Occurrence</i>	<i>Required Habitat & Potential to Occur Onsite</i>
Reptiles						
Loggerhead Sea Turtle	<i>Caretta caretta</i>	Threatened	Threatened	Known to Occur	Maturation Migration May- November Nesting April- September	Nests in small numbers on sandy beaches along Virginia's coast late spring through summer, and found in Virginia's offshore coastal waters during winter and migration. Last nested on Wallops Island in 2010.
Birds						
Red Knot	<i>Calidris canutus</i>	Candidate	Tier IV SGCN	Known to Occur	Primarily Late May	A locally common to abundant transient in late spring and early fall, and does not breed in Accomack County. Preferred habitats include tidal flats and sandy or pebbly beaches. Numbers declining, but several hundred observed in 2010 at North End Curve and North End Point on Wallops Island's ocean beaches.
Piping Plover	<i>Charadrius melodus</i>	Threatened	Threatened	Known to Occur	Late April- Late August	Known to nest on Virginia's coastal beaches, dunes, and wash-over areas in late spring to mid-summer, with one brood raised per year. They feed on small invertebrates in intertidal surf zones, mud flats, tidal pool edges, barrier flats, and sand flats and along the ocean and barrier bays. Suitable nesting habitat occurs on the extreme southern and northern ends of Wallops Island and nests are observed annually.
Wilson's Plover	<i>Charadrius wilsonia</i>	--	Endangered	May Occur	Late April- Late July	Nesting pairs not observed on Wallops Island, but 32 breeding pairs reported for coastal Virginia in 2008 (Smith and Boettcher 2008).

Table 9. Federal and State Listed Threatened and Endangered Species and Species of Concern Known to Occur in the Region¹ (con't)

<i>Common Name</i>	<i>Scientific Name</i>	<i>Federal Listing Status</i>	<i>State Listing Status²</i>	<i>Likelihood of Occurrence</i>	<i>Seasonality of Occurrence</i>	<i>Required Habitat & Potential to Occur Onsite</i>
Birds (con't)						
Little Blue Heron	<i>Egretta caerulea</i>	--	Tier II SGCN	May Occur	Year-round Breeding Resident	Colonial nesting wading marsh species; once abundant, but numbers now declining in coastal Virginia. Last population estimate was 173 individuals in 8 colonies in seaside Virginia and its bay islands. ⁵ Not documented for Wallops Island.
Bald Eagle	<i>Haliaeetus leucocephalus</i>	BGEPA ³	Threatened	Known to Occur	Nesting. November-July	Routine nesting species on Wallops Island. East end clear zone of proposed UAS runway abuts 200 m (660 ft) protective buffer of active nest. Several eggs laid in March 2011, but outcome not known.
Peregrine Falcon	<i>Falco peregrinus</i>	--	Threatened	Known to Occur	Nesting, March-July	Routine nesting species on Wallops Island. Nests on artificial "hacking" tower well outside of the project area. The tower was visited in April 2011; three eggs were observed in nest scrape, but outcome not known.
Northern Harrier	<i>Circus cyaneus</i>	--	Tier III SGCN	Known to Occur	Infrequent breeder; observed more often in winter months	May nest on Wallops Island in some years in upland edges of emergent marsh and moist fields. A ground nester. Coastal Virginia is at the southern end of this species breeding range in the eastern U.S.

Table 9. Federal and State Listed Threatened and Endangered Species and Species of Concern Known to Occur in the Region¹ (con't)

<i>Common Name</i>	<i>Scientific Name</i>	<i>Federal Listing Status</i>	<i>State Listing Status²</i>	<i>Likelihood of Occurrence</i>	<i>Seasonality of Occurrence</i>	<i>Required Habitat & Potential to Occur Onsite</i>
Mammals						
Delmarva Peninsula Fox Squirrel	<i>Sciurus niger cinereus</i>	Endangered	Endangered	None	Year-round	Prefers mature forest of both hardwood and pine trees with minimal understory and ground cover. Feeds primarily on nuts from oak, hickory, sweet gum, walnut and loblolly pine. While within the historic range of the species, the only known location for it in Virginia is a trans-located population at Chincoteague National Wildlife Refuge. This species does not occur on Wallops Island.

Notes:

¹Includes species mentioned in the VDCR August 2010 scoping letter as being of concern to them due to potential impacts from the project.

²State Listing Status Abbreviations: **NL** = Not Listed, **Rare** = State Rare Plants (*Virginia Natural Area Preserves Act of 1989*, Code of Virginia, Section 10.1-209 through 217), **SGCN** = Species of Greatest Conservation Need.

³BGEPA = federally, remains protected only under the federal Bald and Golden Eagle Protection Act.

⁴Surveys were conducted by VDCR botanists (27-29 June 2011) and zoologists (19-20 June 2011) for rare plants and animals in the “North Wallops Island Conservation site,” with positive findings only for big-headed rush. Additional surveys conducted 19-21 September 2011 indicate no presence of Seaside Plantain, Big-headed Rush, or Seaside Spurge in the project footprint (personal communication, Van Alstine 2011).

⁵From: “Status and Distribution of Colonial Waterbirds in coastal Virginia: 2008 Breeding Season” (Watts and Paxton 2009).

Seaside Plantain, Big-headed Rush, and Southern Beach Spurge

These species of plants considered as special status species by the Commonwealth of Virginia were previously documented as occurring in the project area during surveys conducted by VDCR staff in 1994-1995. The Commonwealth considers portions of the project area to be part of a state-designated “North Wallops Island Conservation Site,” which was provided this special designation largely because it represented a prime example of Maritime Dune Woodland (Black Cherry Xeric), a habitat type that is declining and becoming rare in coastal Virginia. Other communities partially represented in this conservation site include Maritime Dune Grassland and Maritime Dune Scrub. In order to help determine the present extent of these rare habitat types in the project area, WFF commissioned field surveys to be conducted in 2011 by VDCR staff botanists and zoologists. Initial results submitted by VDCR indicate that dramatic habitat changes have taken place in this portion of Wallops Island since the original surveys were completed nearly 17 years ago (Van Alstine et al. 2011). Dense wax myrtle thickets have taken over much of the area’s understory, along with extensive brambles of poison ivy and catbrier (*Smilax* spp.), and dense stands of the invasive common reed; these types of ecological changes are typically indicative of ongoing disturbance, either natural or man-made. The 2011 study revealed that no occurrences of seaside plantain, big-headed rush, or southern beach spurge remain in the project footprint. Additionally,

with the aid of global positioning system (GPS) equipment, VDCR delineated a much smaller area for the maritime dune woodland than was originally reported in the 1994-1995 study.

During the 2011 survey, VDCR botanists discovered a plant that they tentatively identified as Florida Thoroughwort (*Eupatorium anomalum*). This perennial forb prefers flat, wet, low ground exposed to full or partial sunlight. VDCR discovered plants of this species alongside the road that traverses east to west across northern Wallops Island. Florida Thoroughwort is dispersed inside and outside the UAS project footprint. The Wallops specimens represent the northernmost occurrence of the plant, found to date (Van Allstine, personal communication); typically its habitat extends from Florida to Alabama, Georgia, South and North Carolina, and most recently to Virginia. Florida Thoroughwort is commonly thought to be a hybrid of two other plants in the Eupatorium genus, *E. mohrii* and *E. semiserratum*. However, DNA analysis suggests that examples of the plant in Virginia and North Carolina are actually hybrids of *E. mohrii* and *E. serotinum*. This could lead to reclassification of the plants in Virginia and North Carolina into a separate species from those in the deep south. Reclassification would make the Wallops Island plant even rarer than presently considered (Van Allstine, personal communication).

Loggerhead Sea Turtle

Although the loggerhead sea turtle (*Caretta caretta*) is the most abundant sea turtle in U.S. waters, on September 16, 2011, the USFWS and NMFS filed a final rule on the listing of the loggerhead sea turtle under the ESA. The final listing changed the species status from a single, globally threatened listing for all loggerheads to nine Distinct Population Segments (DPSs) of loggerhead sea turtles. The Northwest Atlantic Ocean DPS is listed as threatened under the ESA.

Loggerhead sea turtles are a reddish-brown sea turtle that inhabits the open sea, from nearshore littoral waters to more than 800 km (500 mi) from shore, mostly over the continental shelf, but also within bays, estuaries, lagoons, creeks, and river mouths. Nesting occurs on open high-energy, coarse-grained sandy beaches above the high-tide mark, seaward of well-developed dunes. Hatchlings drift in convergence zones in floating patches of Sargassum. As juveniles, they begin occupying the waters of the continental shelf, edge and slope from 200 m (660 ft) deep all the way into coastal waters and estuaries (Hopkins-Murphy et al. 2003). These waters comprise an important developmental habitat for this species. Juveniles and adults feed mostly on benthic invertebrates. Loggerheads do not venture into the Gulf Stream in the fall, probably to avoid being swept into the colder northern waters (Epperly et al. 1995). Loggerheads prefer steeply sloped beaches with gradual offshore approaches and are sensitive to beachfront lighting.

Loggerheads are known to migrate along the east coast of Wallops Island. Their nests are periodically found in small numbers on Virginia's beaches. It has only been in more recent years that loggerhead sea turtle nests have been periodically found on Wallops Island beaches. In 2010, four loggerhead sea turtle nests were found during June and July. The nests were located approximately 2.6 km (1.6 mi) southwest of the proposed new airstrip on north Wallops Island (NASA 2010c). No loggerhead sea turtles nests were present in 2011.

Red Knot

Red knots, a candidate species for federal listing, are a locally common to abundant transient from May 10th through June 5th and from July 20th through September 25th along the coast of Accomack County, Virginia. Red knots are rare west of the Chesapeake Bay and an uncommon to rare visitor in the winter and summer. Red knots do not breed in the vicinity of Accomack County, although they have been appearing regularly during spring migration on Wallops Island, mostly during the second half of May. The red knot, a medium sized sandpiper, is one of the longest-distance migrants known in the world (USFWS 2011). These small birds have wingspans of approximately 51 cm (20 in) and fly more than 15,000 km (9,300 mi) from south to north each spring and in reverse each autumn. These are relatively short birds with short legs, and a rusty colored head and breast that are well apparent during breeding season (they are mostly grey the rest of the year). Red knots migrate in large flocks and frequent the same stopping areas each year. Red knots survive on small mussels and other mollusks for a large percentage of the year and horseshoe crab eggs during migration (USFWS 2005). Based on survey data, during the mid-1990s, 8,000 to 10,000 individuals would migrate through the barrier islands of coastal Virginia (NASA 2009b). However, survey data throughout 2009 indicated much lower numbers of individuals. On May 8, 2009, there was a flock of approximately 1,300 individuals seen on north Wallops Island, and again in late May 2009, flocks of approximately 20 to 200 red knots were observed (NASA 2009b). Survey data for 2010 indicate that approximately 900 individuals were observed on the northern end of Wallops Island in May with the majority having been observed May 28, 2010. Survey data for 2011 indicate that red knots began arriving on May 6 (3 birds sighted), and the last bird seen was on July 19. The largest flock observed in 2011 was on May 29 and was comprised of 216 individuals. A total of 1,167 red knots were counted throughout the months of May-July (personal communication, Mitchell 2011).

Piping Plover

Piping plovers are small, beige and white shorebirds with a black band across their breast and forehead. They typically feed on invertebrates such as marine worms, beetles, fly larvae, crustaceans, and mollusks. Habitat generally consists of ocean beaches, sand, or algal flats in protected bays, while breeding occurs mainly on gently sloping foredunes or blow-out areas behind dunes (NASA 2009b). In late March or early April, after they have established territories and conducted courtship rituals, plover pairs form shallow depressions for nests where they lay their eggs in the sand. Nests can be found above the high tide line on coastal beaches, sandflats at the end of spits and barrier islands, gently sloping foredunes, blowout areas behind dunes, and over-wash areas between dunes. Nest site substrates may include a range of materials, from fine grained sands up to shells and cobbles. Nests are typically found in areas with little or no vegetation, however, occasionally nests have been found under beach grass and other vegetation (NASA 2009b).

The piping plover is an uncommon transient and summer resident of the lower Chesapeake Bay and is known to inhabit the coastal habitats of the nearby Chincoteague National Wildlife Refuge. It was first identified on northeast Wallops Island in a survey in June 28, 1995. Piping plovers are known to

periodically use the sandy beaches and tidal flats along the coast of Wallops Island; piping plover nesting has been documented in recent years on Wallops Island. In 2008, two pairs of piping plovers began nesting attempts at the north end of Wallops Island, but no eggs were laid (NASA 2010c). In 2009, three pairs nested successfully on the northern beaches; in 2010, there were three nesting attempts, including one nest with 4 eggs that fledged 4 young (NASA 2010c). Of the three 2010 piping plover nests, the one nearest to the project site was at “North End Point,” about 1.5 km (0.9 mi) to the south-southeast from the eastern end of the proposed airstrip (Appendix B). In 2011, there were three documented piping plover nesting attempts on Wallops Island: two nests on the north end and one on the south end. The outcomes of these nesting attempts were as follows: (1) north end, 4 eggs laid, 3 lost to storm, one chick fledged; (2) north end, 4 eggs laid, 3 hatched, but only 2 fledged; and (3) south end, 3 eggs laid, all hatched, but all lost to storm (personal communication, Mitchell 2011).

Piping plovers nest at the extreme northern and southern ends of Wallops Island (NASA 2008e). To aid in the local recovery of piping plovers, WFF closes off all non-essential access to the north and south beaches from March 14 through September 1 each year. During the remainder of the year, the recreational use of these areas is allowed and consists of both vehicular and pedestrian traffic. Measures implemented at WFF to protect piping plovers include active beach monitoring, closure of recreational beach areas upon nest identification, the installation of nest exclosures, and a predator removal program that is implemented by the USDA WS personnel (USDA 2005). NASA regularly coordinates its monitoring efforts with Chincoteague National Wildlife Refuge staff and VDGIF biologists.

Bald Eagle

Bald eagles are known to nest near the proposed airstrip; nesting activities typically begin in November and conclude in summer when the young fledge. The bald eagle was formerly listed as endangered but has been de-listed and is now considered recovered; it is, however, provided protection under the federal Bald and Golden Eagle Protection Act. Bald eagles also remain listed by the Commonwealth of Virginia as a threatened species. On March 19, 2011, the College of William and Mary’s Center for Conservation Biology flew a raptor survey over Virginia’s eastern shore. They observed that the bald eagle nest was active and contained eggs (personal communication, Mitchell 2011). This nest is located approximately 215 m (700 ft) from the east end of the proposed UAS airstrip; a 200 m (660 ft) buffer around the bald eagle’s nest would be observed (refer to Figure 9).

Peregrine Falcon

A pair of peregrine falcons has previously nested on a tower on the northwest side of Wallops Island, approximately 1,000 m (3,300 ft) from the project site; the tower was erected specifically for this species’ use. The WFF Protected Species monitoring team visited the peregrine nesting tower on April 14, 2011. The female flushed from the tower and three eggs were observed in the nest (personal communication, Mitchell 2011). Peregrines are considered a success story of the federal ESA and were deemed recovered and subsequently delisted as an endangered species by USFWS in August 1999. Peregrine falcons are; however, still considered a state listed threatened species in Virginia.

3.5.1.4 Essential Fish Habitat

The Magnuson-Stevens Fishery Conservation and Management Act (MSFCMA) of 1976 established eight regional Fishery Management Councils (FMCs) responsible for the protection of marine fisheries. A 1996 amendment to the Act instituted a new mandate to identify and provide protection to important marine and anadromous fisheries habitat, or EFH. FMCs, with assistance from the NMFS, are required to delineate EFH in fisheries management plans for all federally managed fisheries in order to conserve and enhance those habitats. EFH may be applied to individual fish species or to an assemblage of species. EFH is defined in the MSFCMA as “those waters and substrates necessary to fish for spawning, breeding, feeding, or growth to maturity.” “Fish” is defined as finfish, crabs, shrimp, and lobsters.

The MSFCMA specifies that each federal agency shall consult with NMFS when proposing any activity that may adversely affect designated EFH. The National Oceanic and Atmospheric Administration (NOAA) divides EFH into 10-minute by 10-minute (10’ by 10’) geographic squares. The waters adjacent to the proposed project area are within one of these 10’ x 10’ square of latitude and longitude described as follows:

Boundary	North	East	South	West
Coordinate	38° 00.0 N	75° 20.0 W	37° 50.0 N	75° 30.0 W

One or more life stages of 15 federally managed fish species are designated within this square coordinate grid area. The list of the applicable EFH species and life-stages is provided in Table 10.

<i>Species</i>	<i>Eggs</i>	<i>Larvae</i>	<i>Juveniles</i>	<i>Adults</i>
Atlantic sea herring (<i>Clupea harengus</i>)				X
Atlantic sharpnose shark (<i>Rhizopriondon terraenovae</i>)				X
Black sea bass (<i>Centropristus striata</i>)			X	X
Bluefish (<i>Pomatomus saltatrix</i>)		X	X	X
Clearnose skate (<i>Raja eglanteria</i>)			X	X
Cobia (<i>Rachycentron canadum</i>)	X	X	X	X
Dusky shark (<i>Charcharinus obscurus</i>)		X	X	
King mackerel (<i>Scomberomorus cavalla</i>)	X	X	X	X
Little skate (<i>Leucoraja erinacea</i>)			X	X
Red drum (<i>Sciaenops ocellatus</i>)	X	X	X	X
Red hake (<i>Urophycis chuss</i>)	X	X	X	
Sand tiger shark (<i>Odontaspis taurus</i>)		X		X
Sandbar shark (<i>Charcharinus plumbeus</i>)		X	X	X
Scalloped hammerhead shark (<i>Sphyrna lewini</i>)			X	
Scup (<i>Stenotomus chrysops</i>)			X	X
Spanish mackerel (<i>Scomberomorus maculatus</i>)	X	X	X	X
Summer flounder (<i>Paralichthys dentatus</i>)			X	X
Windowpane flounder (<i>Scopthalmus aquosus</i>)			X	X
Winter flounder (<i>Pleuronectes americanus</i>)	X	X	X	X
Winter skate (<i>Leucoraja ocellata</i>)			X	X

Note: “X” indicates that EFH has been designated within the square for a given species and life stage.

Source: NMFS 2010.

3.5.2 Environmental Consequences

Determination of the significance of potential impacts to biological resources is based on: 1) the importance (i.e., legal, commercial, recreational, ecological, or scientific) of the resource; 2) the proportion of the resource that would be affected relative to its occurrence in the region; 3) the sensitivity of the resource to proposed activities; and 4) the duration of ecological ramifications. Impacts to biological resources would be considered significant if species or habitats of concern were substantially affected over relatively large areas or disturbances resulted in reductions in the population size or distribution of a special-status species.

Proposed Action

3.5.2.1 Vegetation

Uplands

The proposed construction activities would affect approximately 3.26 ha (8.05 ac) or 1 percent of the total Wallops Island upland vegetated areas from clearing. The amount of cleared land affected to accommodate the new airstrip in comparison to the current extent of upland habitat on Wallops Island, would be minor.

Non-Tidal Wetlands/Marsh

The Proposed Action would affect approximately 1.0 ha (2.47 ac) of jurisdictional non-tidal wetlands/marsh from fill activities. Further discussion on potential wetland impacts are provided in Section 3.7.2. Wetland protection measures as outlined in the *Memorandum of Agreement Between the Department of the Army and the Environmental Protection Agency, The Determination of Mitigation under the Clean Water Act Section 404 (b)(1) Guidelines* (USACE and USEPA 1990) would be followed.

Tidal Wetlands/Marsh

No tidal wetlands/marsh would be affected by the Proposed Action as the UAS airstrip has been designed to avoid this resource.

Maritime Habitats

Maritime habitats would not be affected by construction of the UAS airstrip. UAS would operate over maritime habitat areas; however, impacts to this resource would not be anticipated.

Table 11 provides the total acreage affected by clearing and fill activities associated with the UAS airstrip.

Table 11. Acreage Affected by Clearing and Fill Activities

<i>Plant Community Type</i>	<i>Total Affected Acreage</i>	<i>Total Acreage on Wallops Island</i>	<i>Percent of Wallops Island Total Acreage</i>
Uplands			
Maritime Dune Woodland	0.93 ha/2.30 ac	1.95 ha/4.83 ac	47.6
Mature Pine/Mixed Hardwoods	2.08 ha/5.14 ac	65 ha/161 ac	3
Scrub/Shrub	1.18 ha/2.91 ac	57.5 ha/142 ac	2
Non-Tidal Wetlands/Marsh			
Palustrine Emergent	0.94 ha/2.32 ac	139 ha/343 ac	0.7
Palustrine Scrub/Shrub	0.06 ha/0.15 ac	116 ha/287.5 ac	0.05

Invasive Species

Construction activities and land disturbance have the potential to invite colonization of the invasive species, common reed. Rhizomes (roots) and seeds can be spread through both natural and anthropogenic means including wind, water flow, underground rhizome propagation, and equipment tracks. Numerous studies indicate that a monocultural stand of common reed has a lower ecological value (e.g., less species diversity) than the native species (e.g., *Myrica spp.*) that it outcompetes (Meyerson et al 2000). Invasion of common reed would be anticipated in low lying areas where there is ready access to ground or surface water, such as the fringes of the project area. NASA would employ USEPA approved-chemical and/or mechanical methods such as mowing to limit the spread of common reed.

3.5.2.2 Wildlife

The proposed project would present four distinct human-induced disturbances that would potentially affect wildlife. First, there would be the short-duration noise associated with construction activities. Long-term, there would be disturbances associated with permanent habitat loss, regular human presence at the airstrip, and with aircraft operation. Given the concerns raised by resource agencies during scoping for this EA, this section primarily focuses on potential effects on avian species.

Construction

Wildlife residing within the proposed construction site and along its periphery would likely be temporarily displaced as a result of the noise and activity of the construction; this can be compared to a “startle” or “flushing” response from a roost, nest, or den, which would most likely occur during an onset of activity, particularly at the beginning of a work day. However, the large amount of habitat in the vicinity of the project site would provide adequate refuge.

In addition to startle effects, there is the potential for a more persistent effect of construction noise on birds that rely on acoustic communication and song learning. This effect on avian vocal communications, typically referred to as masking, can alter birds’ ability to find mates, defend territories, and numerous other social behaviors (Dooling and Popper 2007). In addition, birds use hearing to sample the sounds in their environment which may arise from biological or non-biological sources such as predators or the wind moving through trees.

To determine the effects of noise on bird hearing, one must consider the spectrum level of noise (defined as the energy level for each frequency in the sound) in the frequency region where birds vocalize most

and hear best – typically around 2-4 kilohertz (kHz) (Dooling and Popper 2007). Examination of non-strike construction (i.e., work that does not include “impact” activities such as pile driving or jack hammering) noise generally shows less sound energy is generated at 2-4 kHz than at lower frequencies (Dooling and Popper 2007). Thus, lower-frequency construction noise will cause less masking than other environmental noises of equal overall level but that contain energy in a higher spectral region around 2-4 kHz (e.g., insects, vocalizations of other birds). Accordingly, the results of the RCNM analysis summarized in Section 3.4.2 that provides sound levels as dBA will overestimate the energy in the region of 2-4 kHz, thereby presenting a very conservative estimate of the effects of construction noise on communication in birds (Dooling and Popper 2007).

As a rule, there is no widely-accepted threshold for potential effects of noise on communication in birds. An informal threshold of 60 dBA hourly L_{eq} has been employed by USFWS on construction projects in the past, particularly in California; however the validity of the threshold has been questioned (Bowles and Wisdom 2005). Dooling and Popper (2007) suggest that ambient sound levels be used as guidelines for assessing potential effects of non-strike construction; this is the methodology that NASA has employed for this project.

Based upon the conservatively-derived construction noise levels described in Section 3.4.2, it is estimated that sound levels would attenuate to within background levels at a distance not likely to exceed 200-300 m (660-984 ft) from the construction activity. It should be noted that the distance from the construction site at which sound could be heard by birds would be highly dependent on atmospheric conditions, particularly wind. Studies have shown that the effects of wind on sound propagation can be substantial, with upwind attenuation approaching 25-30 dB more than downwind at the same distance from the source (Wiener and Keast 1959). Therefore, received construction-related noise levels (and resultant effects) adjacent to the site would vary.

In summary, while construction is taking place, it is expected that there may be some masking of avian communication, however it should be noted that adapting to elevated sound levels is not uncommon for birds, as this must be done during times when natural sounds, such as wind and heavy surf, reduce their ability to communicate. Species would likely employ strategies such as changing height or location, scanning the environment by turning the head, raising voice level, or timing vocal communication when there is non-continuous noise. Each of these factors alone can enhance communication in noise by as much as 10-15 dB (Dooling and Popper 2007). Construction occurring during breeding seasons (for most species, spring through mid-summer) would be the most disruptive to both terrestrial and avian species, as it could interfere with courtship and nesting activities, potentially lowering reproductive success. However the extent of potential effects is limited, and the duration of construction would not span any more than one breeding season, therefore impacts would not be substantial.

Long term, the removal of upland and wetlands habitat at the proposed project site would cause birds, mammals, reptiles, and amphibians using the uplands and wetlands within the project footprint to be permanently displaced once the land is cleared. Less mobile species at the project area would experience direct mortality. The loss of habitat is not expected to adversely affect species abundance or

sustainability at the population level, as equivalent habitat types are prevalent adjacent to the project site and elsewhere on Wallops Island.

Operations

The effects of overflying manned aircraft on waterfowl and shorebirds have been well-studied in the past 20 years, with researchers reporting varying results and conclusions. Unlike manned aircraft, especially large, fast military aircraft (e.g., F-18, Osprey), the impact of UAS on birds has not been well studied, however the results of the larger vehicle studies can be applied as a proxy to estimate potential effects.

A review of the literature of manned aircraft effects indicates that at least some level of temporary startle response can be expected and anticipated, particularly in non-nesting birds. Komenda-Zehnder et al. (2003), for example, focused on determining the minimum altitude Above Ground Level (AGL) needed to minimize the stressful startle response of ducks in the Swiss lowlands to overflying aircraft and helicopters; they found that, depending on aircraft type, between 60 and 78 percent of waterfowl exhibited “stressed” behaviors (alarm posture, swimming away, taking immediate flight) with fixed-wing aircraft flying at approximately 150 m (500 ft) AGL and generating 66-68 dB noise, while helicopters at the same altitude caused a 82-89 percent startle response rate at 75-79 dB. Waterfowl returned to a relaxed posture after 5 minutes or so, although they did not appear to habituate or acclimate to the overflights. Smith and Visser (1993), in summarizing many Dutch studies, believe that large groups of waterfowl can habituate to overflights that occur daily, but mass startle responses can be elicited when a new type of aircraft suddenly appears, particularly at low altitudes (less than 300 m [about 1,000 ft] AGL). The potential for habituation of dabbling ducks commonly observed adjacent to the project site (e.g., black ducks, greenwing teal, etc.) is also supported by Conomy et al (1998), who suggest that habituation may have been the reason why their study in North Carolina documented very low reaction rates to military jet overflights.

Grubb (1979) evaluated the potential effects of single-propeller aircraft overflying a large, mixed species heron rookery in Saint Paul, Minnesota. Responses were observed for overflights at altitudes ranging from 45-250 m (150-800 ft) above ground level at airspeeds of 160-200 kilometers per hour (85-105 knots); sound levels (L_{max}) ranged from 61-88 dBA, depending on altitude; background sound levels were averaged at 61 dBA. The author found that neither the overflight nor the additional sound elicited responses from individuals, suggesting minimal effects. However, the authors note that the study site was adjacent to rather developed areas, and the results of the study could have reflected the species’ habituation to the stimuli.

It should be noted that studies have shown the presence of humans and associated ground-based activities may also alter the behaviors of avian species. Although not in great numbers, the UAS airstrip would necessitate the presence of support personnel, including those directly involved in the mission (e.g., pilots, safety personnel, etc.) or conducting facility maintenance (e.g., removing debris, mowing, etc.) within the footprint of the project area. Erwin (1989) conducted a study of mixed colonies of wading birds (that included species of herons, egrets, and ibises) to determine the average distance at which each

species flushed; most flushed between 30-50 m (100-165 ft) and re-settled within approximately one minute. He found that terns and skimmers were the most sensitive of observed species, flushing on the order of 150 m (490 ft) from the intrusion. The author suggested a buffer zone of 100 m (330 ft) to minimize disturbance to most birds observed, with a 200 m (660 ft) buffer for common terns and black skimmers. Rodgers and Smith (1995) also found that a buffer of 100m (330 ft) was sufficient to prevent flushing in colonies of similar species composition.

It is very likely that the recommendations of these studies are highly conservative when considered within the context of the airstrip, especially as the studies were more invasive (walking directly up to the colony) than on-site UAS support personnel would be, and many of the colonies observed were not subject to regular human visitation; flush distances may have been less if measured at locations where birds have habituated to human activity (Erwin 1989).

In summary, sound disturbance from UAS overflight noise would be expected to be minimal as UAS operations are projected to be at or below current ambient noise levels. Disturbance from visual cues or the presence of ground crew is possible, with the probability greatest at the onset of operations, with some habituation expected as operations in the area become more commonplace. Habituation would be most likely in resident populations (e.g., ducks and geese) that would be exposed to the stimuli on a regular basis. Nonresident migrants (e.g., herons and egrets) would be more likely to be disturbed. However, any disturbance would be minor and confined to a small area (100 m [330 ft] or less) immediately adjacent to the airstrip. The potential exists for birds to strike UAS aircraft; however, no incidents of such an event have been recorded at WFF (personal communication, Justis and Rew 2011).

3.5.2.3 Special-Status Species

Seaside Plantain, Big-Headed Rush, and Southern Beach Spurge

A rare plant survey of north Wallops Island was conducted by VDCR September 19-21, 2011. The survey was conducted to document the presence or absence of seaside plantain, big-headed rush, and southern beach spurge or the associated maritime dune woodland community. The September 2011 VDCR survey indicated the lack of seaside plantain, big-headed rush, and seaside spurge within the project area. Seaside plantain was not located on north Wallops Island. Big-headed rush was documented east of the project area in the swales between dunes and near the ocean. Seaside spurge was found outside of the project area (personal communication, van Alstine 2011).

The maritime dune woodland community, black cherry xeric dune woodland (U.S. National Vegetation Classification unique identifier CEGL006319), while much smaller (1.9 ha [4.8 ac]) than previously recorded, was delineated within the project area. Specifically, this type of maritime dune woodland community is dominated by black cherry, wax myrtle and greenbrier and is located near the ocean usually on the lee side of dunes in sandy or sandy/loamy soils. The community is rare in Virginia, where only three examples exist. Besides the Wallops site, there is an approximately 2 hectare (5 acre) stand at the nearby Chincoteague National Wildlife Refuge on southern Assateague Island. On Fisherman's Island at the southern end of the Delmarva Peninsula approximated 100 km (60 mi) southwest of the project site,

there is an approximately 5 hectare (12 acre) stand that is classified as the same community; however there is doubt among state ecologists that this site is a true example of the type (personal communication, Fleming 2011). The community is slightly more common in other mid-Atlantic states. There are approximately 25 hectare (65 acre) at sites scattered over the Maryland portion of Assateague Island while 4 hectare (10 acre) exist on the Cape May peninsula of New Jersey (personal communication, Sneddon 2011). Delaware hosts the community at three sites: 17 hectares (42 acres) in Cape Henlopen State Park; 28 hectares (69 acres) in Delaware Seashore State Park; and 5 hectares (12.5 acre) in Thompson Island Nature Preserve for a total of 50 ha (123.5 ac) in Delaware (personal communication, Coxe 2011). Excepting the Fisherman's Island community in Virginia, there have been approximately 84 hectares (208 acres) of the CEG006319 community identified in the mid-Atlantic region. The UAS Airstrip project is proposing to permanently remove a maximum of 0.93 hectares (2.3 acres) of this community. While this represents almost half of the black cherry xeric maritime dune woodland on Wallops Island, it is 1 percent of the type and the remaining 99 percent reside on protected conservation areas.

Although ESA requirements do not apply to the maritime dune woodland community, as it is not federally listed threatened or endangered, WFF would, to the maximum extent practicable, avoid or reduce the potential impact to the maritime dune woodland community. Additionally, while this community type is ranked locally and globally as G1/G2, or imperiled, it should be noted that the individual constituent species (i.e., black cherry, wax myrtle, and greenbrier) are extremely common on Wallops Island and the other mid-Atlantic barrier islands.

The Florida Thoroughwort extends along the roadway east of the project area foot print for approximately 140 m (470 ft). Therefore, construction of the UAS airstrip would not eradicate the species on Wallops Island. NASA would make specimens of the plant available to researchers for further study or possible transplantation before project construction begins. The 2011 VDCR surveyed was limited to the northern extent of Wallops Island and it is unknown if the plant occurs elsewhere on the island. Florida Thoroughwort has not been encountered in plant surveys on other barrier islands in the chain which stretches from Wallops Island to Fisherman's Island at the southern tip of the Delmarva Peninsula. However, Parramore Island has not been surveyed. While Florida Thoroughwort is ranked locally and globally as G2/G3, or vulnerable, it should be noted that there are two occurrences of this species (*E. mohrii* x *E. serotinum* hybrid) within the Virginia Beach city limits (one south of Sandbridge and the other at False Cape) and is also found in North Carolina. As with the maritime dune woodland community, ESA requirements do not apply to Florida Thoroughwort. NASA concludes that the UAS project would not significantly impact the species overall.

Loggerhead Sea Turtle

Loggerhead sea turtles are often seen in the channels and inlets of Virginia's barrier islands. It has only been in more recent years that loggerhead sea turtle nests have been periodically found on Wallops Island beaches. In 2010, four loggerhead sea turtle nests were found during June and July. The nests were located north of the existing south Wallops Island UAS airstrip and approximately 2.6 km (1.6 mi)

southwest of the proposed new airstrip on north Wallops Island. Direct impacts to this species from the Proposed Action would not be anticipated. The project has been intentionally designed and sited to avoid disturbance to any dune or beach habitats. Nighttime lighting could disorient nesting females and emerging hatchlings; however, this type of indirect impact would not be anticipated. The following measures would be taken: 1) UAS would operate infrequently at night; 2) safety lighting, if required at the airstrip, would be of minimal intensity and downward-shielded; and 3) UAS would not use running lights. Finally, as directed by the WFF Threatened and Endangered Species Monitoring Program protocols, should WFF monitoring staff identify sea turtle nesting activity under UAS flight paths on the beach, UAS flights would be redirected or suspended until the nesting activity ceased or nestlings had completed their emergence. Given that direct impacts to sea turtle nesting habitat would be avoided, and numerous measures would be implemented to avoid lighting and UAS overflight noise disturbances, implementation of the Proposed Action would not adversely impact loggerhead sea turtles.

In a letter dated September 22, 2011, the USFWS stated that, “Based on the low number of nests at this site annually (between 1-4 nests per year), the low probability of hurricanes occurring during the nesting period here in Virginia, and the even lower probability that an emergency UAS flight would occur at night while turtles were nesting, the likelihood of disturbance resulting from UAS operations is low. Additionally, UAS operations and clearances from beach habitats will minimize the potential that UAS operations will affect sea turtles even if they do occur during nesting, and any effects are expected to be limited to temporary changes in behavior that will not reduce the likelihood of nesting. Consequently, these minor disturbances are considered to be insignificant and discountable. And the project as proposed, “may affect, but is not likely to adversely affect” nesting sea turtles.”

Piping Plover

Direct impacts to this species’ habitat from the Proposed Action are not anticipated because the project has been intentionally designed and sited to avoid all sensitive intertidal and over-wash habitats seaward of the dunes. In prior consultation, USFWS and NASA had agreed upon a 305 m (1,000 ft) horizontal and vertical buffers around piping plover nests. However, as previously stated, the impact of UAS on birds has not been well studied; data does not exist that quantifies these effects and verifies a buffer distance for UAS operations. Therefore, in cooperation with USFWS, NASA would undertake a study to assess the impacts of UAS operations on piping plovers. Based upon the results of the monitoring study, NASA would adopt appropriate modifications to avoidance buffers and flight paths if needed and would reinitiate consultation under Section 7, if necessary. In the interim, the following measures would be taken to avoid startling nesting piping plovers: 1) UAS overflights of the beach would be infrequent (eight times per day, at most) and; 2) UAS operators would be required to maintain a flight path both 305 m (1,000 ft) vertically and horizontally away from piping plovers. Additionally, with sound levels generated by the loudest UAS type at nearly 10 dB below ambient levels measured onsite, startle responses resulting in piping plover nest abandonment would not be anticipated. Given that direct impacts to dune habitats and other maritime habitats seaward of the dunes would be avoided and that

numerous measures would be implemented to minimize visual and sound disturbances, implementation of the Proposed Action would not have an adverse impact on piping plovers.

In the September 22, 2011 letter, the USFWS stated “Based on the best currently available data, the Service believes that with the conservation measures and the 1,000 foot horizontal and vertical buffers, disturbances to nesting plovers are unlikely to occur, and will be limited to temporary changes in behavior that are similar to responses to potential predators in the vicinity of nesting plovers and are unlikely to result in flushing from nests. The Service believes that the level of disturbance will be insignificant and discountable, and birds will return to normal activities quickly following disturbance, and the proposed action is not likely (to) adversely affect piping plovers. In addition, the proposed monitoring in conjunction with UAS operation has the potential to significantly improve future conservation efforts for plovers and other shorebirds.”

Red Knot

Red knots occurring within the flight path of UAS overflying the beach could experience startle responses from the sudden appearance and sound generated by UAS. Some level of shorebird startle response may be elicited, particularly early on in UAS operations. In cooperation with USFWS, NASA will undertake a study to assess the impacts of UAS operations on red knots. In the interim, the following measures would be taken: 1) UAS would likely overfly the beach eight times per day, at most; and 2) with sound levels generated by the loudest UAS type actually being nearly 10 dB below ambient levels measured onsite, it is unlikely that red knots would experience any significant short or long-term effects from UAS sound or visual disturbances. Given that direct impacts to dune habitats and maritime habitats seaward of the dunes would be avoided and that numerous measures would be implemented to minimize visual and sound disturbances, implementation of the Proposed Action would be expected to have a minor but not long lasting impact to local populations of red knots.

Other Species of Concern (Raptors)

Construction activities have the potential to disturb raptors that may be adjacent to the project site. As with other avian species, the most notable concern would be interference with courtship and nesting activities, thereby lowering reproductive success. The species that could be most affected during construction is the bald eagle, as an active nest is located southeast of the project site. To mitigate the potential adverse effects during construction, NASA would employ a 200 m (660 ft) buffer around the eagle nest within which no clearing or construction activities would occur. The establishment of such a buffer is consistent with recommendations of the National Bald Eagle Management Guidelines (USFWS 2007). Peregrine falcons are known to nest well outside of the expected zone of effects from construction activities; the nearest peregrine nesting area is approximately 1,000 m (3,300 ft) from the project site. It cannot be predicted with certainty as to what distance from the project site the Northern Harrier may nest; however any disturbance associated with construction would be short duration (6-9 months) and would not persist through any more than one breeding season.

Similar to waterfowl and shorebirds (discussed above), limited information is available regarding the effects of UAS operations on raptors; all identified studies focus on larger aircraft, particularly jets, and other human-induced disturbances, including recreation, scientific research, and boating. Although these disturbances are not exactly the same as those of the Proposed Action in this EA, general conclusions can be drawn from this information.

A study of effects of low-flying military jet aircraft on eight raptor species including peregrine falcons and bald eagles found that while in some instances aircraft flights noticeably alarmed and flushed the raptor species from their roosts or nests, in most instances the overflight elicited only minimal responses and were never associated with nest failure (Ellis et al. 1991).

The literature suggests that while overflights may have some effect on the behavior of individual peregrines, it has little effect on nesting success and fledgling rate. Windsor (1977) conducted a study in which nine active peregrine nests were exposed to regular aircraft overflights ranging in altitude from 75 m (250 ft) to 300 m (1000 ft). Of the nine nests, only one was abandoned. The other eight, however showed no effect on hatch rate or fledgling rate. A 2003 study (Palmer et al.), monitored the effects of low-level jet overflights on the parental behavior of peregrine falcons. Although subtle differences were detected in the parenting behavior of the overflight falcons versus that of a control group of rarely overflown birds, the researchers “found no evidence that overall attendance patterns (e.g., parenting behavior) differed depending on exposure to overflights.” It should be noted that the peregrine falcon nesting tower on Wallops Island is located approximately 1,000 m (3,300 ft) southwest of the western terminus of the airstrip and is approximately the same perpendicular distance to the approach flight path of the airstrip. This distance is much greater than those used in the studies and well below the 800 m (2,600 ft) buffer distance for peregrine falcons recommended by Richardson and Miller in their 1997 paper on protecting raptors from human disturbance.

There is a little in the literature on northern harrier interactions with aircraft. In 1977, however, raptor researchers (Jackson, et al. 1977), observed a female northern harrier hunting during low lying military jet bombing runs. Throughout the bombing, the harrier continued to forage unperturbed, even when a bomb exploded 70 m (200 ft) away. This would suggest that that the species has a high tolerance for low flying aircraft and for noise disturbances.

Responses of breeding eagles depend on the type of human disturbance. Pedestrians tend to have the most extreme effects on breeding eagles when compared to boats, vehicles, short-duration noises, or aircraft; however, effects of all disturbances become more acute as an eagle’s distance to the disturbance decreases (Grubb and King 1991; Grubb et al. 1992). Breeding eagles respond to long-term human activity by choosing nests sites (Fraser et al. 1985) and foraging sites (McGarigal et al. 1991) in locations with relatively low levels of human activity. Eagles also use more of the habitats within their home ranges that receive lower levels of human use (Garrett et al. 1993). Wintering (Russell 1980) and breeding bald eagles (Steidl and Anthony 1996), in areas of low human activity showed greater responses to introduced disturbances than did birds inhabiting areas where the particular disturbance occurred previously. Additionally, eagles nesting in areas where a particular disturbance was common responded

less than those in areas where that disturbance was infrequent (Grubb et al. 1992). This suggests that they can habituate to particular types and levels of human activity but may be affected by a change in the amount or type of disturbance. When raptors accustomed to a particular disturbance were exposed to either a new disturbance or to the same disturbance in a different area, their responses became more intense and increased in likelihood (Stalmaster and Newman 1978).

Given the proximity of the active eagle nest to the eastern terminus of the airstrip (215 m [700ft]), NASA further consulted with USFWS in November 2011 regarding UAS overflight and the applicability of the National Bald Eagle Management Guidelines (USFWS 2007b). The Guidelines recommend a 305 m (1,000 ft) aircraft avoidance area around eagle nests during breeding season. During this coordination, NASA and USFWS agreed that given low frequency of UAS flights (approximately 1,040 sorties per year), the lateral distance of typical UAS flight paths from the nest, the infrequency of direct overflights, and the presence of screening vegetation between the nest and UAS, effects would be minor and likely would be tolerated by eagles. During construction of the runway and operation of aircraft using the runway, NASA would monitor nesting eagles, their response to aircraft, and the eagles' typical flight paths between the nest and foraging areas to evaluate potential conflicts between eagles and UAS operations, and would coordinate monitoring and results with USFWS. If monitoring indicates a potential risk to eagles or aircraft, NASA would work with USFWS and VDGIF to mitigate the risk and obtain appropriate permits, initially through hazing or other minimally disruptive actions.

In summary, the levels of disturbance that resulted from much larger, more intense stimuli in the reviewed studies seem to have insignificant effects on all raptor species. Therefore, the potential for adverse effects from UAS would also likely be low. The chance for disturbance exists; however it would most likely occur during a low-altitude direct overflight, which would be atypical (as UAS would nominally fly at 150 m (500 ft) above ground level). It is also expected that any birds in the area would likely habituate to continued operations; therefore, any notable disturbance would occur during the initial onset of flight activities, with resultant effects tapering as birds became more accustomed to activity in the area. NASA, therefore, concludes that UAS airstrip construction and operations may have long term but minor impacts on raptor species in the vicinity.

Special Status Species Monitoring

WFF intends to continue monitoring peregrine falcon use and breeding success at the hacking tower on an annual basis, as well as activity at the bald eagle nest beyond the east end of the proposed airstrip's clear zone. WFF also has committed to annual monitoring of red knot activity, piping plover nest attempts, and loggerhead sea turtle nests on both the north and south beaches of Wallops Island, and report those results to USFWS and VDGIF. Finally, WFF has agreed to report any observations of Wilson's plover when conducting annual shorebird monitoring (although none have been observed to date), as well as any sightings of little blue heron and northern harrier that might suggest routine wintering or breeding use of Wallops Island by these species. One final commitment made by WFF as a result of the informal Section 7 consultation for the Proposed Action is that WFF would work with USFWS to designing and implementing a shorebird monitoring study. The intent of this study would be to evaluate the potential

effects from UAS overflights of beaches used by sensitive shorebird species, such as red knots and piping plovers, on such critical issues as occupancy rates, startle response, and breeding success rates.

3.5.2.4 Essential Fish Habitat

In accordance with the EFH Final Rule published in the *Federal Register* on January 17, 2002, Federal agencies may incorporate an EFH assessment into documents prepared for another purpose, such as this EA, provided the EFH assessment is clearly identified as a separate and distinct section of the document. NASA intends for this section to serve as its EFH assessment. The four major elements of the EFH assessment are discussed below:

1. A description of the Proposed Action is located in Section 2.2 of this EA;
2. An analysis of the effects of the Proposed Action on EFH, managed species, and their prey species concludes the following:
 - Construction of the UAS airstrip on north Wallops Island would occur entirely in the upland environment; no direct impact on EFH would be anticipated.
 - Temporary indirect impacts that could occur from increased erosion and sedimentation as a result of ground disturbance.
3. A formal determination of the effects of the Proposed Action on EFH:
 - NASA has determined that although the Proposed Action would result in adverse effects to EFH, those effects would not be substantial.
4. Proposed mitigation measures are as follows:
 - Indirect impacts from sedimentation and erosion would be minimized to insignificant levels through the use of BMPs, such as silt fencing and other approved measures to control erosion, sedimentation, and stormwater runoff; and
 - Avoidance and minimization measures previously discussed (i.e., retaining walls to avoid potential impacts to emergent intertidal wetlands and an infiltration trench to reduction stormwater concentrations into wetlands) would further reduce the potential to impact EFH.

No Action Alternative

There would be no impacts to vegetation, wildlife, special-status species or EFH under the No Action alternative, as no construction activities would occur. UAS operations would remain at present levels and occur at the existing south Wallops Island airstrip. These resources would continue to be managed and monitored by WFF through established procedures and protocols.

3.6 TOPOGRAPHY AND SOILS

Topography describes the physical surface characteristics of the land such as slope, elevation, and general surface features. Soil refers to unconsolidated earthen materials overlying bedrock or other parent material.

3.6.1 Affected Environment

The affected environment for topography and soils consists of the section of land on northern Wallops Island where the proposed new UAS airstrip would be constructed, along with the buffer zone around the airstrip which would be cleared during construction.

Topography

Land elevations of Wallops Island range from level with mean sea level to 4.6 m (15 ft) above mean sea level. Wallops Island is a barrier island, so its topography is constantly shifting due to ocean currents, naturally occurring erosion, deposits, and severe weather (NASA 2008e).

Soils

There are four separate soil types located in the vicinity of the proposed UAS airstrip and clear zones. A list of these soils and their characteristics is provided in Table 12.

Table 12. Soils in the Vicinity of the Proposed Action				
<i>Soil Type</i>	<i>Slope</i>	<i>Drainage Class</i>	<i>Erosion Potential</i>	<i>Flooding potential</i>
Fisherman-Assateague fine sands complex	0-35 percent	Moderately well drained	Moderate	Rare
Fisherman-Comacca fine sands complex	0-6 percent	Moderately well drained	Moderate	Frequent
Comacca fine sand	0-2 percent	Poorly drained	Low	Frequent
Chincoteague silt loam	0-1 percent	Very poorly drained	High	Frequent

Source: NRCS 2010.

The airstrip would be constructed predominantly on Fisherman-Assateague fine sands complex. The clear zones would extend into areas containing Fisherman-Comacca fine sands complex, Comacca fine sand, and Chincoteague silt loam. No soils on Wallops Island are considered prime farmland. Comacca fine sand and Chincoteague silt loam are classified as hydric soils, and Fisherman-Comacca fine sands complex and Fisherman-Assateague fine sands complex are classified as having the potential for small inclusions of hydric soils (NRCS 2010). Soil samples collected at the project site indicate excellent infiltration rates, ranging from approximately 50 – 200 cm/hour (20 – 80 in/hour).

3.6.2 Environmental Consequences

Determination of the significance of potential impacts to topography and soils is based on identifying the locations where the Proposed Action may directly or indirectly impact geology and soil resources. Permanent alteration of the area topography or soils would be considered significant, as well if soil erosion potentials are increased to a level that would detrimentally affect the existing natural environment.

Proposed Action

The site would require grading and fill; off-site fill dirt would be required since the airstrip would need to be elevated 1 m (3 ft) above existing grade in most areas. The topography of the site would change; however, the impact would be localized and small resulting in a negligible impact. Soils at the site could be altered from the introduction of off-site soils used for fill; however, the impact would be site-specific and not present an adverse impact. Construction activities have the potential to cause soil erosion; a site

specific erosion and sediment control plan would be developed and utilized to ensure that soil erosion during construction is minimal. This plan would implement BMPs that are outlined in the facility's Stormwater Pollution Prevention Plan (SWPPP) and Construction Erosion and Sediment Control Plan. These BMPs could include using silt fencing, soil stabilization blankets, and matting around areas of land disturbance during construction. Bare soils would be vegetated after construction to reduce erosion and stormwater runoff velocities. An infiltration trench, included in the airstrip design, would also minimize storm water runoff volume and velocity. Spill or leaks from construction vehicles and later from UAS refueling or personnel vehicles could affect soils; site-specific BMPS addressing spill prevention and control measures would be implemented.

No Action Alternative

Under the No Action alternative the UAS airstrip would not be constructed. The topography and soils on north Wallops Island would not be affected through implementation of this alternative as no clearing, grading, or fill generally associated with construction activities would not occur. Site-specific BMPS addressing spill prevention and control measures would continue to be implemented at the existing UAS airstrip.

3.7 WATER RESOURCES

Water resources refer to the coastal zone, surface, and subsurface water, including lakes, ponds, rivers, streams, floodplains, and wetlands that exist within the proposed project area. The CWA of 1972 is the primary federal law that protects the nation's waters, including lakes, rivers, aquifers, and coastal areas. The primary objective of the CWA is to restore and maintain the integrity of the nation's waters.

The CWA National Pollutant Discharge Elimination System (NPDES) (33 U.S.C. 1342) requires permits for stormwater discharges associated with industrial activities. The Virginia DEQ is authorized to carry out NPDES permitting under the VPDES (9 Virginia Administrative Code (VAC) 25-151). NASA maintains a WFF-wide SWPPP to ensure that its operations have minimal impact on stormwater quality.

The Virginia Stormwater Management Program (VSMP) regulations (4 VAC 3-20), administered by DCR, require that construction and land development activities incorporate measures to protect aquatic resources from the effects of increased volume, frequency, and peak rate of stormwater runoff and from increased non-point source pollution carried by stormwater runoff. The VSMP also requires that land-disturbing activities of 0.4 hectares (1 acre) or greater develop a SWPPP and acquire a permit from the Virginia DCR prior to construction.

The coastal zone is rich in natural, commercial, recreational, ecological, industrial, and aesthetic resources. As such, it is protected by legislation for the effective management of its resources. The Coastal Zone Management Act (CZMA) of 1972 (16 U.S. Code [USC] §1451, et seq., as amended) provides assistance to states, in cooperation with federal and local agencies, for developing land and water use programs in the coastal zone.

3.7.1 Affected Environment

The proposed project location on Wallops Island falls within the Upper Chesapeake subregion watershed and within the Chincoteague subbasin (NASA 2008e). Figure 14 provides a U.S. Geological Survey topographic map of Wallops Island and the surrounding waters.

Surface Waters

Surface water features on and around the proposed project area include tidal creeks and their associated tributaries, a pond, marshes, tidal flats, bays, and the Atlantic Ocean. The site is bound by the WFF to the south, Cow Gut to the west, Chincoteague Inlet to the north, and the Atlantic Ocean to the east (NASA 2009b). Surface waters in the vicinity of the proposed project area are saline to brackish and are influenced by the tides (NASA 2008e).

VDEQ has designated the surface waters in the vicinity of the project area as Class II – Estuarine Waters. The Atlantic Ocean is designated as Class I – Open Ocean. Surface waters in Virginia must meet the water quality criteria specified in 9 Virginia Administrative Code (VAC) 25-260-50. This set of criteria establishes limits for minimum dissolved oxygen concentrations, pH, and maximum temperature for the different surface water classifications in Virginia. In addition, Virginia surface waters must meet the surface water criteria specified in 9 VAC 26-260-140. This set of criteria provides numerical limits for various potentially toxic parameters. For the Class I and II waters in the vicinity of the proposed project area, the saltwater numerical criterion is applied. Both sets of standards are used by the Commonwealth of Virginia to protect and maintain surface water quality.

No wild or scenic rivers are located on, or adjacent to, Wallops Island; therefore, the Wild and Scenic Rivers Act (16 USC 1271-1287) does not apply to this project (USFWS 2007c).

Coastal Zone

The following coastal zone discussion specifically refers to compliance with the CZMA of 1972 (16 USC § 1451, *et seq.*, as amended). In accordance with Section 307 of the CZMA and 15 CFR 930 subpart C, federal agency activities affecting a land or water use or natural resources of a state's coastal zone must be consistent to the maximum extent practicable with the enforceable policies of the state's coastal management program (NOAA 2006).




Figure 14. USGS Topographic Map of Wallops Island and the Surrounding Waters

The Virginia CZM Program was established and approved by NOAA in 1986 to protect and manage Virginia's "coastal zone." The Virginia CZM Program is part of the national CZMA, a voluntary partnership between NOAA and U.S. coastal states and territories. The Virginia CZM Program was established through an EO, which is renewed by each new governor. The Virginia CZM Program is not a single centralized agency or entity, but a network of state agencies and local governments which administer the enforceable laws, regulations, and policies that protect Virginia's coastal resources.

Virginia's Coastal Zone includes all coastal waters of the U.S. territorial sea, extending to the 5 km (3 mi) limit of Virginia sovereignty including Accomack County. Federal lands, the use of which is by law subject solely to the discretion of, or which is held in trust by the federal government, its officers or agents, are excluded from Virginia's coastal management area. However, activities on federal lands with any reasonably foreseeable coastal effects must be consistent with the Virginia CZM Program.

Federal agencies must prepare consistency determinations if their activities can have any reasonably foreseeable effects on Virginia's coastal uses and resources (VDEQ 2010). A federal consistency determination for the proposed project is contained in Appendix C. The following enforceable policies comprising the Virginia CZM Program are applicable to the proposed airstrip project at WFF. Policies not applicable are those involving subaqueous lands management, primary dunes and shoreline sanitation, which are not affected by the Proposed Action and therefore are not discussed further.

Fisheries Management

The program stresses the conservation and enhancement of finfish and shellfish resources and the promotion of commercial and recreational fisheries to maximize food production and recreational opportunities. This program is administered by the Virginia Marine Resources Commission (VMRC) (Code of Virginia § 28.2-200 thru 28.2-713) and the VDGIF (Code of Virginia § 29.1-100 thru 29.1-570).

The State Tributyltin (TBT) Regulatory Program has been added to the Fisheries Management program. The General Assembly amended the Virginia Pesticide Use and Application Act as it related to the possession, sale, or use of marine antifoulant paints containing TBT. The use of TBT in boat paint constitutes a serious threat to important marine animal species. The TBT program monitors boating activities and boat painting activities to ensure compliance with regulations promulgated pursuant to the amendment. VMRC, VDGIF and Virginia Department of Agriculture and Consumer Services share enforcement responsibilities (Code of Virginia § 3.1-249.59 thru 3.1-249.62).

Wetlands Management

The purpose of the wetlands management program is to preserve tidal wetlands, prevent their despoliation, and accommodate economic development in a manner consistent with wetlands preservation.

- The tidal wetlands program is administered by the VMRC (Code of Virginia § 28.2-1301 thru § 28.2-1320).

- The Virginia Water Protection Permit program administered by the VDEQ includes protection of wetlands, both tidal and non-tidal. This program is authorized by Code of Virginia § 62.1-44.15.5 and the Water Quality Certification requirements of Section 401 of the CWA of 1972.

Point Source Water Pollution Control

The point source program is administered by the State Water Control Board pursuant to Code of Virginia § 62.1-44.15. Point source pollution control is accomplished through the implementation of the National Pollutant Discharge Elimination System permit program established pursuant to Section 402 of the Federal CWA and administered in Virginia as the Virginia Pollutant Discharge Elimination System permit program.

Nonpoint Source Water Pollution Control

Virginia's Erosion and Sediment Control Law requires soil-disturbing projects to be designed to reduce soil erosion and to decrease inputs of chemical nutrients and sediments to the Chesapeake Bay, its tributaries, and other rivers and waters of the Commonwealth. This program is administered by VDCR (Code of Virginia § 10.1-560 *et. seq.*). This agency regulates activities in Chesapeake Bay Resource Management Areas and Resource Protection Areas within 84 localities in Virginia's coastal zone.

Air Pollution Control

The program implements the Federal Clean Air Act (CAA) to provide a legally enforceable State Implementation Plan for the attainment and maintenance of the National Ambient Air Quality Standards (NAAQS). This program is administered by the State Air Pollution Control Board (Code of Virginia § 10-1.1300).

Coastal Lands Management

This program is a state-local cooperative program that is an enforceable policy of the Virginia CZM Program, as administered by the VDCR of Chesapeake Bay Local Assistance and 84 localities in Virginia's coastal zone. It was established pursuant to the Chesapeake Bay Preservation Act; Code of Virginia § 10.1-2100 thru § 10.1-2114 and Chesapeake Bay Preservation Area Designation and Management Regulations; 9 VAC 10-20-10 *et seq.* The Coastal Lands Management is a state-local cooperative administered by the Chesapeake Bay Local Assistance Program. In February 2009, Accomack County expanded its Chesapeake Bay Preservation Act zoning ordinance to also include those lands in the County that drain easterly to the Atlantic Ocean, forming the Chesapeake/Atlantic Preservation Area. Therefore, lands surrounding WFF are subject to the ordinance; however, as WFF is a federal property, it is not considered to be within the Chesapeake/Atlantic Preservation Area.

Floodplains

Floodplains are defined as areas likely to be inundated by a flood with a particular degree of frequency. These areas provide a host of environmental benefits, including reducing the number and severity of floods, slowing stormwater runoff, and minimizing non-point source pollution.

EO 11988, *Floodplain Management* requires federal agencies to avoid to the extent practicable any possible long and short term adverse impacts associated with the occupancy and modification of floodplains and to avoid direct and indirect support of floodplain development wherever there is a practicable alternative. Federal Emergency Management Agency flood insurance rate maps (FIRMs) have been prepared for most of the region, including Accomack County. FIRM Community Panels 5100010070B and 5100010100C indicate that Wallops Island is located entirely within the 100-year floodplain (NASA 2005b). A 100-year flood is a flood that has a 1 percent chance of being equaled or exceeded in any given year and is the standard used by federal agencies for floodplain management.

Wetlands

In general terms, wetlands are lands where saturation with water is the dominant factor determining the nature of soil development and the types of plant and animal communities living in the soil and on its surface. Wetlands are transitional areas between terrestrial and aquatic systems where the water table is usually at or near the surface or the land is covered by shallow water (Cowardin et al. 1979). Wetlands provide a number of benefits to the environment, including water quality improvement, floodwater storage, fish and wildlife habitat, aesthetics, and biological productivity.

EO 11990, *Wetland Protection*, directs Federal agencies to minimize the destruction, loss, and degradation of wetlands, and to preserve and enhance the natural and beneficial values of wetland communities. In Virginia, projects that impact wetlands may require permits from the USACE, VMRC, Accomack County Wetlands Board, or VDEQ. A Joint Permit Application (JPA) is filed with VMRC; the agency plays a central role as an information clearinghouse for federal, state and local levels of review.

Extensive wetland systems border the project site and can typically be classified as one of the three following systems:

- *Estuarine* – tidal wetlands whose salinities exceed 0.5 parts per thousand (ppt), at least partially enclosed by land;
- *Palustrine* – non-tidal wetlands not adjacent to rivers and lakes and tidal wetlands whose salinity does not exceed 0.5 ppt; and
- *Shallow open water* – bodies of standing water less than 2 m (7 ft) in depth free of emergent vegetation but may contain floating vegetation.

Wetlands are also classified by the types of vegetation that grow within them. Typical wetland vegetation types encountered on Wallops Island are:

- *Emergent* – dominated by erect rooted herbaceous, usually perennial plants;
- *Scrub-shrub* – dominated by woody plants less than 6m (20 ft) in height; and
- *Forested* – dominated by woody plants greater than 6m (20 ft) in height.

On the western portion of the proposed project area, west of North Seawall Road, the dominant habitat is tidal (estuarine) marsh. These tidal wetlands transition into smaller areas of non-tidal Palustrine forested,

emergent and scrub-shrub wetland habitat types. The forested areas are located on the highest elevations and they transition down to scrub shrub and then emergent habitats. The non-tidal emergent wetlands typically transition into the tidal emergent wetlands. Refer to Section 3.5.2 for additional discussion of wetland vegetation.

3.7.2 Environmental Consequences

Determination of significance of potential impacts to water resources would be those actions that would have large scale adverse impacts on hydrologic function of the proposed project area. Significance determination would depend on the nature of the water resource, its importance to the ecosystem, and the ability of the system to function if that resource were altered or removed completely.

Proposed Action

Surface Waters

Construction activities would result in both short- and long-term impacts to stormwater conveyance due to raising the site elevation and removing vegetation. Short term, construction activities have the potential to cause soil erosion, potentially leading to elevated turbidity levels. However, given that site soils are sandy, the risk of turbid runoff is low. Additionally, the potential exists for the introduction of petroleum products into surface waters via unintentional spills or leaks from construction equipment.

To mitigate potential short-term impacts, prior to construction, NASA would obtain a VSMP construction site stormwater permit, develop a site-specific SWPPP, and implement site specific BMPs (summarized in Section 3.7.2). The SWPPP would identify all stormwater discharges at the site, actual and potential sources of stormwater contamination, and would require the implementation of both structural and non-structural BMPs to reduce the impact of stormwater runoff on nearby receiving waters.

The project site is primarily vegetated at the present time; removing this vegetation would also impact stormwater. Trees affect stormwater runoff through three primary processes: interception, transpiration, and infiltration. Interception is the collection of precipitation on the structure of the tree and the subsequent evaporation of moisture, which would otherwise become runoff. Transpiration is the transfer of water from the soil through the tree and its eventual release in a gaseous form through microscopic pores in the leaves and stems. Infiltration is the movement of surface water through the soil. Tree roots, combined with organic material that typically builds on the soil at the base of trees, promote the infiltration of runoff through shallow subsurface zones, helping to reduce both the rate and volume of stormwater runoff. The permanent removal of trees and scrub-shrub vegetation (and conversion to impervious surface) would increase the volume of water discharging from the immediate site during storm events.

To mitigate potential long-term impacts, NASA would incorporate permanent stormwater control measures into design plans. LID practices would be incorporated; including the integration of an infiltration trench around the site perimeter, which would capture stormwater and facilitate percolation

into the surrounding soils. All stormwater control measures to would be designed and constructed in accordance with VSMP laws and regulations.

During UAS flight, the remote potential exists for a malfunction that could result in a UAS landing in coastal waters. If this were to occur, small quantities of petroleum products (e.g., gasoline, JP-5) could enter surface waters. Although no such incident has occurred during the regular use of the south Wallops Island airstrip, NASA must maintain its readiness for responding to such an event. In the event of a UAS water landing, NASA would implement the procedures in its ICP, and coordinate closely with the U.S. Coast Guard and DEQ to immediately contain and clean up any released petroleum products.

Coastal Zone

Construction and implementation of the proposed action would be consistent, to the maximum extent practicable, with the enforceable policies of Virginia's Coastal Zone Management Program; a federal consistency determination has been prepared and is included in Appendix C.

Floodplains

As outlined in Chapter 2, the only practicable alternative is to construct this runway within the floodplain. Wallops Island is located entirely within the floodplain; therefore, all activities on land would take place within the 100-year and 500-year floodplains. No practicable alternatives exist for construction on Wallops Island. The functionality of the floodplain on Wallops Island would not be reduced by implementing the Proposed Action.

NASA would ensure that its actions comply with EO 11988, *Floodplain Management*, and 14 CFR 1216.2 (NASA Regulations on Floodplain and Wetland Management) to the maximum extent possible. Since the Proposed Action would involve federally funded and authorized construction in the 100-year floodplain, this EA also serves as NASA's means for facilitating public review as required by EO 11988.

Wetlands

Non-tidal wetlands (i.e., emergent and scrub shrub) are present in the footprint of the airstrip and would be adversely affected by its construction (refer to Figure 13 and Table 11). These non-tidal wetlands have been delineated and the limits confirmed by USACE in 2009. A JPA has been prepared to secure authorization for the necessary wetland impacts.

The proposed project has been designed to avoid and/or minimize impacts to wetlands to the maximum extent practicable and to provide compensatory mitigation for unavoidable impacts to wetlands. The following provides a summary of the steps NASA has taken in consideration of the airstrip design.

- *Avoidance and Minimization* – In 2009, WFF proposed to construct a 1,600 m (5,200 ft) long by 25 m (75 ft) wide UAS airstrip at the location currently proposed; construction of the original proposed airstrip would have affected approximately 14 ha (34 ac) of wetlands (tidal and non-tidal) from clearing and fill activities. After careful consideration of the potential environmental impacts, WFF determined that a shorter airstrip would satisfy the majority of the UAS missions expected to fly at

WFF in the reasonably foreseeable future. As such, the airstrip length originally proposed has been reduced by 700 m (2,200 ft) to the proposed length of 900 m (3,000 ft) while the width of the airstrip would remain at 25 m (75 ft). Two retaining walls would be constructed along the south side of the west end of the airstrip to avoid potential impacts to approximately 0.1 ha (0.2 ac) emergent intertidal wetlands. Additionally, the airstrip staging area was reconfigured to avoid impacting 0.01 ha (0.03 ac) of forested wetlands. Reduction of stormwater runoff and its potential to impact wetlands through concentrated runoff flows resulted in design of a low impact designed infiltration trench that would run along the entire length of the airstrip (refer to Figures 10 and 11). Vegetation clearing was reduced to the minimum necessary to construct the airstrip and provide clear zones along the length and ends of the airstrip for safe operations. In summary, a reduced airstrip requirement and avoidance and minimization practices reduced the potential for wetland impacts by 12 ha (30 ac); removed potential tidal wetland and forested wetland impacts; and reduced the potential for impacts due to stormwater runoff.

- *Compensatory Mitigation* – WFF would take appropriate and practicable compensatory mitigation action for impacts to wetlands that are unavoidable under the Proposed Action in the form of paying In-lieu-fees. Federal regulation defines In-lieu-fee mitigation as "a program involving the restoration, establishment, enhancement, and/or preservation of aquatic resources through funds paid to a governmental or non-profit natural resources management entity to satisfy compensatory mitigation." WFF has consulted with VDEQ and The Nature Conservancy in Virginia for use of the Virginia Aquatic Resources Trust Fund (Trust Fund). The Trust Fund is a mitigation program which acquires stream and wetland conservation projects throughout Virginia in order to compensate for impacts to streams and wetlands permitted by state and federal regulatory agencies. The Trust Fund is administered in partnership with the USACE, VDEQ, and The Nature Conservancy. The use of the Trust Fund as a mitigation option is provided by the 2008 "Mitigation Rule" (33 CFR 332) and under the guidance of the appropriate regulatory agencies. Generally, the Trust Fund consolidates money from many projects with small impacts of less than 0.4 ha (1 ac) and pools the resources to accomplish larger projects that have a greater chance of ecological success. These funds are then used, upon approval from the USACE and VDEQ, by The Nature Conservancy to implement projects involving the restoration, enhancement and preservation of wetlands and streams. The Trust Fund helps make large-scale conservation possible.

No Action Alternative

There would be no impacts to the coastal zone, floodplains, or wetlands under the No Action alternative. There would be no construction activities and UAS operations would remain at present levels and occur at the existing UAS airstrip on the south end of Wallops Island.

3.8 CULTURAL AND TRADITIONAL RESOURCES

Cultural resources are defined as prehistoric or historic sites, buildings, structures, objects, or other physical evidence of human activity that are considered important to a culture or community for scientific, traditional, or religious reasons. Cultural resources are divided into three resource categories: archaeological, architectural, and traditional cultural resources or properties. Archaeological resources are places where people changed the ground surface or left artifacts or other physical remains (e.g., arrowheads or bottles). Archaeological resources can be classed as either sites or isolates and may be either prehistoric or historic in age. Isolates often contain only one or two artifacts, while sites are usually larger and contain more artifacts. Architectural resources are standing buildings, dams, canals, bridges, and other structures. Traditional cultural properties are resources associated with the cultural practices and beliefs of a living community that link that community to its past and help maintain its cultural identity. Traditional cultural properties may include archaeological resources, locations of historic events, sacred areas, sources of raw materials for making tools, sacred objects, or traditional hunting and gathering areas.

Section 106 of the National Historic Preservation Act of 1966, as amended, and as implemented by 36 CFR Part 800, requires federal agencies to consider the effects of their actions on historic properties before undertaking a project. An historic property is defined as any cultural resource that is included in, or eligible for inclusion in, the National Register of Historic Places (NRHP). The NRHP, administered by the National Park Service (NPS), is the official inventory of cultural resources that are significant in American history, prehistory, architecture, archaeology, engineering, and culture. The NRHP also includes National Historic Landmarks. In consideration of 36 CFR 800, federal agencies are required to initiate consultation with the State Historic Preservation Offices (SHPOs) informing them of the planned action and requesting their submittal of any comments or concerns. SHPOs are responsible for determining federal compliance with Section 106. In addition, SHPOs also prepare nominations for the NRHP.

3.8.1 Affected Environment

Archaeological Resources

One previously recorded archaeological site, a Revolutionary War earthwork (Site 44AC0089), is located within the project area. This earthwork was recorded in 1980 as part of a larger survey of Accomack and Northampton Counties (Wittkofski 1980). No additional archaeological sites have been recorded within or near the project Area of Potential Effects (APE).

In 2009, a Phase I archaeological survey and limited Phase II excavations were conducted for the proposed new airstrip at the north end of Wallop's Island (NASA 2009c). Although this study was completed for the same project as the current proposed airstrip, the APE was larger, measuring approximately 1,500 m (5,000 ft) by 34 m (112 ft). The APE has been changed to approximately 915 m (3,000 ft) by 25 m (75 ft) and shifted slightly to the south in order to avoid Site 44AC0089. Shovel testing was completed in and around Site 44AC0089 and no additional features were discovered. As a

result of the survey, VDHR, the Virginia SHPO, in a November 12, 2009 letter, requested additional information to determine the eligibility of the site. In accordance with the VDHR request, additional information, including soil profiles and information on the construction of the earthworks, a site boundary map, and information on the avoidance of the site during construction activities was provided on December 13, 2010.

Architectural Resources

An architectural survey and assessment of the buildings and structures of WFF was conducted in 2003. A total of 166 architectural resources 50 years old or older (VDHR ID number 001-0027) were surveyed and evaluated for their NRHP eligibility in 2003 (NASA 2004). In consultation with the VDHR, the Virginia SHPO, in 2004, all the resources were determined not eligible except for the Wallops Beach Lifesaving Station (Station) (WFF facility number V-065) and the associated steel-frame Observation Tower (V-070). The Station is a two-and-one-half-story, wood-frame, Colonial Revival-style building. The Station was determined eligible for inclusion in the NRHP under Criterion A for its historical association with the Coast Guard and its role in protecting human lives and shipping lanes for commerce. The Station was also determined eligible under Criterion C for embodying Colonial Revival design for the Coast Guard mission in the twentieth century (NASA 2004). The four-story observation tower, which is approximately 30 m (100 ft) southeast of the Station, is not considered individually eligible, but is a contributing resource to the Lifesaving Station (NASA 2006). The property is approximately 1.2 km (0.75 mi) southwest of the location of the proposed UAS airstrip. The Wallops Beach Lifesaving Station and Observation Tower were scheduled for transfer from federal ownership and removal from the WFF because of their location within a designated explosive hazard zone for an adjacent rocket motor storage facility. This plan, however, is on indefinite hold pending studies of other alternatives. NASA would develop a Memorandum of Agreement with the Virginia SHPO to mitigate adverse effects to the historic property once a final course of action has been determined.

Two observation posts are situated within the project area of the proposed UAS airstrip. The first is observation tower V-130, which was erected by the Navy in 1949 for ordnance test range operations for the Naval Air Ordnance Test Station (NAOTS). The four-story, steel tower was determined to be not eligible for the NRHP in 2004 during the above-mentioned architectural resources survey of WFF (NASA 2004). The second observation post is the North Observation Mound. Circa 1952, this post was also built for the NAOTS. The structure consists of a 8 m (26 ft) tall, 18 by 25 m (59 by 82 ft) earthen mound topped by an 2.4 by 4.9 m (8 by 16 ft) wood deck and railing. Wood stairs are on the southeast side of the mound. The North Observation Mound was identified and evaluated in 2009 during a cultural resources survey for the Proposed Action. The mound was recommended not eligible for listing on the NRHP (NASA 2009c).

At the request of the Virginia SHPO, NASA consulted with the NPS regarding possible indirect effects (from noise) of the Proposed Action on the NRHP-eligible Assateague Beach Lifesaving Station (VDHR ID Number 001-0172). This station, also called the Assateague Beach Coast Guard Station, is located in the Assateague Island National Seashore on Toms Cove Hook. It was built by the Coast Guard in 1922.

The station was determined eligible by the Keeper of the NRHP in January 1980 (Mackintosh 1982). The station was listed on the Virginia Landmarks Register on February 20, 1973.

Traditional Cultural Properties

WFF does not possess or control Native American collections or cultural items, Native American remains, or Native American sacred sites or traditional cultural properties. The installation is currently not located within the current lands of any state or federally recognized Native American tribe (NASA 2006).

3.8.2 Environmental Consequences

Planning efforts are made to avoid known culturally important structures and sites; however, there is always the possibility for the discovery of cultural resources. Should discovery of any resources be made during clearing and construction activities, work would cease until a determination could be made by WFF's Facility Preservation Officer.

Proposed Action

Archaeological Resources

In a letter dated January 10, 2011, the Virginia SHPO concurred with NASA's eligibility determination for Site 44AC0089 and concluded that with implementation of the avoidance procedures below, no adverse effect to the resource would occur (Appendix D). The following avoidance procedures would be taken to protect the earthworks site:

- Establishment of a 7.6 m (25 ft) buffer zone around the earthworks (demarcated by temporary fencing during site construction) within which no clearing would be done and the site would be maintained and preserved in its current state;
- Should it be determined that the vegetation must be removed from the site for safety concerns, trees and large vegetation would be hand-cleared from the site within the 7.6 m (25 ft) buffer zone.
- Roots of trees and other vegetation would not be removed from the earthworks to minimize damage and the site would be reseeded with an approved, non-woody ground cover.
- A long-term maintenance plan would be established that would outline procedures for yearly vegetation removal and monitoring the state of the earthworks. The plan may include observations of erosion and/or other damage to the earthworks through photo documentation and provisions for short and long term stabilization techniques and emergency stabilization in the event of natural disasters (e.g., hurricanes).
- Long-term maintenance may include the erection of a permanent enclosure to guard against vandalism or inadvertent damage to the site.

No adverse impacts to this resource would be anticipated with implementation of the approved avoidance procedures.

Architectural Resources

NASA consulted with the NPS regarding the potential for UAS operations and noise from UAS overflights to affect the Assateague Beach Life-Saving Station. In a letter dated August 9, 2010, the NPS determined that the Proposed Action would not impact the Assateague Island National Seashore resources (i.e., Assateague Beach Life-Saving Station) or visitor experience on the Island since the flight lines would not cross over Assateague Island and noise from UAS would not exceed ambient noise levels on Assateague Island (Appendix D). The viewshed of the Wallops Island Lifesaving Station, located approximately 1.2 km (0.75 mi) southwest of the Project Area would be screened by existing vegetation between the two areas. Additionally, typical UAS flight paths would not overfly the Station. Therefore, no impact to architectural resources would be anticipated from implementation of the Proposed Action.

Traditional Cultural Properties

No impact to these resources would be expected as none are known to exist. In the event of inadvertent discoveries during clearing or construction, the associated activity would be stopped and the WFF cultural resources manager would be notified immediately.

No Action Alternative

Under the No Action alternative, the UAS airstrip would not be built; no clearing or construction would take place. As such, no impacts to cultural or traditional resources would occur.

3.9 LAND USE, VISUAL, AND RECREATION RESOURCES

Land use generally refers to human modification of the land, often for residential or economic purposes. It can also refer to use of land for preservation or protection of natural resources such as wildlife habitat, vegetation, or other unique features. Human land uses include residential, commercial, industrial, agricultural, or recreational uses; natural features are protected under designations such as national parks, national forests, wilderness areas, or other designated areas. Land uses are frequently regulated by management plans, policies, and ordinances that determine the types of uses that are allowable or protect specially-designated or environmentally sensitive attributes.

Visual resources include the viewshed in the vicinity of the Proposed Action. This includes the natural environment, such as trees, topography, and land structure, as well as any man-made structures that currently exist within the area.

Recreation resources include primarily outdoor recreational activities that occur away from a participant's residence. This includes natural resources and man-made facilities that are designated or available for public recreational use. The setting, activity, and other resources that influence affected recreation are also considered.

3.9.1 Affected Environment

Most of Wallops Island's 1,680 ha (4,150 ac) consist of marshland. The remainder hosts launch and testing facilities, blockhouses, rocket storage buildings, office space, assembly shops, dynamic balancing

facilities, transmitter systems, tracking facilities, Navy facilities, and other related support structures. Facilities on the Main Base include runways, hangars, offices, and housing (NASA 2008f).

Wallops Island is zoned as agricultural by Accomack County. The marsh area between Wallops Mainland and Wallops Island is designated as undeveloped in the County's Comprehensive Plan. Rural farmland and small villages make up the majority of the surrounding areas (Accomack County 2008).

Area businesses include gas stations, retail stores, markets, and restaurants. Surrounding towns include Wattsville 1.6 km (1 mi) west of the Main Base; Horntown 4 km (2.5 mi) north of the Main Base; and Atlantic 4.43 km (2.75 mi) to the southwest of the Main Base. Each of these towns has a population of less than 500 people.

The Town of Chincoteague, located approximately 24 km (15 mi) northeast of Wallops Island, on Chincoteague Island, Virginia, is the largest community in the area, with approximately 2,900 permanent residents (U.S. Census Bureau 2010). The island attracts a large tourist population during the summer months to visit the public beaches and attend the annual Assateague Island pony swim and roundup. Therefore, hotels and restaurants, as well as other seasonal tourism based businesses, can be found on Chincoteague Island.

The Wallops Island National Wildlife Refuge is located south of the Wallops Visitor Information Center and is under the jurisdiction of the USFWS. This refuge is not open to the general public. South of Wallops Island is Assawoman Island, a 576 ha (1,424 ac) parcel managed as part of the Chincoteague National Wildlife Refuge by the USFWS. The remainder of the Chincoteague National Wildlife Refuge lies mostly east and north of Wallops Island on Chincoteague Island. A string of undeveloped barrier islands, managed by the Nature Conservancy as part of the Virginia Coast Reserve, extends down the coast to the mouth of the Chesapeake Bay (USFWS 2007).

There is one main area designated for recreational use on Wallops Island. This is a beach area north of the seawall and south of the beach cable barrier. This area is open after operational hours to permanently badged WFF employees and their guests. The northern portion of this recreational area is closed annually from March through August during piping plover nesting season. A second area, the marsh under the Wallops Island Bridge that runs along the Waterway Coast of Virginia (a.k.a., Virginia Inside Passage), is open year round; however, it may only be accessed via boat. All other recreational resources are accessed either by vehicle or foot via entrance from the main gate (NASA 2010d).

3.9.2 Environmental Consequences

Determination of the significance of potential impacts from the Proposed Action requires identification of management plans within the project area, and how the Proposed Action may alter designated land uses, as dictated by the management plan. Alteration of the viewshed would be considered significant if the Proposed Action would result in adverse impacts to the existing viewing environment. Impacts to recreational resources would be considered significant if a large portion of a particular type of recreational need was lost, and could not be suitably substituted with a similar activity, or if demand could not be met by similar facilities or natural areas.

Proposed Action

Under the Proposed Action, the UAS airstrip would be constructed in an area that is currently zoned as agricultural by Accomack County. According to Accomack County's future land use plans within its Comprehensive Plan, Wallops Island would be designated as a "conservation area." This type of land use is aimed at "preserving and protecting Accomack County's areas of ecological importance" by causing as little disturbance as possible. These areas include marshland and undeveloped barrier islands such as Wallops Island (Accomack County 2008).

Given the existing and proposed future land use designations for Wallops Island, construction of the UAS airstrip may seem to conflict with County plans. However, Accomack County has taken a "pro-WFF" stance on matters such as land use and encroachment. In its 2008 Comprehensive Plan Update, the County states that "(NASA's) need to operate these facilities in an area with low population density is also compatible with local goals to foster the agricultural industry, conserve wildlife habitat, and promote tourism" (Accomack County 2008). Therefore, construction of the UAS airstrip would be consistent with Accomack County's land use plans.

The proposed site for the UAS airstrip is in the current operations range land use area or is undeveloped. In the WFF Master Plan, the undeveloped area has been designated for future development, specifically an airstrip (NASA 2008f). The Proposed Action is consistent with the WFF Master Plan, and current and future land uses on the facility, and would not result in an adverse impact to the land use under the existing designation. Minor impacts to visual resources would occur; the viewshed would be affected by changes in the natural environment; however, the impacts would be localized and on a remote area of Wallops Island. Additionally, natural vegetation along the beachfront and tidal wetlands would shield much of the airstrip from watercraft in the nearby waters. As mandatory safety constraints would dictate closure of the area during UAS operations, the after-hours recreational use of the north Wallops Island beach by WFF personnel could be impacted. However, since after-hours operations would be infrequent, the impact would be negligible. Some areas of the open water could be closed temporarily if UAS flight safety analysis determined the need; however, this too would be infrequent resulting in negligible impacts to nearby recreational water users.

No Action Alternative

No impacts to land use, visual, and recreational resources would be anticipated under the No Action alternative. The existing land use classification would remain unchanged. The viewshed would not be changed and the lack of recreational areas on the island would remain unchanged.

3.10 AIR QUALITY

Air quality in a given location is described by the concentration of various pollutants in the atmosphere. Air quality for the affected area considers applicable regulatory requirements, types and sources of emissions (for stationary sources) and the horizontal and vertical extent of emissions from mobile sources such as construction equipment or cars, location and context of the affected area associated with the Proposed Action, and existing conditions (or affected environment).

The 1970 CAA and its subsequent amendments established the NAAQS for “criteria” pollutants: ozone (O₃), carbon monoxide (CO), nitrogen dioxide (NO₂), sulfur dioxide (SO₂), particulate matter equal to or less than 10 and 2.5 microns (PM₁₀ and PM_{2.5}), and lead (Pb). These standards, presented in Table 13, represent the maximum allowable atmospheric concentrations that may occur while ensuring protection of public health and welfare, with a reasonable margin of safety. Short-term standards (1-, 8-, and 24-hour periods) are established for pollutants contributing to acute health effects, while long-term standards (quarterly and annual averages) are established for pollutants contributing to chronic health effects. The Commonwealth of Virginia has adopted the Federal standards and has incorporated them by reference in 9 VAC 5-30.

Table 13. National Ambient Air Quality Standards			
<i>Pollutant</i>	<i>Averaging Time</i>	<i>National Primary</i>	<i>National Secondary</i>
O ₃	8 Hours	0.075 ppm	Same as Primary
	1 Hour	---	---
CO	8 Hours (Maximum)	9 ppm	---
	1 Hour (Maximum)	35 ppm	
NO ₂	Annual Arithmetic Average	0.053 ppm	Same as Primary
	1 Hour Average	0.100 ppm	---
SO ₂ ^a	Annual Arithmetic Mean	0.030 ppm	---
	24 Hours (Maximum)	0.14 ppm	---
	3 Hours (Maximum)	---	0.5 ppm
	1 Hour	75 ppb	---
PM ₁₀	Annual (24-hr Mean)	---	---
	24 Hours (Average)	150 µg/m ³	Same as Primary
PM _{2.5}	Annual (24-hr Mean)	15 µg/m ³	Same as Primary
	24 Hours (Average)	35 µg/m ³	Same as Primary
Pb	Rolling 3-month Average	0.15 µg/m ³	Same as Primary
	30-day Average		
Sulfates	24 Hours	---	---
Hydrogen Sulfide	1 Hour	---	---
Vinyl Chloride	24 Hours	---	---

Notes: Federal Standards published at CFR; Title 40, Chapter I, Subchapter C, Part 50, National Primary and Secondary Ambient Air Quality Standards, July 15, 2010.

^aThe new federal 1-hour SO₂ standard is effective August 1, 2010. The Annual and 24-hour federal standards for SO₂ are revoked effective August 1, 2010.

Legend: ppm = parts per million; µg/m³ = micrograms per cubic meter; ppb = parts per billion

Based on measured ambient criteria pollutant data, the USEPA designates all areas of the U.S. as having air quality better than (attainment) or worse than (nonattainment) the NAAQS. In addition to the ambient air quality standards for criteria pollutants, national standards exist for hazardous air pollutants (HAPs). The National Emission Standards for Hazardous Air Pollutants regulates 188 HAPs based on available control technologies. Examples of HAPs include benzene, which is found in gasoline; perchlorethylene, which is emitted from some dry cleaning facilities; and methylene chloride, which is used as a solvent and paint stripper. Examples of other listed HAPs include dioxin, asbestos, toluene, and metals such as cadmium, mercury, chromium, and Pb compounds. The majority of HAPs are volatile organic compounds (VOCs).

Greenhouse Gases

Greenhouse Gases (GHGs) are gases that trap heat in the atmosphere. These emissions occur from natural processes and human activities. The most common GHGs emitted from natural processes and human activities include carbon dioxide (CO₂), methane (CH₄) and nitrous oxide (N₂O); combustion sources are a prime source of these GHG emissions. Each GHG is assigned a global warming potential (GWP), which is the ability to trap heat, and is standardized to CO₂, which has a GWP value of 1. For example, N₂O has a GWP of 310, meaning it has a global warming effect 310 times greater than CO₂ on an equal-mass basis. For simplification, total GHG emissions are often expressed as a CO₂ equivalent (CO₂e). The CO₂e is calculated by multiplying each GHG emission by its GWP and adding the results to produce a combined rate to represent all GHGs emitted by an activity.

On January 24, 2007, President Bush signed EO 13423, *Strengthening Federal Environmental, Energy, and Transportation Management*. The EO addresses GHG emissions and requires each federal agency to reduce greenhouse gas emissions of the agency by 3 percent annually through the end of Fiscal Year 2015 (FY15), or 30 percent by the end of FY15, relative to the baseline of the agency's energy use in FY03. On December 21, 2007, Virginia's former governor, Timothy Kaine, issued EO 59, creating the Governor's Commission on Climate Change and setting a target of reducing statewide GHG emissions to 30 percent below business as usual (2000 levels) by 2025.

Historically, GHGs have not been regulated pollutants under the CAA. On December 7, 2009, the USEPA Administrator signed a final action finding that six GHGs constitute a threat to public health and welfare and that the combined emissions from motor vehicles cause and contribute to the climate change problem. On April 1, 2010, USEPA and the National Highway Traffic Safety Administration (NHTSA) issued the first national rule limiting GHG emissions from cars and light trucks. The requirements of the GHG light duty vehicle rule took effect on January 2, 2011. USEPA's *Mandatory Reporting of Greenhouse Gases Rule* also became effective on January 2, 2011, requiring large stationary sources in the U.S. to report GHG emission data. In general, the rule, codified in 40 CFR Part 98, requires that facilities that emit 25,000 tonnes (27,500 tons) or more per year of GHGs are required to submit annual reports to USEPA.

USEPA and the NHTSA announced their joint Proposed Rule for *Greenhouse Gas Emissions Standards and Fuel Efficiency Standards for Medium- and Heavy-Duty Engines and Vehicles* on November 30, 2010 in 75 Federal Register 74152 and have announced a Notice of Intent for *Setting Future Greenhouse Gas and Fuel Economy Standards for Passenger Cars and Light Trucks*, in October 2010. NASA will comply with all provisions of these rules as they become finalized. On January 2, 2011, Virginia passed its Final Rule on reporting of GHG emissions from stationary sources (9 VAC 85 *et seq.*). The regulation mandates controls on stationary sources of air pollutants but does not address mobile (e.g., construction equipment) sources. In this regulation, Virginia defines "significant" as 68,000 tonnes (75,000 tons) per year of CO₂e emissions.

3.10.1 Affected Environment

The region of influence for air quality for this EA is defined as the Northeastern Virginia Intrastate Air Quality Control Region (AQCR) (defined in 40 CFR Part 81.144). This AQCR includes Accomack County, and the air quality analysis for the affected area of the action therefore would primarily focus on the impacts to Accomack County and its immediate vicinity. Air quality at Wallops Island is regulated by the USEPA and VDEQ. The Northeastern Virginia Intrastate AQCR, including Accomack County, is designated in attainment/unclassifiable for all criteria pollutants.

3.10.2 Environmental Consequences

Under the Proposed Action, UAS operations would shift to the new airstrip on the north end of Wallops Island; annual UAS operations are proposed to increase by 70 percent.

Air quality impacts would be significant if emissions associated with the Proposed Action would: 1) increase ambient air pollution concentrations above the NAAQS, 2) contribute to an existing violation of the NAAQS, 3) interfere with, or delay timely attainment of the NAAQS, or 4) for mobile source emissions, result in an increase in emissions greater than 250 tons per year for any pollutant. The 250 tons per year value is used by the USEPA in their New Source Review standards as an indicator for impact analysis for listed new major stationary sources in attainment areas. No similar regulatory threshold is available for mobile source emissions, which are the primary sources for the Proposed Action. Lacking any mobile source emissions thresholds, the 250 tons per year major stationary source threshold was used to equitably assess and compare mobile source emissions.

Pollutants considered in this air quality analysis include the criteria pollutants and HAPs measured by federal standards. The Proposed Action involves the construction of a new UAS airstrip with adjacent area improvements, and subsequent flight operations at the new airstrip. In order to assess the air quality impacts of the Proposed Action, emissions for the construction and operation segments of the action were compared to the 250 tons per year threshold. Appendix E contains the detailed emission calculations prepared to assess the air quality impacts of the Proposed Action.

GHG emissions resulting from proposed construction and operation activities, deforestation at the project site and use of asphalt for the airstrip have been considered.

Proposed Action

Construction-Related Activities

Air quality impacts from construction would occur from: 1) combustion emissions due to the use of fossil fuel-powered equipment and 2) fugitive dust emissions (PM₁₀ and PM_{2.5}) during demolition activities, earth-moving activities, and the operation of equipment on bare soil. Fugitive dust emissions were calculated based on the total site disturbance projected for the construction project for the projected construction period of nine months.

The emissions associated with the proposed construction of the airstrip and access road upgrade from dirt to gravel are summarized in Table 14. For greenhouse gases, only CO₂ was calculated because the contribution of CH₄ and N₂O are so small as to be negligible. The calculations indicate that annual emissions for proposed construction activities would not exceed the 250 tons per year for any criteria pollutant, nor would the GHG threshold of 25,000 metric tons per year be exceeded. Air quality impacts associated with the construction activities would be minimal. Detailed calculations can be found in Appendix E.

Table 14. Estimated Emissions for Construction of UAS Airstrip

Construction Activity	Air Pollutant Emissions (tons)						CO ₂ e
	VOC	CO	NO _x ¹	SO _x ²	PM ₁₀	PM _{2.5}	
Construction	0.33	1.09	3.14	0.20	6.30	0.63	57
Major Source Threshold	250	250	250	250	250	250	-
GHG Threshold in metric tons per year	-	-	-	-	-	-	25,000

Notes: ¹NO_x = nitrogen oxides, ²SO_x = sulfur oxides.

Project construction equipment would emit minor amounts of HAPs that could potentially impact public health. The main source of HAPs would occur in the form of diesel exhaust organic gases and particulates from the combustion of diesel fuel. The operation of proposed diesel-powered construction equipment would be mobile and intermittent over the course of the construction period, and would produce minimal ambient impacts of HAPs in a localized area. However, the operation of the diesel-powered equipment should include BMPs, to include a restriction on excessive idling and adherence to equipment maintenance programs to ensure excessive emissions are not generated as a result of poor maintenance. As a result, HAP emissions from construction equipment would produce less than significant impacts to public health.

Emissions from vehicular traffic associated with UAS activities would be considered minimal. Implementing the Proposed Action would not perceptibly change air emissions within Accomack County. Overall, no perceptible change in air emissions would be anticipated from implementation of the Proposed Action.

Under this proposal, approximately 3.26 ha (8.05 ac) of vegetated areas would be cleared; of this 2.08 ha (5.14 ac) would be mixed hardwoods. Trees consume CO₂, a major contributor to the greenhouse effect; leaves also absorb other air pollutants—such as O₃, CO, and SO₂—and give off oxygen. Removing trees reduces the consumption of CO₂. The addition of asphalt and use of varied sizes of diesel-fuel-consuming construction equipment would also contribute to GHG emissions. The impact of tree removal, asphalt application, and diesel-fuel consuming equipment, while adverse, would be negligible in the context of global climate change.

Operations

Operations would include the use of mobile generators to run the mobile command centers for each UAS, and the operation of the UAS themselves. The mobile generators were estimated to be rated, on average, at 60 kilowatt, or approximately 80 horsepower. The UAS primarily run on JP-5; those that are electric

do not have emissions and were not included in the analysis of UAS emissions, although the use of mobile generators for the command centers was assumed for all of the UAS. Operational time frames were based on the typical flight endurance for each model of UAS that would be flown. These time frames were applied both to the aircraft and the mobile generators. Table 15 presents the estimated annual operational emissions under this Proposed Action. For GHGs, only CO₂ was calculated because the contribution of CH₄ and N₂O are so small as to be negligible. CO₂ emissions were not calculated for operation of one UAS, the GTM AirSTAR, due to insufficient information regarding fuel consumption of this 5.5 percent scale of a 757 replica. However, given the small contribution of GHG emissions associated with the combined emissions of all other UASs and the generators required to run the mobile command centers, it is clear that this omission has no impact on the resultant determination that GHG emissions from these operations are extremely small.

Air quality impacts associated with the operational activities would be minimal. Detailed calculations can be found in Appendix E.

Table 15. Estimated Annual Operational Emissions (tons)

<i>Operational Emissions Source</i>	<i>VOCs</i>	<i>CO</i>	<i>NO_x</i>	<i>PM₁₀</i>	<i>PM_{2.5}</i>	<i>CO₂e metric tons</i>
Mobile Generators		1.74	7.74	0.18	≤0.18	244.6
UAS	0.03	0.20	0.40	0.05	≤0.05	9.6
Total per Year	0.25	1.50	2.99	0.18	≤0.18	254
Major Source Threshold	250	250	250	250	250	-
GHG Threshold in metric tons	-	-	-	-	-	25,000

CO₂e emissions under this proposal would be far less than 25,000 metric tons per year. When considered in the context of global climate change, the increase of GHG contributions would be miniscule. In context with GHG output at WFF, contributions would be negligible.

No Action Alternative

No change to existing air quality would be anticipated under the No Action alternative under which the new UAS airstrip would not be constructed. There would be no changes to air emissions from UAS operations that occur at present.

3.11 HAZARDOUS MATERIALS, HAZARDOUS SYSTEMS, AND HAZARDOUS WASTE MANAGEMENT

Hazardous materials, listed under RCRA, and the Emergency Planning and Community Right-to-Know Act, are defined as any substance that, due to quantity, concentration, or physical, chemical, or infectious characteristics, may present substantial danger to public health, welfare, or the environment. Hazardous materials are federally regulated by the USEPA in accordance with the Federal Water Pollution Control Act; CWA; Toxic Substance Control Act; RCRA; the Comprehensive Environmental Response, Compensation, and Liability Act; and CAA. The federal government is required to comply with these acts and all applicable state regulations under EO 12088. Additionally, EO 12088, under the authority of the USEPA, ensures that necessary actions are taken for the prevention, management, and abatement of environmental pollution from hazardous materials.

The WFF Integrated Contingency Plan (ICP), developed by NASA to meet the requirements of 40 CFR 112 (Oil Pollution Prevention and Response), 40 CFR 265 S subparts C and D (Hazardous Waste Contingency Plan), and 9 VAC 25-91-10 (Oil Discharge Contingency Plan), serves as the facility's primary guidance document for the prevention and management of oil, hazardous material, and hazardous waste releases (NASA 2009d).

3.11.1 Affected Environment

The affected environment for hazardous materials and systems consists of the site of the proposed airstrip and contiguous areas. Effects of hazardous materials can either be produced by the introduction of a hazardous material into the operations or how proposed operations may impact existing hazardous materials or sites. There are instances where hazardous materials, or hazardous systems, may be used during construction and subsequent UAS preparation or flight operations. A description of the categories of such hazardous materials and systems is provided below.

- **Petroleum Products** – Construction equipment would be powered by diesel and gasoline engines, with on-board fuel tanks capacities expected to range from 190 – 380 liters (50 – 100 gallons); on-board hydraulic oil capacities are estimated to range between 60-120 liters (15 – 30 gallons). The UAS are powered by engines ranging from 16 to 38 horsepower. Some UAS are also powered by turbine engines (refer to Table 1). These engines utilize either gasoline (JP-5 for larger vehicles) or batteries.
- **Chemical Materials** – Small quantities of various types of chemicals may be present in scientific instruments. These are materials (solids, liquids, or gases) that present a health risk or physical hazard to personnel, property, or the environment. For any of these materials, a Material Safety Data Sheet (MSDS) must be provided to WFF staff and be available during all parts of UAS operations (NASA 2008b). The MSDS is a standard form used to provide workers and emergency personnel with procedures for handling or working with substances in a safe manner, and includes information such as physical data (melting point, boiling point, flash point, etc.), storage, disposal, protective equipment, and spill handling procedures.
- **Lasers** – Lasers may be used as sensors or for taking scientific measurements. All operations involving the use of lasers must comply with the standards and regulations of American National Standards Institute (ANSI) Z136.1, *Safe Use of Lasers*. *Access and laser illumination* levels are controlled to ensure that no personnel are present within the ocular and skin hazard areas of the laser unless suitable protection is provided (NASA 2008b).
- **Radioactive Sources** – Small amounts of radioactive materials may be required in the calibration of scientific instruments. All operations must conform to the standards of the Nuclear Regulatory Commission Regulations and Chapter 6 of NPR 8715.3C *NASA General Safety Program, Nuclear Safety for Launching of Radioactive Materials* (NASA 2008b). A nuclear launch safety approval is required from the NASA Nuclear Flight Safety Assurance Manager prior to any radiological source used in flight.

NASA is working with the Baltimore District USACE on investigation of Formerly Used Defense Sites (FUDS) located on WFF (USEPA 2010). The north end of Wallops Island was used for military munitions testing and as an explosives ordnance disposal area by the Department of Defense from the mid-1940s towards the end of the 1950s. MEC may be present. The proposed airstrip would be located within and adjacent to areas of the Gunboat Point FUDS used as a S trafiging Range and Explosive Ordnance Disposal Area. Signs posted by NASA at Gunboat Point notify the public of the potential munitions hazards that may exist; access to the area is restricted.

3.11.2 Environmental Consequences

The qualitative and quantitative assessment of impacts from hazardous materials or hazardous systems focuses on how and to what degree the Proposed Action would affect their use, management, and disposal. A substantial increase in the quantity or toxicity of hazardous substances or hazardous systems used or generated is considered a potentially significant impact. Significant impacts could result if there would be a substantial increase in human health risk or environmental exposure at a level that could not be mitigated to acceptable levels. A reduction in the quantity and types of hazardous substances would be considered a beneficial impact. Handling or using any hazardous material by definition could be hazardous to either individuals or the environment and result in environmental consequences. The respective MSDS for any hazardous material outlines safety procedures to be undertaken when handling hazardous materials used in a UAS. WFF personnel would be informed of the presence of any hazardous materials present in UAS proposed for operations.

Proposed Action

Construction activities would include the use of hazardous materials and may generate hazardous waste (e.g., solvents, hydraulic fluid, oil, and antifreeze) from the construction equipment. NASA would require its contractors to manage all hazardous materials and wastes in accordance with the WFF ICP and Federal, State, and local regulations. All construction and demolition debris would be characterized in accordance with *Virginia Hazardous Waste Management Regulations* and disposed of at an appropriate facility.

Contractors would be encouraged to limit the use of contractor-owned mobile aboveground storage tanks (ASTs) on the facility. Contractors would be required to notify WFF of ASTs brought to the facility with a capacity greater than 208 liters (55 gallons), and tanks of 3,785 liters (660 gallons) or greater must have NASA approval and include a spill response plan. If the tank would be in use on WFF for more than 120 days, the contractor would be required to provide proof that the tank is registered with the DEQ. WFF requires that impermeable secondary containment with 110 percent capacity be provided for all ASTs brought onto the facility by a contractor.

If stained or malodorous soil were to be encountered during construction, the contractor would be required to stop work and immediately notify the Wallops Environmental Office. Any soil that is suspected of contamination or wastes that are generated during construction-related activities would be tested and disposed of in accordance with applicable Federal, State, and local laws and regulations.

Construction of the UAS airstrip would involve filling areas to increase elevation and minimal excavation, thereby lessening the chance of encountering MEC. The contractor would be required to prepare an MEC avoidance plan that would be coordinated with the WFF Manager of Environmental Restoration. WFF personnel would provide education and oversight on the proper procedures to follow should MEC be discovered during the clearing and construction phases on the easternmost portion of the construction site. Only small amounts of fuel are required for UAS flight operations or to power portable generators. Fuels would be transported to the site utilizing Department of Transportation certified containers (NASA 2005a). No fuel would be stored on-site. Fuels and any other hazardous substance that may be associated with UAS operations would be accompanied by a MSDS. The MSDS would be available during all operations involving hazardous materials. All operators would be trained in the use of and would comply with the WFF ICP (NASA 2009d).

There may be limited use of lasers during some UAS flights. All operations involving the use of lasers would comply with the standards and regulations of ANSI Z136.1, Safety Use of Lasers, and Goddard Procedural Requirement 1860.3. Lasers entering the NAS would have a FAA letter of non-objection. Range users would provide WFF with characteristics and detailed operating procedures for controlling and use of lasers. Completing the GSFC Forms 23-28L, 23-6L, and 23-35 LU would accomplish this. All Class 3 and 4 laser operations would be approved by the Laser Safety Officer (NASA 2008b).

The Federal Nuclear Regulatory Commission (NRC) licenses the use and storage of ionizing source material, special nuclear material, and byproduct material and has issued license number 19-05748-02 to NASA for NRC-regulated radioactive materials. The NRC license is considered a Broad Type A license, generally issued to large facilities with comprehensive radiological programs. The license requires NASA to have a Radiation Safety Officer and a committee to act in place of the NRC in making day-to-day decisions. UAS may carry small quantities of encapsulated radioactive materials for instrument calibration or similar purposes. The amount and type of radioactive material that can be carried on UAS missions is strictly limited by the approval authority level delegated to the NASA NFSAM (NASA 2005). As part of the approval process, the UAS program manager must prepare a Radioactive Materials Report that describes all of the radioactive materials to be used on the UAS. The NFSAM would certify that preparation and flight of the UAS that carries small quantities of radioactive materials would not present a substantial risk to public health or safety. Adequate measures to ensure the safety of people and the environment have been established and would be instituted during the use of any hazardous materials. Accordingly, instituting the Proposed Action would not result in a significant impact to the human or natural environment.

No Action Alternative

Construction and operation of a UAS airstrip on north Wallops Island would not occur with implementation of the No Action alternative. UAS operations and the associated use of hazardous materials would continue to take place at the existing UAS airstrip on the south end of the Island.

3.12 SOCIOECONOMICS

Socioeconomics is defined as activities associated with the human environment, particularly population and typically encompasses employment, personal income, and industrial growth. Socioeconomics for this EA focus on the general features of the local economy of Chincoteague, Virginia as the town could be affected by the Proposed Action or No Action alternative.

3.12.1 Affected Environment

Wallops Island is a 15.5 square kilometer (6 square mile) island off the coast of the Eastern Shore of Virginia and is located within Accomack County, Virginia. The region of influence for socioeconomics is Accomack County which includes Chincoteague Island, a popular tourist destination located directly north of Wallops Island. This socioeconomic analysis includes data for Chincoteague and Accomack County; data for the Commonwealth of Virginia is provided as a general comparison.

Population

Chincoteague, Virginia is the closest incorporated town to the proposed UAS airstrip that is populated by the general public. As shown in Table 16, Chincoteague accounted for approximately 8.9 percent of the county population in 2010. The population of both Chincoteague and Accomack County experienced decreases in population of 47.0 and 15.5 percent, respectively, between 2000 and 2010. By comparison, the population of the Commonwealth of Virginia saw an increase of approximately 13 percent (USCB 2010).

Table 16. Chincoteague, Virginia Population			
<i>Geographic Area</i>	<i>2000 Population¹</i>	<i>2010 Population²</i>	<i>Percent Change (2000 to 2010)</i>
Chincoteague, Virginia	4,317	2,941	(47.0)
Accomack County	38,305	33,164	(15.5)
Commonwealth of Virginia	7,078,515	8,000,024	11.5

Sources: ¹USCB 2000; ²USCB 2010.

Income and Employment

The median household income for Chincoteague in 2009 was \$38,578; Accomack County was \$40,343. Both compare much less than the Commonwealth of Virginia which reported a median household income of \$60,316 (USCB 2010).

In 2009, the three largest industries in Chincoteague with respect to employment were educational services, and health care and social assistance (21.5 percent); art, entertainment, and recreation (17.8 percent); and public administration (13.6 percent). In Accomack County, the largest industries were educational services and health care and social assistance (19.8 percent), retail (12.1 percent), and manufacturing (11.6 percent). By comparison, the three largest industries in the State of Virginia were educational, health, and social services (19.83 percent); professional, scientific, and management services (13.9 percent); and retail (11.0 percent) (USCB 2010).

3.12.2 Environmental Consequences

Thresholds for significant impacts to socioeconomics are specific to the capacity of the affected area to accommodate and respond to economic and social change. The primary focus for the socioeconomic analysis is related to the short-term influx of personnel and researchers/engineers/students that would be expected to arrive during UAS test and operational campaigns.

Proposed Action

Construction activities may temporarily increase local employment opportunities and would potentially benefit local stores and businesses. UAS test and deployments would occur year-round at WFF. Two to four research scientists/engineers/students from the UAS vendor would be associated with each UAS test and/or deployment campaign. The research scientists/engineers/students would arrive and remain in the Town of Chincoteague for up to two weeks. While in Chincoteague, the research scientists/engineers/students would purchase food, supplies, and lodging. Estimates for lodging, meals, and incidentals for research scientists/students staying in Chincoteague in 2010 total nearly \$213,024 (GSA 2011). The Town of Chincoteague has an adequate supply of restaurants and lodging accommodations to meet the anticipated needs of the research scientists/engineers/students under this proposal.

No Action Alternative

Socioeconomic resources would not be affected by implementation of the No Action alternative, since baseline conditions would remain unchanged. The short-term economic benefits experienced by the Town of Chincoteague from UAS test and/or deployment operations would remain unchanged.

3.13 TRANSPORTATION

Transportation resources refer to the infrastructure and equipment required for the movement of people and manufactured goods in geographic space. For purposes of evaluation in this EA, transportation refers to the movement of automobiles on roadway systems and manned aircraft in the NAS. Accordingly, impacts to rail and water transportation systems are not considered to be applicable to this analysis.

3.13.1 Affected Environment

U.S. Route 13 is a four-lane divided north-south highway that spans the Delmarva Peninsula. The local traffic travels by arteries branching off of U.S. Route 13. Access to WFF is provided by Route 175 (Chincoteague Road), a two-lane minor arterial that connects to Atlantic Road and Mill Dam Road, both of which terminate at the Main Base gate. Wallops Island is accessed via Atlantic Road which intersects with Wallops Island Road. Wallops Island Road terminates at the Mainland gate.

The proposed UAS airstrip would be located on a remote portion of Wallops Island. Because of its location, it is not routinely accessed by WFF personnel or contractors. Construction vehicles would present the greatest volume of traffic to the location.

As discussed in Section 3.2.1 *Airspace Management*, R-6604A/B is NASA-controlled/restricted airspace that overlies all of Wallops Island, the majority of the Mainland, and a portion of the Main Base runways (refer to Figure 2). R-6604A/B also connects to offshore W-386. The majority of UAS operations at WFF consist of experimental or first flight aircraft. R-6604A/B and W-386 support flight activities that could be hazardous to non-participating aircraft. When not in use, R-6604A/B and W-386 are “cold” and the airspace is returned to the NAS.

3.13.2 Environmental Consequences

Proposed Action

Traffic movement on Wallops Island Road and through WFF Mainland gate could be slowed but no long-term adverse impacts would be anticipated. Impacts to the area and WFF roadways would be minor and short-term during airstrip construction and negligible during airstrip operations from implementation of the Proposed Action or No Action alternative.

During the primary construction phase lasting roughly 9 months, approximately 10 dump trucks per day would travel round-trip on the main roads and routes. During the secondary phase, far fewer construction vehicles would be anticipated with an average of 2 per week for about 3 months. The impact to transportation on the access roads would be minimal and short-term in duration; no long-term impacts would be anticipated.

Upon completion of the new airstrip, UAS operations would commence. Vehicular traffic associated with UAS operations would shift from the south to the north end of Wallops Island. Approximately six vehicles would be required for any single UAS launch. These vehicles commonly consist of a small truck(s) to transport the UAS and other equipment to the airstrip, Winnebago-size command center, a street sweeper to clear debris off of the airstrip surface, and several government owned vehicles to transport personnel working on the launch. A fire truck stationed at Wallops Island would also be among the vehicles on-site during a launch. Operations would shift from the south to the north end of the Island; it is anticipated that UAS operations would increase with construction of the new airstrip. As such, vehicular traffic to the site would increase. However, with the small number of vehicles associated with each UAS launch, transportation to and from the site would have minimal impact to transportation resources in the affected area. No long-term impacts to this resource would be expected.

As discussed in section 3.2.2 *Airspace Management*, under the Proposed Action, UAS would continue to operate in R-6604A/B and W-386. Use of other VACAPES warning areas is possible, depending on mission requirements, but would be infrequent (personal communication, Dickerson 2010). Civil aircraft operations within the WFF region would not be measurably affected by UAS operations at the new airstrip or within testing airspace due to restricted airspace and warning area separation rules. Given that UAS activity would increase at WFF, the restricted airspace would be activated more frequently, thereby diverting non-participating aircraft either above or around the “no-fly zones.” Conditions under which general aviators or civilian pilots would need to request permission to enter R-6604A/B or W-386 when

active would remain unchanged. NOTAMs broadcast by the FAA would continue to be issued when these areas are activated.

No-Action Alternative

Under this alternative, construction of a new UAS airstrip would not occur. The number and frequency of vehicles travelling associated with UAS operations at the existing UAS airstrip would not be expected to increase beyond baseline conditions.

3.14 APPLICABLE STATUTES AND REGULATIONS

This section of the EA contains a list of known approvals, licenses, or permits that would be required to implement the Proposed Action. All would be obtained prior to implementing clearing or construction activities associated with the UAS airstrip on the north end of Wallops Island.

For those authorizations that have been obtained in conjunction with this EA, their date of approval is listed:

- Section 7 ESA Coordination/Biological Opinion (USFWS); September 22, 2011
- Section 106 of National Historic Preservation Act Coordination (VDHR); January 10, 2011
- Federal Consistency Determination (VDEQ)
- CWA Section 404 Individual Wetland Permit (USACE)
- CWA Section 401 Virginia Water Protection Individual Permit (VDEQ)
- Virginia Stormwater Management Program Permit for Discharge from Construction Activities (VDCR)

CHAPTER 4

MITIGATION MEASURES

CHAPTER 4

MITIGATION AND MONITORING

4.1 MITIGATION

CEQ regulations (40 CFR 1508.20) define mitigation to include: 1) avoiding the impact altogether by not taking a certain action or parts of an action; 2) minimizing impacts by limiting the degree or magnitude of the action and its implementation; 3) rectifying the impact by repairing, rehabilitating, or restoring the affected environment; 4) reducing or eliminating the impact over time by preservation and maintenance operations during the lifetime of the action; and 5) compensating for the impact by replacing or providing substitute resources or environments. Described below are NASA's proposed mitigation measures for implementing the Proposed Action, to construct and operate a new UAS airstrip on north Wallops Island. Mitigation measures are described by resource area.

The UAS airstrip has been designed to avoid to the maximum extent practicable sensitive habitats (i.e., wetlands and uplands) and species.

Biological Resources

WFF prepared a BA for federally listed species known to occur in the project area (Appendix B). Conservation measures were developed and would be implemented to provide protection to these species. Additionally, measures that would be taken for rare species or communities that are not afforded protection under the federal ESA are included. Table 17 summarizes the mitigation measures that would be implemented.

Cultural Resources

In accordance with Section 106 consultation with the VDHR SHPO, measures would be taken to prevent impacts to archeological Site 44AC0089. A temporary fence would be placed around the site to provide a 7.6 m (25 ft) buffer to protect the earthworks from tree and vegetation clearing activities. Clearing activities that may be required within the buffer area would be via hand-clearing tools only with no root extraction. Should it be determined that additional measures to protect the site from vandalism or inadvertent damage are required, WFF would erect a permanent enclosure around the site.

Hazardous Materials and Hazardous Waste Management

MECs may be present at the site of the proposed airstrip. NASA would provide pre-construction awareness training to all persons involved in clearing and construction activities associated with the new UAS airstrip. Little excavation would be anticipated during construction since fill would be required to elevate the airstrip up to 1 m (3 ft) in most areas. Trees and vegetation would be cut at the ground surface; roots would remain in place which would also reduce the potential for discovery or encounter of MECs. In the event that MECs would be encountered, the MEC would be inspected and handled by a trained specialist and properly disposed.

Table 17. Summary of Mitigation Measures to be Taken

	<i>Mitigation Measure</i>
Loggerhead Sea Turtle – federally listed threatened	UAS would operate infrequently at night; safety lighting at the airstrip would be of minimal intensity and downward-shielded; and overflying UAS would not use running lights.
Piping Plover – federally listed threatened	UAS would overfly the beach eight times per day, at most; UAS operators would be instructed to maintain a flight path both 305 m (1,000 ft) vertically and horizontally away from piping plover nests; and sound levels generated by the loudest UAS would be below ambient sound levels.
Bald Eagle – delisted, protected under the Bald and Golden Eagle Protection Act	A 200 m (660 ft) protective buffer surrounds the bald eagle nest site; this buffer would be maintained. NASA would coordinate monitoring and results with USFWS. If monitoring indicates a potential risk to eagles or aircraft, NASA would work with USFWS and VDGIF to mitigate the risk and/or obtain appropriate permits.
Wetlands	Mitigation would be provided to compensate for all wetland losses. Funds would be donated to the Virginia Aquatic Resources Trust Fund, managed by The Nature Conservancy; NASA has already initiated discussions with The Nature Conservancy to identify suitable mitigation for the proposed impacts.
Cultural Resources	A 7.6 m (25 ft) buffer would be maintained around Site 44AC0089. Clearing activities that may be required within the buffer area would be via hand-clearing tools only with no root extraction.
MEC	All site workers would receive pre construction MEC awareness training. No tree roots would be excavated.
Hazardous Materials	All hazardous materials would be handled in accordance with Federal and State regulations. In case of a spill or release of hazardous material, the WFF Integrated Contingency Plan would be implemented.

4.2 MONITORING

Under NEPA, a federal agency has a continuing duty to gather and evaluate new information relevant to the environmental impact of its actions. Below is a summary of NASA’s proposed monitoring of cultural and biological resources during construction/maintenance activities and UAS operations at the new airstrip on north Wallops Island.

Biological Resources

WFF has been monitoring threatened and endangered species at Wallops Island for many years either solely or through partnerships with other agencies, institutions, or research groups. In 2010, the various monitoring efforts were organized into the Wallops Island Protected Species Monitoring Plan. WFF would implement the protocols provided in the Plan which state that, should listed or candidate species (i.e., sea turtles, piping plovers, red knots) or their nests be found on the beach directly under the primary UAS flight paths, UAS operators would be directed to use alternate flight paths, or to temporarily shut down flight operations. In cooperation with USFWS, NASA will undertake a study to assess the impacts of UAV operations on piping plovers and red knots. If the 660 m (1,000 ft) buffer is found to be inadequate, consultation with USFWS would be reinitiated a more effective buffer would be determined.

WFF entered into informal consultation with the USFWS regarding potential impacts to loggerhead sea turtles, piping plover and red knots. After review of NASA's Draft BA, the USFWS stated that "Based on the best available information and in conjunction with this approach, we think that the combination of the 660 m (1,000 ft) buffer and monitoring will avoid and minimize potential effects to plovers, and we are preparing correspondence to complete informal consultation on this plan." However, there are concerns with setting this limit on overflights adjacent to nesting piping plovers (and red knots) as the information on effects of aircraft is either limited or specific to situations or aircraft types, etc. According to the USFWS, "The current research that is being done is focusing primarily on larger and faster military aircraft types like the F-18 and the Osprey, and not the type of aircraft involved in your proposed action. Consequently, conducting monitoring of the effects of the aircraft on plovers, in conjunction with an adaptive management type of approach, would be appropriate to ensure that we address the effects of aircraft." WFF has agreed to prepare and conduct a monitoring plan that would provide information on potential effects on shorebirds. As monitoring provides information on the response of plovers, WFF will work to adopt appropriate modifications to avoidance buffers and flight paths, and will reinstate consultation under Section 7 of the ESA, if necessary.

Conservation measures presented in the BA for this project and adopted by the USFWS would be implemented.

Cultural Resources

The airstrip clear zones overlap with archeological Site 44AC0089; periodic maintenance within the site would be required to maintain the clear zone. A long-term maintenance plan would be developed by WFF to provide procedures for yearly vegetation removal. The plan would include monitoring Site 44AC0089 for erosion and/or other damage to the earthworks through photo documentation and include provisions for short and long term stabilization techniques and emergency stabilization in the event of natural disasters, including hurricanes.

4.3 ADAPTIVE MANAGEMENT

Adaptive management is a tool to help agencies and organizations make better decisions in a context of uncertainty as more information becomes available. Adaptive management utilizes ongoing data collection and analysis to assess, and if necessary, to modify existing processes. For example, WFF may consider modifying the flight path of UAS or the altitude at which UAS may operate over the beach areas. WFF would consult with interested stakeholders including USFWS prior to implementing or modifying mitigation measures.

CHAPTER 5

CUMULATIVE IMPACTS

CHAPTER 5

CUMULATIVE EFFECTS AND IRREVERSIBLE AND IRRETRIEVABLE COMMITMENT OF RESOURCES

This chapter: 1) defines cumulative effects, 2) describes past, present, and reasonably foreseeable actions relative to cumulative effects, 3) analyzes the incremental interaction the Proposed Action may have with other actions, and 4) evaluates cumulative effects potentially resulting from these interactions.

5.1 CUMULATIVE EFFECTS

CEQ regulations stipulate that the cumulative effects analysis within an EA should consider the potential environmental impacts resulting from “the incremental impacts of the action when added to other past, present, and reasonably foreseeable future actions regardless of what agency or person undertakes such other actions” (40 CFR Part 1508.7). Assessing cumulative effects involves defining the scope of the other actions and their interrelationship with the Proposed Action and alternatives, if they overlap in space and time.

Cumulative effects are most likely to arise when a Proposed Action is related to other actions that occur in the same location or at a similar time. Actions geographically overlapping or close to the Proposed Action and alternatives would likely have more potential for a relationship than those farther away. Similarly, actions coinciding in time with the Proposed Action and alternatives would have a higher potential for cumulative effects.

To identify cumulative effects, three fundamental questions need to be addressed:

1. Does a relationship exist such that affected resource areas of the Proposed Action might interact with the affected resource areas of past, present, or reasonably foreseeable actions?
2. If one or more of the affected resource areas of the Proposed Action and another action could be expected to interact, would the Proposed Action affect or be affected by impacts of the other action?
3. If such a relationship exists, then does an assessment reveal any potentially significant impacts not identified when the Proposed Action is considered alone?

5.2 SCOPE OF CUMULATIVE EFFECTS ANALYSIS

The scope of the cumulative effects analysis involves both the geographic extent of the effects and the time in which the effects could occur. Potential impacts of the Proposed Action are generally considered minor, and temporary in nature, and would only occur at WFF’s north Wallops Island. For this reason, cumulative effects are only considered for impacts that would occur on or immediately adjacent to north Wallops Island. The temporal boundary is the initial presence of the U.S. government on north Wallops Island (late 1930s) through construction and operation of the UAS airstrip out to 20 years.

Past Activities at North Wallops Island

Activities have occurred on north Wallops Island since its development by the government in the 1930s. Since that time, the Island has been subjected to continuous change and development. By the end of the 1940s, several new access roads and infrastructure had been built. Since the 1940s, changes to the island have included frequent construction, infrastructure upgrades, and removal of structures and facilities driven by technological developments and advances in rocket science and related fields.

In the 1950s, the amount of infrastructure on north Wallops Island expanded notably. Additional launch support infrastructure, new research facilities, and new roads were constructed. Several channels were dredged periodically to accommodate materials sent by boat to the Island. Navy test bombing at the north end of Wallops Island was conducted between 1955 and 1957. Excavation and fill activities to accommodate the expanding mission of WFF continued into the 1970s and 1980s although at a much slower pace than in previous decades. Infrastructure upgrades and some construction took place in the 1990s and 2000s.

Table 18 provides a summary of areas affected at various times on the northern portion of Wallops Island; Figure 15 provides the geographic extent of the cumulative effects analysis area and illustrates the areas affected over the years by activity on north Wallops Island.

Table 18. Summary of Areas Affected by Various Actions at North Wallops Island in ha (ac)					
<i>Year</i>	<i>Wetland Drainage</i>	<i>Wetland Fill</i>	<i>Impervious Surface</i>	<i>Miscellaneous Habitat Impacts</i>	<i>Total Disturbance</i>
1938	11.5 (28.5)	0	0.07 (0.18)	0.73 (1.8)	12.33 (30.48)
1949	0	0	0.018 (0.044)	6.37 (15.75)	6.39 (15.79)
1957	0	0	0.016 (0.039)	9.19 (22.7)	9.21 (22.74)
1966	0	0.16 (0.39)	9.56 (23.63)	14.75 (36.44)	24.47 (60.46)
1974	0	0	0	5.26 (13.0)	5.26 (13.0)
1979	0	0	0.010 (0.02)	0.22 (0.55)	0.23 (0.57)
1988	0	0	0	1.52 (3.75)	1.52 (3.75)
1994	0	0	0	0.4 (1.1)	0.4 (1.1)
2010	0	0	0.30 (0.75)	0.6 (1.5)	0.90 (2.25)
2010+	0	0	6.2 (15.2)	0	6.2 (15.2)
Total	11.5 (28.5)	0.16 (0.39)	16.17 (39.86)	39.04 (96.59)	66.91 (165.34)

Note: Totals may not add up exactly when compared to specific values in each cell due to rounding. It should also be noted that the figures presented in Table 18 are only estimates of impacts, and were based upon interpretation of aerial photographs, some of which were very old. As such, these estimates are only “ballpark” figures, and should only be used for drawing general conclusions.




Figure 15. Geographic Extent of the Cumulative Effects Analysis Area with Historic Impacts

Present and Reasonably Foreseeable Future Activities and Projects

Present Activities

Range Operations - NASA can currently launch up to 108 rockets a year from the launch areas on Wallops Island. These include a maximum of 60 from the Sounding Rocket Program, 12 from orbital rocket missions at Pad 0-B, 6 from orbital rocket missions at Pad 0-A, and 30 from Navy missiles and drones (NASA 2005a, NASA 2009a).

NASA conducts routine activities including repairs and maintenance of existing infrastructure such as grounds, roads, buildings, and utilities on a regular basis to ensure the ongoing operation of the facility. Additionally, NASA conducts the following activities:

- UAS flights from the south Wallops Island Airstrip
- Piloted flights from WFF Main Base
- Launching autonomous underwater vehicles
- Assembling and transporting payloads
- Rocket boosted projectile testing

Beach Nourishment - A Record of Decision for NASA's Shoreline Restoration and Infrastructure Protection Program (SRIPP) PEIS was signed in December 13, 2010 (NASA 2010b). NASA will implement the actions analyzed in the SRIPP PEIS (i.e., southerly seawall extension and construction of an approximately 30 m [100 ft] wide beach along 6 km [3.7 mi] of the shoreline) beginning in late 2011. The project will have a 50-year design life; the need for regularly scheduled beach re-nourishment is a key component of the project and is discussed below under ***Future Projects***.

Future Projects

Construction and Demolition - WFF would implement several demolition and construction projects on north Wallops Island during the period between 2012 and 2017. These projects include the demolition of the 740 m² (8,000 ft²) V-67 Rocket Motor Storage Building with subsequent construction of a Payload Processing Facility in its footprint. The Rocket Motor Storage Facility would be re-located to the site of the Wallops Island helicopter pad, approximately 1 km (0.6 mi) southwest of its current location.

Channel Dredging - WFF is also proposing to conduct maintenance dredging in the navigation channel between the Main Base boat basin at the Visitor Information Center and the Wallops Island boat basin located west of the Coast Guard Lifesaving Station. Although no funding has yet been identified for this effort, WFF would readily pursue this project should the need present itself in the future (for example, from a large flight article requiring deepwater barge transport). It would most likely involve the use of a mechanical dredge with upland placement of the dredged material. Based upon previous review of the dredged sediments by NASA, the dredged material is expected to be mostly silty material unsuitable for re-use or placement on nearby beaches. The dredged materials would be placed in a confined upland site for de-watering. The exact locations for the placement of these materials are to be determined. It is

anticipated that approximately 380,000 cubic meters (m³) (500,000 cubic yards [cy]) of material would be removed initially with up to 190,000 m³ (250,000 cy) dredged on a five-year maintenance cycle.

Beach Re-nourishment - As part of its SRIPP, a 5 to 7 year re-nourishment cycle for the Wallops Island beach is planned. Accordingly, over the next 20 years, approximately 3-4 re-nourishment activities may occur. As a component of re-nourishment, NASA may remove sand, as needed, from the north end of Wallops Island and bring it to the south end of the Island. Prior to moving sand from north Wallops Island to the south, additional NEPA analyses would be performed. To mitigate potential direct impacts to listed species, NASA would only excavate sand for future re-nourishment outside of piping plover and sea turtle nesting seasons.

These projects have the potential to result in negligible short-term impacts to air quality; water quality; biological resources; hazardous materials, hazardous systems, and hazardous waste management; socioeconomics; and transportation. Negligible to very minor short-term impacts to these resources from implementing the UAS construction project would be likely; however, no long-term cumulative impacts to these resources would be anticipated. Negligible, cumulative, long-term impacts to wetlands may be anticipated from these projects.

Projects and Actions by Others

There are ongoing and reasonably foreseeable offshore projects that have been considered in evaluating cumulative effects on resources within the region.

Federal Navigation Projects -The USACE occasionally dredges the navigation channel in Bogue Bay, approximately 3 km (1.8 mi) southwest of the north UAS airstrip project site. Engineering estimates suggest that approximately 14,000 m³ (18,000 cy) of fine sand and silt material could be removed every 10 years (Waterway Surveys and Engineering 1987). Although USACE has not dredged the channel recently, and NASA is unaware of available funding for this project, the potential exists for dredging to occur with the next 20 years, therefore it is considered in the cumulative effects analysis. The disposal site for this project is a bermed area 0.8 km (0.5 mi) south of the northernmost part of the channel and is thus outside of the analysis area.

Additionally, USACE routinely dredges the Chincoteague Inlet (just north of Wallops Island) to maintain channel depth. Occurring on a nearly annual basis, this Federal navigation project typically removes 60-76,000 m³ (80-100,000 cy) from the channel and places the material in the Atlantic Ocean east of Wallops Island.

Public Recreation – Although Wallops Island is closed to public access, the adjacent waterways and marshes to the north and west are regularly used by the public for activities such as boating, waterfowl hunting, fishing, and harvesting shellfish. Details regarding level and frequency of use are not available; however it is assumed that most of these activities take place year-round, with hunting only taking place during fall and winter months.

The potential for cumulative impacts to airspace management; safety; or hazardous materials, hazardous systems, and hazardous waste management under the Proposed Action, when considered with ongoing activities in the analysis area would be negligible. No short- term or long-term cumulative impacts to these resource areas would be anticipated.

5.3 POTENTIAL CUMULATIVE EFFECTS BY RESOURCE

The following section addresses those resources that have been identified as having the potential to be affected from the incremental effects of the UAS Airstrip proposal in combination with past actions and the present and reasonably foreseeable projects and activities described in Section 5.2. A summary of the resource areas with potential cumulative impacts are listed in Table 19. Those resources areas presented in Table 19 are deemed to have negligible impacts, thereby not warranting detailed discussion. Those resources meriting additional discussion are presented after Table 19.

Table 19. Summary of Resource Areas with Potential Cumulative Impacts from Implementation of the Proposed Action		
<i>Resource</i>	<i>Potential Cumulative Impact</i>	<i>Type of Impact</i>
Airspace Management	Negligible	Increased UAS operations could impact other users of R-6604 A/B; coordination with WFF Range Control Center or the Washington ARTCC, if required, would result in negligible impacts
Safety	Negligible	Ground and flight safety risks increase with an increase in UAS operations; safety measures to ensure ground and flight safety would continue to be observed resulting in negligible impacts
Noise	Negligible	Noise from UAS airstrip construction would be minor, temporary, and localized; noise from UAS operations would remain below ambient sound levels
Topography and Soils	Negligible	Modifications to grade and off-site fill would change the topography and soil composition; however, the overall impact would be negligible
Cultural and Traditional Resources	Negligible	Placement of a buffer around a known archeological site; adverse impacts would be unlikely
Land Use, Visual, and Recreation Resources	Negligible	Tree and vegetation removal; impact would be localized and likely not visible from the water recreation areas
Air Quality	Negligible	Short-term impacts during construction; increased UAS operations above current levels would have an imperceptible impact on air quality in the long-term
Water Quality	Negligible	Short-term impacts from turbidity and erosion during construction may be further impacted during dredging projects; however best management practices would decrease sedimentation and erosion.
Hazardous Materials, Hazardous Systems, and Hazardous Waste Management	Negligible	General increase in all hazardous materials with increased UAS operations; standard safety procedures would continue to be followed with no adverse impact expected
Socioeconomics	Negligible	Influx of personnel during UAS test and research operations would provide a small however negligible economic impact to the local area
Transportation	Very Minor	Short-term increase in local area traffic during construction phases; long-term adverse impacts would not be anticipated

Note: Negligible refers to impacts that would be so small that when studying the larger effect, the impacts would be essentially overlooked.

Biological Resources

Wildlife (Focusing on Avian Resources)

Locational Changes in Suitable Beach Nesting Habitat

As a result of implementing the SRIPP, there may be onshore impacts for beach nesting and foraging birds that could include startling, crushing eggs by motorized vehicles, and reduction in prey base along the newly created shoreline. Excavating sand from north Wallops Island would also lower the beach elevation, possibly resulting in a higher risk of flooding to shorebird nests. However, it is expected that the newly created beach at the south end of the island would result in a substantial amount of new shorebird nesting and foraging habitat where there currently is none; this represents an overall net beneficial effect for shorebirds using either the northern or southern beaches of Wallops Island.

Cumulative Noise

Avian nesting on the northern end of Wallops Island is not expected to be measurably affected by UAS operational noise; however during construction elevated noise levels may startle birds in the vicinity of the project site. Temporary increases in noise are anticipated as a result of current and planned onshore projects in the cumulative effects analysis area. An interruption of foraging and nesting activities for avian species may occur as a result of launch and static fire testing activities proposed for the Expansion of the WFF Launch Range project, the existing UAS airstrip, or from existing WFF launch range activities; these impacts would be temporary. Noise generated from rocket launches is generally low-frequency, of short duration, and occurs infrequently. Naturally occurring background noises in the existing and potential nesting areas, such as wave action and thunderstorms, are more frequent and of longer duration than noise from a rocket launch. Regarding navigation channel dredging west of Wallops Island, marsh nesting and foraging birds could be temporarily disturbed by noise generated during dredging operations. Noise associated with motorized watercraft use has the potential to startle birds that would most likely initiate a temporary flee response. Rodgers and Schwikert (2002) reported average flush distances for waterbirds ranging between approximately 20 and 60 m (65 – 200 ft) from the vessel, depending upon species. Bratton (1990) found that foraging and resting wading birds located in *Spartina*-dominated tidal creeks (in an environment similar to west Wallops Island) were more sensitive to vessel related disturbance than those along the edges of larger bodies of water. However, vessel traffic in the analysis area is not heavy, the stimulus would be temporary, and it is expected avian activity would return to normal shortly following vessel passage. In summary, no long-term changes to ambient noise levels are anticipated.

Cumulative Motorized Vehicle Impacts

In the event the newly created beach on Wallops Island becomes suitable habitat for shorebirds, indirect cumulative effects on nesting shorebirds may occur from security patrols. Motorized vehicle use on beaches is a threat to piping plovers, as well as other shorebirds that nest on beaches and dunes. Vehicles can crush eggs, adults, and chicks (Burger 1987). Continued recreational use of the Wallops Island beach could also present unintended adverse effects (direct mortality or harassment) on nesting shorebirds

including piping plovers. Pedestrians may flush incubating plovers from nests (Flemming et al. 1988), exposing eggs to predators or excessive temperatures. Repeated exposure of eggs on hot days may cause overheating, rendering the embryos unviable (Bergstrom 1991); excessive cooling may kill embryos or retard their development, delaying hatching dates (Welty 1982). Pedestrians can also disturb unfledged chicks (Burger 1994), driving them from preferred habitats, decreasing available foraging time, and causing expenditure of energy. However, with NASA's commitment to ongoing biological monitoring along the Wallops Island shoreline during nesting season (described in more detail below), nests would be identified and clearly demarcated such that the potential for unintended adverse effects would be minimal.

Increased Predation Rates on Nests

Indirect effects to shorebirds are likely to include an increased predation rate due to human activity on the beach. Human activity may result in litter on the ground, which could attract predators due to increased food availability. The increased numbers of predators may increase risk of disturbance, nest loss, and adult mortality of plovers and increase losses of sea turtle eggs and nests. Gulls, foxes, and raccoons can also be a major source of loss of eggs and juvenile plovers. WFF employs a variety of techniques to reduce predation on nesting shorebirds. The use of predator exclosures (fences around nests) has been successful in reducing predation on piping plover eggs (Melvin et al. 1992). However, these devices provide no protection for mobile adults or piping plover chicks, which generally leave the exclosure within a day of hatching and move extensively along the beach to feed. To reduce the risks of predation to nesting shorebirds and sea turtles on the Wallops Island beach, WFF employs biologists from USDA Wildlife Services who routinely perform predator removal.

Effects from Climate Change and Loss of Overwash Areas

Overall sea-level rise from climate change that is expected to continue would likely cause the natural barrier islands along the Delmarva coast to retreat inland and therefore reduce the amount of island area and consequentially reduce shorebird habitat area. This habitat modification due to sea-level rise would not occur to the same degree on Wallops Island because of the SRIPP thus cumulative effects of sea-level rise may have less of an impact on Wallops Island compared to the other barrier islands along the Delmarva coast. According to Wilke et al. (2008), overwash events are documented as one of the primary causes of nest loss for American Oystercatchers. An increase in the frequency of these events could lead to low rates of reproductive success, which would be insufficient to maintain a stable population. Moreover, Boettcher et al. (2007) states "one of the major impending threats facing piping plovers and other beach nesting species is an increase in the frequency of beach flooding as a result of global climate change and sea-level rise, which may lead to chronic reproductive failure and eventual loss of breeding habitat." Sea-level rise of approximately 0.5 m (1.5 ft) over the 50-year analysis time frame would also flood portions of the tidal marshes west of Assateague, Wallops, and Assawoman Islands. Marsh nesting species would be most severely affected as rising water levels would likely result in more flooding and reduced nesting success (Erwin et al. 2006). Erosion of marsh islands may further reduce availability of preferred nesting sites, potentially resulting in selection of alternative nesting sites.

Continued Special Status Species Monitoring and Reporting

To mitigate adverse effects on protected species from all impact-producing factors, NASA would continue to coordinate with USFWS and USDA personnel in monitoring the Wallops Island beach for piping plover and sea turtle activity. Any nests discovered would be appropriately marked with a global positioning unit and identified with signage. Areas designated as recreational use beach would be modified based upon piping plover and sea turtle nesting activity. Furthermore, the security contractor at WFF is in the process of installing a closed circuit monitoring system to allow surveillance from a central location. Upon completion of the closed circuit system, beach patrols are expected to decrease. As such, impacts to all listed species on the beach as a result of security patrols would likely diminish over time. Additionally, WFF Environmental Office staff would continue its outreach program to all users of the beach, including security staff and recreational users. Elements of the outreach program include installation of signage at all beach access points and development and dissemination of fact sheets, both of which contain information regarding the listed species that may be on the beach and the appropriate reporting protocol if the presence of a species is suspected.

Vegetation

The Proposed Action would result in the loss of 3.26 ha (8.05 ac) of uplands. The loss of the uplands would be a long-term impact; however, no present or known future projects on north Wallops Island would result in the loss of additional upland habitat and as such cumulative impacts would not be anticipated. The Proposed Action would result in the loss of 1.0 ha (2.47 ac) of non-tidal wetland habitat. No present or reasonable foreseeable future projects on Wallops Island would result in the loss of non-tidal wetland habitat. The loss of this small amount of non-tidal wetland habitat, under the Proposed Action would present an adverse cumulative impact; however, the impact would be minor.

Previous disturbances within the analysis area have caused extensive invasion of common reed, particularly to the south of the project area. Some additional spread of common reed may be anticipated due to the construction of the UAS Airstrip. Additionally, the dredged material from channel maintenance could likely become invaded. However, NASA would employ USEPA-approved chemical and/or mechanical methods such as mowing to limit the spread of common reed. NASA would also continue to cooperate with DCR in efforts to monitor and improve common reed control methods.

Wetlands

The cumulative impacts analysis for this resource centers on wetlands; the geographic scope includes wetlands on north Wallops Island. The focus is palustrine (non-tidal) wetlands as no tidal wetlands are affected by the Proposed Action. Based on interpretations of aerial photographs, approximately 11.7 ha (28.9 ac) of wetlands were affected by drainage or fill activities on north Wallops Island between 1938 and the 1966 (refer to Table 18). These impacts occurred prior to the enactment of the CWA in 1972 and were therefore not likely regulated or mitigated. The Proposed Action would have the potential to affect a total of 1.0 ha (2.47 ac) of non-tidal wetlands. This would represent a long-term impact; however, WFF has compensated for more wetlands impacts than have occurred in the recent past for activities outside of the geographic scope of this proposal. WFF would continue to strive to identify areas to compensate for future wetland impacts through consultation with other resource agencies regarding avoidance,

minimization, and mitigation measures. As such, the effects of future WFF actions are not likely to be substantial.

Water Quality

Wetlands improve water quality by trapping sediments, reducing turbidity, restricting the passage of toxics and heavy metals, decreasing biological oxygen demand, and trapping nutrients. Loss of these resources over time has likely contributed to a minor to moderate long-term adverse effect on water quality within the analysis area.

Additionally, construction activities including grading, clearing, filling, and excavation for the future projects would result in disturbance of the ground surface and would have the potential to cause soil erosion and the subsequent transport of sediment or nutrients into waterways via stormwater. NASA has and would continue to minimize impacts on surface waters by acquiring construction and industrial Virginia Storm Water Management Program permits and by developing and implementing a site-specific Storm Water Pollution Prevention Plan and Erosion and Sediment Control plans prior to land-disturbing activities. NASA would follow Virginia Storm Water Management Program requirements for proper sizing and planning for stormwater conveyance from new infrastructure.

Other projects occurring in adjacent marine waters (i.e., dredging) would also result in temporary elevated levels of turbidity, particularly for the two projects in the “back bays” west of Wallops Island. However, these projects would be temporally and spatially separated and would result in negligible cumulative impacts on water quality. NASA would ensure that all dredged material placement sites are appropriately diked such that dewatering of material would have minimal effects on adjacent waterways.

5.4 IRREVERSIBLE AND IRRETRIEVABLE COMMITMENT OF RESOURCES

NEPA requires that environmental analysis include identification of any irreversible and irretrievable commitment of resources which would be involved in the Proposed Action should it be implemented. Irreversible and irretrievable resource commitments are related to the use of nonrenewable resources and the effects this use could have on future generations. Irreversible effects primarily result from the use or destruction of a specific resource (e.g., energy and minerals) that cannot be replaced within a reasonable time frame. Irretrievable resource commitments involve the loss in value of an affected resource that cannot be restored as a result of the action (e.g., extinction of a threatened or endangered species or the disturbance of a cultural resource).

Energy typically associated with construction activities would be expended and irretrievably lost under the Proposed Action. Fossil fuels used during transportation of construction materials (e.g., fill, concrete/asphalt, and mobilization of equipment to the site) and the operation of construction equipment would constitute an irretrievable commitment of fuel resources. Energy would also be expended and irretrievably lost under the Proposed Action during UAS operations. Fossil fuels used during transportation of the UAS and operational support vehicles to the airstrip and the operation of the UAS would constitute an irretrievable commitment of fuel resources.

CHAPTER 6

REFERENCES CITED

CHAPTER 6

REFERENCES CITED

- Accomack County. 2008. Respecting the Past, Creating the Future: Accomack County Comprehensive Plan. May 14.
- Ailes, M. 2011. Personal Communication via Telephone Regarding Results of 2008-2009 Wallops Island Avian Survey between Dr. Marilyn Ailes, U.S. Navy Surface Combat Systems Center, and Joel Mitchell, Natural Resources Manager, WFF. November 22.
- Air Nav. 2010. Wallops Flight Facility. FAA Information Effective 03 June 2010. <http://www.airnav.com/airport/KWAL>. Site Accessed June 22, 2010.
- Bergstrom, P. W. 1991. Incubation Temperatures of Wilson's Plovers and Killdeers. *The Condor* 91: 634-641.
- Boettcher, R., T. Penn, R. Cross and K. Terwilliger. 2007. An Overview of the Status and Distribution of Piping Plovers (*Charadrius melodus*) in Virginia. *Waterbirds* 30 (Special Publication 1): 138-151.
- Bowles, A.E. and S. Wisdom. 2005. The 60-dB Rule for Birds: An Example of the Application of a Weighting Function in Environmental Impact Mitigation. *Journal of the Acoustical Society of America* 118 (3): 2018.
- Bratton, S.P. 1990. Boat Disturbance of Ciconiiformes in Georgia Estuaries. *Colonial Waterbirds* 13(2): 124-128.
- Burger, J. 1994. The Effect of Human Disturbance on Foraging Behavior and Habitat Use in Piping Plover. *Estuaries*. Vol. 17, No. 3, pp. 39-52. September 1994.
- _____. 1987. Physical and Social Determinations of Nest-Site Selection in Piping Plover in New Jersey. *The Condor* 89:811-818.
- Conomy, J.T., J. A. Collazo, J. A. Dubovsky and W. J. Fleming. 1998. Dabbling Duck Behavior and Aircraft Activity in Coastal North Carolina. *Journal of Wildlife Management*. 62(3): 1127-1134.
- Cowardin, L. M., V. Carter, F. C. Golet, E. T. LaRoe. 1979. Classification of Wetlands and Deepwater Habitats of the United States. U.S. Department of the Interior, Fish and Wildlife Service, Washington, D.C. Jamestown, ND: Northern Prairie Wildlife Research Center. <http://www.npwrc.usgs.gov/resource/1998/classwet/classwet.htm> (Version04DEC98).
- Coxe, R. 2011. Personal Communication via Electronic Mail Regarding Prevalence of black cherry xeric dune woodland communities in Delaware between Robert Coxe, Delaware Department of Natural Resources and Environmental Control and Joel Mitchell, Natural Resources Manager, WFF. October 11.
- Dickerson, J. 2010. Personal Communication via Telephone between Cathy Doan, TEC, and John Dickerson, Test Director, WFF. July 15.

- Dooling, R.J. and A.N. Popper. 2007. The Effects of Highway Noise on Birds. Prepared for California Department of Transportation, Division of Environmental Analysis. 74 pp.
- Downing, M. 2011. Blue Ridge Research and Consulting. Report on Review of NASA Wallops Island Noise. July 15.
- Ellis, D.H, C.H. Ellis, and D.P. Mindell. 1991. Raptor Responses to Low-Level Jet Aircraft and Sonic Booms. *Environmental Pollution* 74(1): 53-83.
- Epperly, S.P., J. Braun, and A. Veishlow. 1995. Sea Turtles in North Carolina Waters. *Conservation Biology* 9:384-394.
- Erwin, R.M. 1989. Responses to Human Intruders by Birds Nesting in Colonies: Experimental Results and Management Guidelines. *Colonial Waterbirds* 12(1): 104-108.
- Erwin, R.M., G.M. Sanders, D.J. Prosser, and D.R. Cahoon. 2006. High Tides and Rising Seas: Potential Effects on Estuarine Waterbirds. In: *Terrestrial Vertebrates in Tidal Marshes: Evolution, Ecology, and Conservation* [Greenberg, R. (ed.)]. Studies in avian biology no. 32. Cooper Ornithological Society, Camarillo, CA, pp. 214-228.
- Federal Aviation Administration (FAA). 2010. Certificate of Authorization or Waiver. http://www.faa.gov/about/office_org/headquarters_offices/ato/service_units/systemops/aaim/organizations/uas/coa/. Site accessed June 2011.
- Federal Highway Administration (FHWA). 2007. Special Report: Highway construction Noise: Measurement, Prediction, and Mitigation, Appendix A Construction Equipment Noise Levels and Ranges. www.fhwa.dot.gov/environment/noise/highway/hcn06.htm.
- _____. 2006. Construction Noise Handbook, Appendix A FHWA Roadway Construction Noise Model User's Guide, A-1. http://www.fhwa.dot.gov/environment/noise/construction_noise/rcnm/index.cfm
- Fleming, G. 2011. Personal Communication via Telephone Regarding Prevalence of black cherry xeric dune woodland communities in Virginia between Gary Fleming, Virginia Department of Recreation,
- Division of Natural Heritage and Joel Mitchell, Natural Resources Manager, WFF. October.
- Flemming, S.P., R.D. Chiasson, P.C. Smith, P.J. Austin-Smith, and R.P. Bancroft. 1988. Piping Plover Status in Nova Scotia Related to its Reproductive and Behavioral Responses to Human Disturbance. *Journal of Field Ornithology* 59(4):321-330.
- Fraser, J.D., L.D. Frenzel, and J.E. Mathisen. 1985. The Impact of Human Activities on Breeding Bald Eagles in North-Central Minnesota. *Journal of Wildlife Management* 49(3): 585-592.
- Garrett, M.G., J.W. Watson, and R.G. Anthony. 1993. Bald Eagle Home Range and Habitat Use in the Columbia River Estuary. *Journal of Wildlife Management* 57(1): 19-27.

- General Services Administration (GSA). 2011. FY 2001 Per Diem Rates for Wallops Island, Virginia. <http://www.gsa.gov/portal/category/100120>. Site accessed June 2011.
- Grubb, M. 1979. Effects of Increased Noise Levels on Nesting Herons and Egrets. Proceedings of the Colonial Waterbird Group 2: 49-54.
- Grubb, T.G., W.W. Bowerman, J.P. Giesy, and G.A. Dawson. 1992. Responses of Breeding Bald Eagles to Human Activities in Northcentral Michigan. *Canadian Field-Naturalist* 106(4): 443-453.
- Grubb, T.G. and R.M. King. 1991. Human Disturbance of Breeding Bald Eagles with Classification Tree Models. *Journal of Wildlife Management* 55(3): 500-511.
- Hopkins-Murphy, S. R., D. W. Owens, and T. M. Murphy. 2003. Ecology of Immature Loggerheads on Foraging Grounds and Adults in Internesting Habitat in the Eastern United States. In Loggerhead sea turtles, edited by A. B. Bolten and B. E. Witherington. Washington, DC: Smithsonian Institution Press.
- Jackson, J. A., Schardien, B. J., McDaniels, T. H. 1977. Opportunistic Hunting of a Marsh Hawk on a Bombing Range. *Raptor Research* 11(4): 86.
- Justis, B. 2010a. Personal communication regarding annual number of UAS operating from the South Wallops Island Airstrip. July 19.
- _____. 2010b. Personal Communication via Electronic Mail between Charee Hoffman, TEC, and Barbara J. Justis, NASA Code 840, Range and Mission Management Office, Wallops Flight Facility regarding UAS mishaps. 13 July.
- Justis, B and Rew, A. 2011. Personal Communication via Electronic Mail Regarding Bird/UAS strikes. 20 September.
- Komenda-Zehnder, S., M. Cevallos, and B. Bruderer. 2003. Effects of Disturbance by Aircraft Overflight on Waterbirds – an Experimental Approach. International Bird Strike Committee. IBSC26/WP-LE2, Warsaw, May 5-9, 2003. 12p.
- Mackintosh, Barry. 1982. Assateague Island National Seashore: An Administrative History. History Division, National Park Service, Department of the Interior, Washington, D.C.
- McGarigal, K., R.G. Anthony, and F.B. Isaacs. 1991. Interactions of Humans and Bald Eagles on the Columbia River Estuary. *Wildlife Monographs* 115: 3-47.
- Melvin, S.M., L.H. MacIvor, and C.R. Griffin. 1992. Predator Exclosures: a Technique to Reduce Predation of Piping Plover Nests. *Wildlife Society Bulletin*. 20: 143-148.
- Meyerson, L.A., K. Saltonstall, L. Windham, E. Kiviat, and S. Findlay. 2000. A Comparison of *Phragmites australis* in Freshwater and Brackish Marsh Environments in North America. *Wetlands Ecology and Management* 8: 89-103.

- Mitchell, J. 2011. Personal Communication via Email Regarding Status of Peregrine Falcon and Bald Eagle Nests Following a Flyover by the William and Mary's Center for Conservation Biology. April 19.
- National Academy of Science National Research Council. 2007. Earth Sciences and Applications from Space National Imperatives for the Next Decade and Beyond. P.68
- National Aeronautics and Space Administration (NASA). 2010a. NASA WFF Climatology Surface Wind Data for 1996-2010.
- _____. 2010b. Shoreline Restoration and Infrastructure Protection Program. Final Programmatic Environmental Impact Statement/Record of Decision. October/December.
- _____. 2010c. Wallops Island Protected Species Monitoring Report. NASA WFF, Wallops Island, Virginia. 5 p (plus appendices). December.
- _____. 2010d. Recreation Use of Wallops Island. Special Announcement No. 10-01. March 19.
- _____. 2009a. EA for Expansion of the Wallops Flight Facility Launch Range. August.
- _____. 2009b. Wallops Flight Facility Draft Biological Assessment UAS Airstrip. Prepared by Timmons Group, Richmond, Virginia for NASA. Timmons Group Project No. 27888. August.
- _____. 2009c. Cultural Resources Investigations of the Proposed Uninhabited Aerial Systems Airstrip, Wallops Flight Facility, Accomack County, Virginia. Prepared for NASA, Goddard Space Flight Center, Wallops Flight Facility, Wallops Island, VA, by New South Associates, Stone Mountain, GA. August 15.
- _____. 2009d. Integrated Contingency Plan, National Aeronautic and Space Administration Goddard Space Flight Center Wallops Flight Facility, March, 2008, updated 2009.
- _____. 2008a. National Aeronautics and Space Act of 1958, as Amended. August 25.
- _____. 2008b. Range Safety Manual (RevB) for Goddard Space Flight Center Wallops Flight Facility. July 14.
- _____. 2008c. WFF Range User's Handbook, 840-HDBK-001I. Suborbital and Special Orbital Projects Directorate, NASA. Wallops Island, Virginia. 17 March.
- _____. 2008d. Frequency Utilization Manual 800-HDBK-0001B.
- _____. 2008e. Environmental Resource Document, National Aeronautics and Space Administration Goddard Space Flight Center, Wallops Flight Facility, Wallops Island, Virginia prepared by EG&G Technical Services. July.
- _____. 2008f. Goddard Space Flight Center, Center Master Plan. Volume 2: A Twenty-year Plan For NASA's Wallops Flight Facility, Wallops Island, Virginia. December.

- _____. 2006. Integrated Cultural Resources Management Plan Wallops Flight Facility, Accomack County, Virginia. Prepared for NASA, Goddard Space Flight Center, Wallops Flight Facility, Wallops Island, VA, by URS, Gaithersburg, MD. November.
- _____. 2005a. Wallops Flight Facility UAV User's Handbook (840-HDBK-0002). Suborbital and Special Orbital Projects Directorate, NASA. Wallops Island, Virginia. 15 April.
- _____. 2005b. Final Site-Wide Environmental Assessment Wallops Flight Facility, Virginia. Prepared by URS Group, Inc. and EG&G Technical Services. January 2005.
- _____. 2004. Historic Resources Survey and Eligibility Report for Wallops Flight Facility, Accomack County, Virginia. Prepared for NASA, Goddard Space Flight Center, Wallops Flight Facility, Wallops Island, VA, by URS and EG&G Technical Services, Gaithersburg, MD. December 20.
- National Marine Fisheries Service (NMFS). 2010. Guide to Essential Fish Habitat Designations in the Northeastern United States (Virginia and Maryland).
<http://www.nero.noaa.gov/hcd/STATES4/VirgMary.htm>. Information accessed July 14.
- National Oceanic and Atmospheric Administration (NOAA). 2006. Department of Commerce. 15 CFR Part 930. Coastal Zone Management Act Federal Consistency Regulations; Final Rule. January 5.
- Natural Resources Conservation Service (NRCS). 2010. Online Web Soil Survey.
<http://websoilsurvey.nrcs.usda.gov/app/WebSoilSurvey.aspx>. Information accessed January 13, 2011.
- Palmer, A.G., D.L. Nordmeyer, and D.D. Roby. 2003. Effects of Jet Aircraft Overflights on Parental Care of Peregrine Falcons. *Wildlife Society Bulletin* 31(2): 499-509.
- Patterson, M. 2011. Personal Communication Regarding Safety Buffer Required for UAS takeoff/landings from the Main Base runway. February.
- Richardson, C.T. and C.K. Miller. 1997. Recommendations for Protecting Raptors from Human Disturbance: a Review. *Wildlife Society Bulletin* 25(3): 634-638.
- Rodgers, J.A. and S.T. Schwikert. 2002. Buffer-Zone Distances to Protect Foraging and Loafing Waterbirds from Disturbance by Personal Watercraft and Outboard-Powered Boats. *Conservation Biology* 16(1): 216-224.
- Rodgers, J.A. and H.T. Smith. 1995. Set-Back Distances to Protect Nesting Bird Colonies from Human Disturbance in Florida. *Conservation Biology* 9(1): 89-99.
- Russell, D. 1980. Occurrence and Human Disturbance Sensitivity of Wintering Bald Eagles on the Sauk and Suiattle Rivers, Washington. Pages 165–174 in R. L. Knight, G. T. Allen, M. V. Stalmaster, and C. W. Servheen, editors. Proceedings of the Washington Bald Eagle Symposium, 14–15 June 1980, Seattle, Washington. The Nature Conservancy, Seattle, Washington.

- Scharle, B. and G. Harter. 2010. Annual Monitoring Update Report for the Wildlife Hazard Assessment, NASA Goddard Space Flight Center Wallops Flight Facility, Wallops Island, Virginia. U.S. Department of Agriculture Wildlife Services.
- Smith, C., and R. Boettcher. 2008. 2008 Virginia Piping Plover and Wilson's Plover Breeding Summary. Virginia Department of Game and Inland Fisheries.
- Smith, C .J. and Visser, G .J.M. 1993. Effects of Disturbance on Shorebirds: a Summary of Existing Knowledge from the Dutch Wadden Sea and Delta area. Wader Study Group Bull. 68: 6-19.
- Sneddon, L. 2011. Personal Communication via Electronic Mail Regarding Prevalence of black cherry xeric dune woodland communities in Maryland and New Jersey between Leslie Sneddon, University of Boston and NatureServe.org and Shari Silbert, Environmental Scientist, WFF. October 13.
- Stalmaster, M.V. and J.R. Newman. 1978. Behavioral Responses of Wintering Bald Eagles to Human Activity. *Journal of Wildlife Management* 42(3): 506-513.
- Steidl, R.J., and R.G. Anthony. 1996. Responses of Bald Eagles to Human Activity During the Summer in Interior Alaska. *Ecological Applications* 6: 482-491.
- Timmons Group. 2009. Wetland Delineation Package Uninhabited Aerial Systems Airfield at Wallops Flight Facility (161.1 acres), Wallops Island, Virginia
- U.S. Army Corps of Engineers (USACE). 2011. Storm Damage Reduction Project Design for Wallops Island, Virginia. Appendix D.
- U.S. Army Corps of Engineers (USACE) and U.S. Environmental Protection Agency (USEPA). 1990. Memorandum of Agreement between the Department of the Army and the Environmental Protection Agency. The Determination of Mitigation Under the Clean Water Act Section 404(b)(1) Guidelines. February 6.
- U.S. Census Bureau (USCB). 2010. American Community Survey. Selected Economic Characteristics: 2005-2009. <http://factfinder.census.gov> . Information accessed June 14, 2011.
- _____. 2000. Census Data 2000.
- U.S. Department of Agriculture (USDA). 2005. Animal and Plant Health Inspection Service Wildlife Services. Final Environmental Assessment for the Management of Predation Losses to Native Bird Populations on the Barrier and Chesapeake Bay Islands and Coastal Areas of the Commonwealth of Virginia.
- U.S. Environmental Protection Agency (USEPA). 2010. Mid-Atlantic Superfund. NASA Wallops Island Flight Facility. Current Site Information. <http://www.epa.gov/reg3hscd/npl/VA8800010763.htm>. Information Accessed May 16, 2011.
- _____. 1974. Information on Levels of Environmental Noise Requisite to Protect Public Health and Welfare with an Adequate Margin of Safety. Report 550/9-74-004.

- U.S. Fish and Wildlife Service (USFWS). 2011. Special Status Species List for Accomack County, Virginia. April 22.
- _____. 2007a. Chincoteague National Wildlife Refuge, General Brochure. August.
- _____. 2007b. National Bald Eagle Management Guidelines. May.
- _____. 2007c. Designated National Wild and Scenic Rivers. <http://www.rivers.gov/wildriverslist.html>. Site accessed August 14, 2009.
- _____. 2005. Red Knot (*Calidris canutus rufa*). U.S. Fish and Wildlife Service: Northeast Region, Hadley, MA. <http://www.fws.gov/northeast/redknot/facts.pdf>. August.
- _____. 2003. Unmanned Aerial Vehicle Project #2644, Accomack County, Virginia. March 11. U.S. Department of the Navy (U.S. Navy). 2009. VACAPES Range Complex Final Environmental Impact Statement/Overseas EIS. March.
- U.S. Navy. 2009. Virginia Capes Range Complex Final Environmental Impact Statement/Overseas Environmental Impact Statement. March.
- Van Alstine, Nancy. 2011. Personal Communication with Joel Mitchell following VDCR survey of north Wallops Island and the UAS project area. September through December.
- Van Alstine, N., K. Patterson, and C. Hobson. 2011. Re-Inventory of the Natural Heritage Resources at North Wallops Island, NASA Wallops Flight Facility. Virginia Department of Conservation and Recreation, Division of Natural Heritage. August 29, 2011. 10 p.
- Virginia Department of Environmental Quality (VDEQ). 2010. Coastal Zone Management Program Laws and Enforceable Polices. <http://www.deq.virginia.gov/coastal/lawspols.html>. Site accessed June 2011.
- Virginia Department of Game and Inland Fisheries (VDGIF). 2005. Virginia's Comprehensive Wildlife Conservation Strategy.
- Waterway Surveying and Engineering, Ltd. 1987. Final Report 50-year Disposal Study Bogue Bay Shoal Waterway on the Coast of Virginia. Submitted to Norfolk District, U.S. Army Corps of Engineers. December 16. 9 p.
- Watts, B. D. and B. J. Paxton. 2009. Status and Distribution of Colonial Waterbirds in Coastal Virginia: 2009 Breeding Season. CCBTR-09-03. Center for Conservation Biology, College of William and Mary/Virginia Commonwealth University, Williamsburg, VA. 21 p.
- Welty, J.C. 1982. The Life of Birds. Sauders College Publishing, Philadelphia, Pennsylvania. 754 pp.
- Wiener, F.M. and D.N. Keast. 1959. Experimental Study of the Propagation of Sound Over Ground. *Journal of the Acoustical Society of America* 31 (6): 724-733.

- Wilke, A.L., R. Boettcher and C. Smith. 2009. 2008 Piping Plover, Wilson's Plover and American Oystercatcher Breeding Status in Virginia. Final Report submitted to the Virginia Department of Conservation and Recreation Division of Natural Heritage, Nassawadox, VA. 23 Pp.
- Windsor, J. 1977. The Response of Peregrine Falcons to Aircraft and Human Disturbance. Canadian Wildlife Service Note 87.
- Wittkofski, J. Mark. 1980. Review and Compliance Phase I Reconnaissance Survey of Naval Surface Weapons Center Structure: Wallops Island. Report prepared for the U.S. Navy. As referenced in NASA 2006 Integrated Cultural Resources Management Plan.

CHAPTER 7

AGENCIES AND PERSONS CONSULTED

CHAPTER 7
AGENCIES AND PERSONS CONSULTED

Table 20 provides the recipients of the coordination letter and draft EA. Coordination letters were mailed July 14, 2010. Appendix A provides the coordination letter and responses that were received.

Table 20. Recipients of Coordination Letter and Draft EA			
<i>Point of Contact</i>	<i>Agency/Organization</i>	<i>Letter</i>	<i>Draft EA</i>
Federal Agencies			
Mr. David O'Brien	National Marine Fisheries Service, Habitat Conservation Division	✓	✓
Ms. Julie Crocker	National Marine Fisheries Service, Protected Resource Division	✓	✓
Ms. Trish Kicklighter	National Park Service, Assateague Island National Seashore	✓	✓
Mr. Doug Crawford	National Oceanic and Atmospheric Administration	✓	✓
Mr. Steve Gibson	U.S. Army Corps of Engineers, Eastern Shore Field Office	✓	✓
Ms. Barbara Rudnick	U.S. Environmental Protection Agency, Region III	✓	✓
Ms. Cindy Schulz	U.S. Fish and Wildlife Service, Virginia Field Office	✓	✓
Mr. Lou Hinds	U.S. Fish and Wildlife Service, Chincoteague National Wildlife Refuge	✓	✓
Dr. Marilyn Ailes	U.S. Navy, Surface Combat Systems Center	✓	✓
LT Marc Merriman	U.S. Coast Guard, Chincoteague Group	✓	✓
CDR John J. Keegan	U.S. Navy, Surface Combat Systems Center	✓	✓
CAPT James R. Boorujy	U.S. Navy, U.S. Fleet Forces Command	✓	✓
State Agencies			
Mr. Richard Baldwin	Mid-Atlantic Regional Spaceport	✓	✓
Ms. Ellie Irons	Virginia Department of Environmental Quality, Office of Environmental Impact Review	✓	✓
Ms. Ruth Boettcher	Virginia Department of Game and Inland Fisheries	✓	✓
Ms. Amanda Lee	Virginia Department of Historic Resources	✓	✓
Mr. George Badger	Virginia Marine Resources Commission	✓	✓
Ms. Rene Hypes	Virginia Department of Conservation and Recreation, Natural Heritage Program	✓	✓
Mr. Frank Daniel	Virginia Department of Environmental Quality, Tidewater Regional Office	✓	✓
Ms. Deanna Beacham	Virginia Council on Indians	✓	✓
Local Government			
Mr. Steven B. Miner	Accomack County	✓	✓
Ms. Grayson C. Chesser	Accomack County Board of Supervisors	✓	✓
Ms. Laura Belle Gordy	Accomack County Board of Supervisors	✓	✓
Ms. Wanda Thornton	Accomack County Board of Supervisors	✓	✓
Mr. Ronald S. Wolff	Accomack County Board of Supervisors	✓	✓
Mr. David Fluhart	Accomack County Wetlands Board	✓	✓
Ms. Kathy Phillips	Assateague Coastal Trust	✓	✓
Ms. Suzanne Taylor	Chincoteague Chamber of Commerce	✓	✓
Mr. Robert G. Ritter	Town of Chincoteague	✓	✓
Mayor John H. Tarr	Town of Chincoteague	✓	✓

Table 20. Recipients of Coordination Letter and Draft EA (con't)

<i>Point of Contact</i>	<i>Agency/Organization</i>	<i>Letter</i>	<i>Draft EA</i>
Other Organizations and Individuals			
Mr. Nick Olmsted	BaySys Technologies, Inc.	✓	✓
Mr. Denard Spady	Citizens for a Better Eastern Shore	✓	✓
Dr. Bryan Watts	College of William and Mary, Center for Conservation Biology	✓	✓
Mr. Jim Rapp	Delmarva Low-Impact Tourism Experiences	✓	✓
Mr. Peter Bale	Eastern Shore Defense Alliance	✓	✓
Ms. Jean Hungiville	Eastern Shore of Virginia Chamber of Commerce	✓	✓
Ms. Donna Bozza	Eastern Shore Tourism Commission	✓	✓
Ms. Amber Parker	Marine Science Consortium	✓	✓
Ms. Mary A. Elfner	National Audubon Society, Virginia Important Bird Areas	✓	✓
Mr. Joseph Fehrer	The Nature Conservancy, MD/DC Chapter	✓	✓
Mr. Stephen Parker	The Nature Conservancy, Virginia Coast Reserve	✓	✓
Mr. Randy Fox	Trails End Campground	✓	✓
Dr. Karen J. McGlathery	Virginia Coast Reserve Long-Term Ecological Research Project	✓	✓
Mr. David Burden	Virginia Eastern ShoreKeeper	✓	✓
Federal and State Elected Officials			
Del. Lynwood W. Lewis	Virginia House of Delegates	✓	✓
Sen. Ralph Northam	Virginia Senate	✓	✓

CHAPTER 8

LIST OF PREPARERS AND CONTRIBUTORS

CHAPTER 8
LIST OF PREPARERS AND CONTRIBUTORS

NAME	TITLE	AREA OF RESPONSIBILITY
TEC, Inc.		
Chareé Hoffman	Project Manager, Senior Environmental Scientist	Chapters 1 and 2, Document Development and Review
Matt Bartlett	Deputy Project Manager, Environmental Scientist	Socioeconomics, Transportation, Document Review
Dana Banwart	Project Director, Senior Environmental Scientist	Quality Assurance/Quality Control; Technical Review
Stephen Anderson	Environmental Scientist	Topography and Soils
Cathy Doan	Environmental Scientist	Airspace Management and Safety
Emily Ferguson	Environmental Scientist	Land Use, Visual and Recreation
Lesley Hamilton	Senior Environmental Scientist	Air Quality
Brian Hoffmann	Senior Biologist	Biological Resources, BA
Edie Mertz	Graphics Specialist	Graphics
John Lowenthal	Senior Wetland Scientist	Water Resources, FCD
Paul Rittenhouse	Geographic Information Systems	Figures
Kim Sebestyen	Senior Archaeologist	Cultural Resources
Sharon Simpson	Administrative Assistant	Formatting and Production
Bob Waldo	Senior Environmental Scientist	Hazardous Materials/Waste Management
BRRC		
Micah Downing	President, Chief Scientist	Noise
NASA WFF		
Joshua Bundick	NEPA Program Manager	Document Review
Joel Mitchell	Natural Resources Program Manager	Document Review
Shari Silbert	URS, WFF Environmental Scientist	Document Review
USACE		
Steve Gibson	Environmental Scientist	Document Review

APPENDIX A

COORDINATION LETTERS AND RESPONSES

2010 REPRESENTATIVE COORDINATION LETTER AND RESPONSES

APPENDIX A. 2010 REPRESENTATIVE COORDINATION LETTER AND RESPONSES

DATE	FROM	TO
July 14, 2010	Example Coordination Letter from WFF	
July 26, 2010	U.S. Army Corps of Engineers	Wallops Flight Facility
July 22, 2010	Virginia Marine Resources Commission	Wallops Flight Facility
August 3, 2010	Virginia Department of Environmental Quality	Wallops Flight Facility
August 11, 2010	Navy Surface Combat System Center	Wallops Flight Facility
August 11, 2010	U.S. Environmental Protection Agency	Wallops Flight Facility
August 11, 2010	Virginia Department of Conservation and Recreation	Wallops Flight Facility
August 24, 2010	Virginia Department of Environmental Quality	Wallops Flight Facility
September 7, 2010	Virginia Department of Game and Inland Fisheries	Wallops Flight Facility

National Aeronautics and
Space Administration

**Goddard Space Flight Center
Wallops Flight Facility
Wallops Island, VA 23337**



Reply to Attn of: 250.W

July 14, 2010

Mr. Robert Cole
Environmental Scientist
U.S. Army Corps of Engineers, Eastern Shore Field Office
22545 Center Parkway
Accomack, VA, 23301-1330

Dear Mr. Cole:

In accordance with the National Environmental Policy Act of 1969 (NEPA), as amended, the National Aeronautics and Space Administration (NASA) Goddard Space Flight Center's Wallops Flight Facility (WFF) is preparing an Environmental Assessment (EA) to analyze potential impacts associated with the construction and operation of an Unmanned Aerial Systems (UAS) airstrip at the north end of Wallops Island in Accomack County, Virginia (Enclosure 1). The airstrip at north Wallops Island is needed to support WFF's ongoing and future UAS test research. The existing airstrip located at the south end of Wallops Island experiences severe cross winds and wash over during storm events. Additionally, mandatory safety constraints from increased rocket launch activities at the nearby Mid-Atlantic Regional Spaceport are anticipated to further reduce UAS research opportunities.

The proposed UAS airstrip would be constructed of asphalt and measure approximately 914 meters (3,000 feet long [2,500 feet plus an additional 500 feet clear zone] by 18 meters (60 feet) wide. The airstrip would be elevated approximately 1 meter (3 feet) above the existing ground surface. Two asphalt pads would also be constructed adjacent to the airstrip for staging aircraft and support vehicles during flight operations. A clear line of sight for UAS operators is necessary; therefore, vegetation alongside the length (up to 30 meters [100 feet] on each side) of the proposed airstrip would be cleared and maintained. Beyond the ends of the airstrip, the vegetation height would be maintained in order to provide the necessary line of sight for UAS operators. Crushed gravel would be used to improve the existing dirt access road to provide service to the airstrip. Infrastructure improvements to provide electrical and telecommunication service would be implemented; however, it is anticipated that most UAS operators would use small portable generators. The total affected area would be approximately 2 hectares (5 acres). The proposed airstrip would likely be constructed in several phases to reach the dimensions described above.

UAS operations would be conducted year round during NASA's normal Air Traffic Control tower hours (7 AM to 5 PM). Night operations would only take place under special

circumstances (e.g., hurricane monitoring). The UAS aircraft would operate within the existing NASA controlled Restricted Airspace Areas (R-6604A/B) and within the Virginia Capes Operating Area (VACAPES OPREA), the Navy's offshore training area. Aside from takeoff and landing, the minimum operating altitude would be 152 meters (500 feet). The largest UAS that would be authorized to operate from the proposed airstrip is the Viking 400. The Viking 400 has a 6 meter (20 foot) wingspan, is 4.5 meters (14.7 feet) in length, and would have a maximum weight of 240 kilograms (530 pounds). UAS would not operate over Chincoteague Island, Assateague Island National Park, or over any populated areas.


Letters describing the scope of the original proposal were sent June 2009. Since then, the scope of the proposal has changed. Enclosure 2 provides the approximate dimensions of the airstrip and its proximity to wetlands, a bald eagle nest, and a cultural resources investigation site.

As we are reinitiating the NEPA process, we request your participation as a Cooperating Agency in the preparation of the EA. As the USACE possesses both regulatory authority and specialized expertise pertaining to the proposed action, we feel that your agency would be a valuable member of our project team. As a Cooperating Agency, we request the USACE participate in various portions of the EA development as required. Specifically, we ask that you provide technical expertise, document review, and occasional meeting attendance throughout the NEPA process. A more detailed list of Cooperating Agency expectations will be provided if you accept our request.

Finally, as part of our ongoing efforts to keep the public abreast of proposed WFF activities, we plan to hold an information meeting at the WFF Visitor Center on the evening of Monday, August 2, 2010. Additional details regarding the meeting will be included in a forthcoming press release.


Thank you for your consideration of our request. We look forward to continuing our cooperative relationship with USACE as we work together to enable the WFF mission while also considering the unique environment within which we work. Please contact me at (757) 823-1127 or Mr. Josh Bundick at (757) 824-2319 if you have any questions or require any additional information.

Sincerely,



Joel T. Mitchell
Natural Resources Manager

2 Enclosures



Enclosure 1: Location of Proposed UAS Airstrip on NASA’s Wallops Island



Enclosure 2: Proximity of Proposed UAS Airstrip to Various Resources



DEPARTMENT OF THE ARMY
NORFOLK DISTRICT, CORPS OF ENGINEERS
FORT NORFOLK, 803 FRONT STREET
NORFOLK, VIRGINIA 23510-1096

REPLY TO
ATTENTION OF:

July 26, 2010

Eastern Virginia Regulatory Section
Unmanned Aerial Systems (UAS) Airstrip

Goddard Space Flight Center
Joel T. Mitchell
Natural Resources Manager
Wallops Flight Facility
Wallops Island, VA 23337-5099

Dear Mr. Mitchell,

The Norfolk District Corps of Engineers will be a cooperating agency in the preparation of documents for the Unmanned Aerial Systems (UAS) Airstrip, in accordance with the National Environmental Policy Act. Mr. Robert Cole will be the contact for the Norfolk District. Please forward to him any requests for participation, notices of meetings, requests for information, and written material to review. He may be contacted at 757-787-7567; by e-mail at "robert.h.cole@usace.army.mil"; by mail at Norfolk District Corps of Engineers, Eastern Shore Field Office, 22545 Center Parkway, Accomac, VA 23301-1330."

Sincerely,

Robert H. Cole
for

Audrey L. Cotnoir
Acting Chief, Eastern Virginia Regulatory Section



COMMONWEALTH of VIRGINIA

*Marine Resources Commission
2600 Washington Avenue
Third Floor
Newport News, Virginia 23607*

Douglas W. Domenech
Secretary of Natural Resources

Steven G. Bowman
Commissioner

July 22, 2010

Mr. Joel T. Mitchell
Wallops Flight Facility, Natural Resources Manager
c/o National Aeronautics and Space Administration
Goddard Space Flight Center
Wallops Flight Facility (250.W)
Wallops Island, Virginia 23337

“Unmanned Airstrip”

Dear Mr. Mitchell:

You have inquired regarding the construction of a 2,500-foot long by 60-foot wide asphalt airstrip on the north end of Wallops Island in Accomack County. The airstrip will be used for unmanned aircraft takeoffs and landings.

The Marine Resources Commission requires a permit for any activities that encroach upon or over, or take use of materials from the beds of the bays, ocean, rivers and streams, or creeks which are the property of the Commonwealth.

Based upon my review of the two enclosures (site maps) it would appear that your proposed landing strip will not fall within the Commission's jurisdiction, therefore, no authorization would be required from the Marine Resources Commission. If however any portion of your proposed project encroaches channelward of mean low water a permit would be required.

For your information it would appear a wetlands permit will be required from Accomack County.

If I may be of further assistance, please do not hesitate to contact me at (757) 414-0710.

Sincerely,

A handwritten signature in black ink, appearing to read "G. Badger, III", with a long horizontal flourish extending to the right.

George H. Badger, III
Environmental Engineer

An Agency of the Natural Resources Secretariat

www.mrc.virginia.gov

Telephone (757) 247-2200 (757) 247-2292 V/TDD Information and Emergency Hotline 1-800-541-4646 V/TDD



COMMONWEALTH of VIRGINIA

DEPARTMENT OF ENVIRONMENTAL QUALITY

Street address: 629 East Main Street, Richmond, Virginia 23219

Mailing address: P.O. Box 1105, Richmond, Virginia 23218

TDD (804) 698-4021

www.deq.virginia.gov

Douglas W. Domenech
Secretary of Natural Resources

David K. Paylor
Director

(804) 698-4000
1-800-592-5482

August 3, 2010

Mr. Joshua A. Bundick
NEPA Program Manager
NASA Goddard Space Flight Center
Wallops Flight Facility
Wallops Island, Virginia 23337-5099

Received
8/4/10 JAB

RE: Proposed Unmanned Aerial Systems Airstrip, Request for Scoping Comments for the Preparation of an Environmental Assessment

Dear Mr. Bundick:

This is in response to your July 14, 2010 letter (received July 16, 2010) announcing the preparation of an Environmental Assessment (EA) for the proposed Unmanned Aerial Systems (UAS) airstrip at the Wallops Flight Facility (WFF) on Wallops Island, and soliciting comments on the scope of the document. A request for scoping comments was originally solicited by the National Aeronautics and Space Administration (NASA) in June 2009. However, the scope of the project has changed.

PROJECT DESCRIPTION

According to the letter, the proposed airstrip at north Wallops Island is needed to support WFF's ongoing and future UAS test research. The existing airstrip located at the south end of Wallops Island experiences severe cross winds and wash over during storm events. Additionally, mandatory safety constraints from increased rocket launch activities at the nearby Mid-Atlantic Regional Spaceport are anticipated to further reduce UAS research opportunities. The proposed UAS airstrip would be constructed of asphalt and measure approximately 3,000 feet long by 60 feet wide. Two asphalt pads would be constructed adjacent to the airstrip for staging aircraft and support vehicles during flight operations. Vegetation alongside the length of the airstrip would be cleared and maintained. Crushed gravel would be used to improve the existing dirt access road. Infrastructure improvements to provide electrical and telecommunication service would be implemented.

ENVIRONMENTAL REVIEW

The roles of the Virginia Department of Environmental Quality (DEQ) in relation to the project under consideration are as follows. First, DEQ's Office of Environmental Impact Review (OEIR) will coordinate Virginia's review of the EA prepared pursuant to the National Environmental Policy Act (NEPA) and comment to NASA on behalf of the Commonwealth. A similar review process will pertain to the Federal Consistency Determination (FCD) that must be provided pursuant to the Coastal Zone Management Act (CZMA). If the FCD is included as part of the EA, there can be a single review.

FEDERAL CONSISTENCY UNDER THE COASTAL ZONE MANAGEMENT ACT

Pursuant to the Coastal Zone Management Act of 1972, as amended, federal activities affecting Virginia's coastal resources or coastal uses must be consistent with the Virginia Coastal Resources Management Program (VCP) (see section 307(c)(1) of the Act and the *Federal Consistency Regulations*, 15 CFR Part 930, sub-part C). NASA must provide a consistency determination which involves an analysis of the activities in light of the enforceable policies of the VCP (first enclosure), and a commitment to comply with the enforceable policies. In addition, we invite your attention to the advisory policies of the VCP (second enclosure). The FCD may be provided as part of the NEPA documentation or independently, depending on your agency's preference; we recommend, in the interests of efficiency for all concerned, that it be provided together with the NEPA document and that 60 days be allowed for review in keeping with the *Federal Consistency Regulations* (see section 930.41(a)). Section 930.39 of the *Federal Consistency Regulations* and Virginia's *Federal Consistency Information Package* at <http://www.deq.virginia.gov/eir/federal.html> give content requirements for the consistency determination.

PROJECT SCOPING

While this Office does not participate in scoping efforts beyond the advice given herein, other agencies are free to provide scoping comments concerning the preparation of the NEPA document for the proposed project. Therefore, we are sharing your letter with selected state and local Virginia agencies, which are likely to include the following (note: starred (*) agencies administer one or more of the Enforceable Policies of the Virginia Coastal Resources Management Program; see "Federal Consistency..." below):

- Department of Environmental Quality:
 - Office of Environmental Impact Review
 - Tidewater Regional Office*
 - Air Division*
 - Waste Division
- Department of Game and Inland Fisheries*
- Department of Conservation and Recreation:
 - Division of Soil and Water Conservation*
 - Division of Planning and Recreation Resources

Mr. Joshua A. Bundick
Proposed Unmanned Aerial Systems Airstrip


- Marine Resources Commission*
- Department of Agriculture and Consumer Services
- Department of Health
- Department of Mines, Minerals, and Energy
- Department of Historic Resources
- Department of Aviation
- Accomack-Northampton Planning District Commission
- Accomack County.

In order to ensure an effective coordinated review of the EA and FCD, we will require 18 copies of the document when it is published. The submission may include 4 hard copies and 14 CDs or 4 hard copies and an electronic copy available for download at a NASA web or ftp site. The document should include a U.S. Geological Survey topographic map as part of its information. We recommend, as well, that project details unfamiliar to people outside NASA be adequately described.

If you have questions about the environmental review process or the federal consistency review process, please feel free to call me at (804) 698-4325 or John Fisher of this Office at (804) 698-4339.

I hope this information is helpful to you.

Sincerely,



For Ellie L. Irons, Manager
Office of Environmental Impact Review

Attachments

Ec: Michelle Hollis, DEQ-TRO
Kotur S. Narasimhan, DEQ-Air
Paul Kohler, DEQ-Waste
Amy Ewing, DGIF
Robbie Rhur, DCR
Tony Watkinson, MRC
Barry Matthews, VDH
David Spears, DMME
Roger Kirchen, DHR
Keith Tignor, VDACS
Rusty Harrington, DoAv
Paul Berge, Accomack-Northampton PDC
Steven Miner, Accomack County



COMMONWEALTH of VIRGINIA

DEPARTMENT OF ENVIRONMENTAL QUALITY

Street address: 629 East Main Street, Richmond, Virginia 23219

Mailing address: P.O. Box 1105, Richmond, Virginia 23218

TDD (804) 698-4021

www.deq.virginia.gov

Douglas W. Domenech
Secretary of Natural Resources

David K. Paylor
Director

(804) 698-4000
1-800-592-5482

Attachment 1

Enforceable Regulatory Programs comprising Virginia's Coastal Resources Management Program (VCP)

- a. Fisheries Management - The program stresses the conservation and enhancement of finfish and shellfish resources and the promotion of commercial and recreational fisheries to maximize food production and recreational opportunities. This program is administered by the Marine Resources Commission (VMRC); Virginia Code 28.2-200 to 28.2-713 and the Department of Game and Inland Fisheries (DGIF); Virginia Code 29.1-100 to 29.1-570.

The State Tributyltin (TBT) Regulatory Program has been added to the Fisheries Management program. The General Assembly amended the Virginia Pesticide Use and Application Act as it related to the possession, sale, or use of marine antifoulant paints containing TBT. The use of TBT in boat paint constitutes a serious threat to important marine animal species. The TBT program monitors boating activities and boat painting activities to ensure compliance with TBT regulations promulgated pursuant to the amendment. The VMRC, DGIF, and Virginia Department of Agriculture Consumer Services (VDACS) share enforcement responsibilities; Virginia Code 3.1-249.59 to 3.1-249.62.

- b. Subaqueous Lands Management - The management program for subaqueous lands establishes conditions for granting or denying permits to use state-owned bottomlands based on considerations of potential effects on marine and fisheries resources, tidal wetlands, adjacent or nearby properties, anticipated public and private benefits, and water quality standards established by the Department of Environmental Quality (DEQ). The program is administered by the Marine Resources Commission; Virginia Code 28.2-1200 to 28.2-1213.
- c. Wetlands Management - The purpose of the wetlands management program is to preserve wetlands, prevent their despoliation, and accommodate economic development in a manner consistent with wetlands preservation.
- (1) The tidal wetlands program is administered by the Marine Resources Commission; Virginia Code 28.2-1301 through 28.2-1320.
 - (2) The Virginia Water Protection Permit program administered by DEQ includes protection of wetlands --both tidal and non-tidal; Virginia Code §62.1-44.15:5 and Water Quality Certification pursuant to Section 401 of the Clean Water Act.

Attachment 1 continued

Page 2

- d. Dunes Management - Dune protection is carried out pursuant to The Coastal Primary Sand Dune Protection Act and is intended to prevent destruction or alteration of primary dunes. This program is administered by the Marine Resources Commission; Virginia Code 28.2-1400 through 28.2-1420.
- e. Non-point Source Pollution Control – (1) Virginia's Erosion and Sediment Control Law requires soil-disturbing projects to be designed to reduce soil erosion and to decrease inputs of chemical nutrients and sediments to the Chesapeake Bay, its tributaries, and other rivers and waters of the Commonwealth. This program is administered by the Department of Conservation and Recreation; Virginia Code 10.1-560 et seq.

(2) Coastal Lands Management is a state-local cooperative program administered by the DCR's Division of Chesapeake Bay Local Assistance and 84 localities in Tidewater (see i) Virginia; Virginia Code §10.1-2100 –10.1-2114 and 9 VAC10-20 et seq.
- f. Point Source Pollution Control - The point source program is administered by the State Water Control Board (DEQ) pursuant to Virginia Code 62.1-44.15. Point source pollution control is accomplished through the implementation of:
 - (1) the National Pollutant Discharge Elimination System (NPDES) permit program established pursuant to Section 402 of the federal Clean Water Act and administered in Virginia as the Virginia Pollutant Discharge Elimination System (VPDES) permit program.
 - (2) The Virginia Water Protection Permit (VWPP) program administered by DEQ; Virginia Code §62.1-44.15:5 and Water Quality Certification pursuant to Section 401 of the Clean Water Act.
- g. Shoreline Sanitation - The purpose of this program is to regulate the installation of septic tanks, set standards concerning soil types suitable for septic tanks, and specify minimum distances that tanks must be placed away from streams, rivers, and other waters of the Commonwealth. This program is administered by the Department of Health (Virginia Code 32.1-164 through 32.1-165).
- h. Air Pollution Control - The program implements the federal Clean Air Act to provide a legally enforceable State Implementation Plan for the attainment and maintenance of the National Ambient Air Quality Standards. This program is administered by the State Air Pollution Control Board (Virginia Code 10-1.1300 through §10.1-1320).
- (i) Coastal Lands Management is a state-local cooperative program administered by the DCR's Division of Chesapeake Bay Local Assistance and 84 localities in Tidewater, Virginia established pursuant to the Chesapeake Bay Preservation Act; Virginia Code §10.1-2100 –10.1-2114 and Chesapeake Bay Preservation Area Designation and Management Regulations; Virginia Administrative Code 9 VAC10-20 et seq.

Attachment 2

Advisory Policies for Geographic Areas of Particular Concern

- a. Coastal Natural Resource Areas - These areas are vital to estuarine and marine ecosystems and/or are of great importance to areas immediately inland of the shoreline. Such areas receive special attention from the Commonwealth because of their conservation, recreational, ecological, and aesthetic values. These areas are worthy of special consideration in any planning or resources management process and include the following resources:
 - a) Wetlands
 - b) Aquatic Spawning, Nursery, and Feeding Grounds
 - c) Coastal Primary Sand Dunes
 - d) Barrier Islands
 - e) Significant Wildlife Habitat Areas
 - f) Public Recreation Areas
 - g) Sand and Gravel Resources
 - h) Underwater Historic Sites.

- b. Coastal Natural Hazard Areas - This policy covers areas vulnerable to continuing and severe erosion and areas susceptible to potential damage from wind, tidal, and storm related events including flooding. New buildings and other structures should be designed and sited to minimize the potential for property damage due to storms or shoreline erosion. The areas of concern are as follows:
 - i) Highly Erodible Areas
 - ii) Coastal High Hazard Areas, including flood plains.

- c. Waterfront Development Areas - These areas are vital to the Commonwealth because of the limited number of areas suitable for waterfront activities. The areas of concern are as follows:
 - i) Commercial Ports
 - ii) Commercial Fishing Piers
 - iii) Community Waterfronts

Although the management of such areas is the responsibility of local government and some regional authorities, designation of these areas as Waterfront Development Areas of Particular Concern (APC) under the VCRMP is encouraged. Designation will allow the use of federal CZMA funds to be used to assist planning for such areas and the implementation of such plans. The VCRMP recognizes two broad classes of priority uses for waterfront development APC:

- i) water access dependent activities;
- ii) activities significantly enhanced by the waterfront location and complementary to other existing and/or planned activities in a given waterfront area.

Advisory Policies for Shorefront Access Planning and Protection

- a. Virginia Public Beaches - Approximately 25 miles of public beaches are located in the cities, counties, and towns of Virginia exclusive of public beaches on state and federal land. These public shoreline areas will be maintained to allow public access to recreational resources.
- b. Virginia Outdoors Plan - Planning for coastal access is provided by the Department of Conservation and Recreation in cooperation with other state and local government agencies. The Virginia Outdoors Plan (VOP), which is published by the Department, identifies recreational facilities in the Commonwealth that provide recreational access. The VOP also serves to identify future needs of the Commonwealth in relation to the provision of recreational opportunities and shoreline access. Prior to initiating any project, consideration should be given to the proximity of the project site to recreational resources identified in the VOP.
- c. Parks, Natural Areas, and Wildlife Management Areas - Parks, Wildlife Management Areas, and Natural Areas are provided for the recreational pleasure of the citizens of the Commonwealth and the nation by local, state, and federal agencies. The recreational values of these areas should be protected and maintained.
- d. Waterfront Recreational Land Acquisition - It is the policy of the Commonwealth to protect areas, properties, lands, or any estate or interest therein, of scenic beauty, recreational utility, historical interest, or unusual features which may be acquired, preserved, and maintained for the citizens of the Commonwealth.
- e. Waterfront Recreational Facilities - This policy applies to the provision of boat ramps, public landings, and bridges which provide water access to the citizens of the Commonwealth. These facilities shall be designed, constructed, and maintained to provide points of water access when and where practicable.
- f. Waterfront Historic Properties - The Commonwealth has a long history of settlement and development, and much of that history has involved both shorelines and near-shore areas. The protection and preservation of historic shorefront properties is primarily the responsibility of the Department of Historic Resources. Buildings, structures, and sites of historical, architectural, and/or archaeological interest are significant resources for the citizens of the Commonwealth. It is the policy of the Commonwealth and the VCRMP to enhance the protection of buildings, structures, and sites of historical, architectural, and archaeological significance from damage or destruction when practicable.



DEPARTMENT OF THE NAVY
SURFACE COMBAT SYSTEMS CENTER
30 BATTLE GROUP WAY
WALLOPS ISLAND, VIRGINIA 23337-5000

5090
Ser X31/392

11 AUG 2010

NASA Goddard Space Flight Center
Wallops Flight Facility
Attn: 250.W, Joel T. Mitchell
Wallops Island, Virginia 23337


Dear Mr. Mitchell:

In response to your letter of July 14, 2010, Surface Combat Systems Center (SCSC) feels that the smaller runway as illustrated will represent less impact and hence is more desirable than earlier plans. There may still be restrictions due to the presence of piping plovers and bald eagles.

However, we do have concerns over RF avoidance, specifically current restrictions placed on SCSC during UAS/UAV operations for the SPS-49 at V-10 and V-24. Adding additional capability for UAVs at Wallops Island and not knowing the frequencies for which they operate could potentially limit use of other radars during these operations. Foreseen scheduling conflicts will result due to airspace requirements for UAV operations.

My point of contact is Marilyn Ailes at 757-824-2082 or Marilyn.Ailes@navy.mil.

Sincerely,


JOHN J. KEEGAN
Commander, U.S. Navy
Commanding Officer

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION III
1650 Arch Street
Philadelphia, Pennsylvania 19103-2029



August 11, 2010

Joel Mitchell
Natural Resources Manager
National Aeronautics and Space Administration
Goddard Space Flight Center
Wallops Flight Facility
Wallops Island, VA 23337

Re: Scoping Environmental Assessment (EA) Unmanned Aerial Systems (UAS) Airstrip,
Wallops Island, Accomack County, Virginia, July 14, 2010

Dear Mr. Mitchell:

In accordance with the National Environmental Policy Act (NEPA) of 1969, the U.S. Environmental Protection Agency (EPA) is responding to your request for comments on the above referenced project for the Wallops Flight Facility (WFF). Due to the limited amount of information EPA currently has at this time, we are unable to provide a comprehensive set of comments. We have included the following comments for your consideration in the development of the Environmental Assessment (EA).

The EA should clearly state the purpose and requirements of unmanned flight launching at WFF and the range of alternatives (including location and sizing) of a facility. Information should be provided on the number of flights or launches proposed for the airstrip, size of aircraft that will be utilizing the airstrip, in addition to the total flight/launch capabilities. It would also be helpful to put this information in the context of current flight and launch activities that are occurring at Wallops Flight Facility. The scoping letter described that clearing adjacent to the airstrip and beyond the ends of the airstrip would be necessary. A description of clearing and height restrictions should be included. The relationship the proposed project has to hazard arcs or zones and safety constraints should also be discussed. The EA should include discussion of possible impacts associated with access to the proposed site, any upgrades to existing roads or associated structures that may be needed, as well as impacts resulting from staging pads.

During the EA process, it is important to conduct a thorough alternatives analysis. Alternate airstrip lengths should be considered in the EA. Future plans or possible need to expand the airstrip at a later date should be clearly stated and evaluated. Airstrip locations further on inland on the Mainland, Main Base or other parcels should be evaluated. WFF is located on a barrier island, which is a sensitive and unstable ecosystem that is very vulnerable to




sea-level rise and intense storms. It may be prudent to consider this dynamic nature when looking at this and future development projects.

As noted in the scoping letter received by EPA, there are many wetland systems on Wallops Island that may be in proximity to the proposed airstrip. Avoidance and minimization of impacts to aquatic resources should be fully considered, as required under the CWA Section 404 (b) (1) Guidelines. Bald eagle nests are located near the proposed UAS airstrip. While bald eagles are no longer federally listed as threatened or endangered species, they are protected by the Bald and Golden Eagle Protection Act. EPA suggests coordination with U.S. Fish and Wildlife Service for addressing the bald eagle nests as well as other potential issues regarding threatened and endangered species.

An indirect and cumulative impact analysis for the proposed action should be included in the EA. Cumulative impacts can result from individually minor, but collectively significant, action taking place over a period of time. The Council on Environmental Quality in 40 CFR 1508.7 defines cumulative impacts as “impacts on the environment which result from the incremental impact of the action when added to other past, present, and reasonably foreseeable action.” A summary of other NASA projects and locations, any neighboring projects unrelated to NASA, sufficient project background and potential impacts to resources affected by the UAS, and the status of proposed projects should be included in the cumulative impacts analysis. If possible a tabulation of all proposed projects on Wallops Island should be provided to the resource agencies. It would be helpful if clarification was provided on which projects have funding, authorization or Congressional backing. EPA is concerned that some or many of these projects may be connected actions and warrant additional, more comprehensive study. The cumulative adverse environmental impact of these actions needs to be thoroughly evaluated. EPA recommends use of the document “Consideration of Cumulative Impacts in EPA Review of NEPA Documents” (EPA 1999) for a through explanation of the requirements of a cumulative impacts analysis.

EPA recommends and requests that a meeting be organized to review the information gathered for the study of alternatives for this project, with participation of US Army Corps and US Fish and Wildlife Service. EPA would appreciate if NASA would also provide an update on other planned or ongoing projects at WFF, as well as potential mitigation. Thank you for including EPA in your coordination efforts regarding this project and allowing EPA to provide comments to be incorporated into the EA. If you have questions regarding these comments, please feel free to contact Ms. Barbara Rudnick, NEPA Team Leader at 215-814-3322 or the staff contact for this project, Ms. Alaina DeGeorgio at 215-814-2741.

Sincerely,



Jeffery D. Lapp
Associate Director
Office of Environmental Programs



cc. Keith Lockwood, USACE
Cindy Schulz, USFWS



*Printed on 100% recycled/recyclable paper with 100% post-consumer fiber and process chlorine free.
Customer Service Hotline: 1-800-438-2474*

Douglas W. Domenech
Secretary of Natural Resources



David A. Johnson
Director

COMMONWEALTH of VIRGINIA
DEPARTMENT OF CONSERVATION AND RECREATION

Division of Natural Heritage
217 Governor Street
Richmond, Virginia 23219-2010
(804) 786-7951

August 11, 2010

Joel Mitchell
NASA, Goddard Space Flight Center
Wallops Flight Facility
Wallops Island, VA 23337

Re: NASA, Goddard Space Flight Center Wallops Flight Facility

Dear Mr. Mitchell:

The Department of Conservation and Recreation's Division of Natural Heritage (DCR) has searched its Biotics Data System for occurrences of natural heritage resources from the area outlined on the submitted map. Natural heritage resources are defined as the habitat of rare, threatened, or endangered plant and animal species, unique or exemplary natural communities, and significant geologic formations.

According to the information currently in our files, this site is located within the North Wallops Island Conservation Site. Conservation sites are tools for representing key areas of the landscape that warrant further review for possible conservation action because of the natural heritage resources and habitat they support. Conservation sites are polygons built around one or more rare plant, animal, or natural community designed to include the element and, where possible, its associated habitat, and buffer or other adjacent land thought necessary for the element's conservation. Conservation sites are given a biodiversity significance ranking based on the rarity, quality, and number of element occurrences they contain; on a scale of 1-5, 1 being most significant. North Wallops Island Conservation Site has been given a biodiversity significance ranking of B2, which represents a site of very high significance. The rare plants and communities of concern associated with the site are:

Maritime Dune Woodland		G1G2/SNR/NL/NL
Seaside plantain	Plantago maritime var.juncoides	G5T5/S1/NL/NL
Big-head rush	Juncus megacephalus	G4G5/S2/NL/NL
Southern beach spurge	Chamaesyce bombensis	G4G5/S2/NL/NL

The Maritime Dune Woodland is a tall, deciduous, maritime shrubland or scrub forest of the mid-Atlantic coast, although physiognomy can vary dramatically, ranging from open woodland to stunted forest to dense nearly impenetrable thicket. Individual trees tend to be wind-pruned and multi-stemmed. It generally occurs on the lee side of sand dunes along the coast and is subject to salt spray and winds. The substrate varies from pure sand directly adjacent to the ocean to loamy sands in more sheltered areas of the coast. At the southern end of the range in Virginia, this community occurs as a woodland variably

dominated by *Prunus serotina*, *Sassafras albidum*, *Diospyros virginiana*, and *Malus angustifolia* var. *angustifolia*. Vine tangles are patchy and interspersed with areas of open sand dominated by *Schizachyrium littorale* and also containing *Opuntia humifusa*, *Conyza canadensis*, *Nuttallanthus canadensis*, *Cirsium horridulum* var. *horridulum*, and other xerophytic herbs at lower cover. This maritime shrubland community is restricted to a narrow range on coastal dunes of barrier islands on the mid-Atlantic coast. It does not occur north of southern New Jersey or south of Virginia. Occurrences are naturally small (a few acres), confined to the oceanward portion of barrier islands. Potential or historic habitat has been reduced by extensive human development such as residential or commercial building, recreation, or road expansion.

Seaside plantain (*Plantago maritima* var. *juncooides*, G5T5/S1/NL/NL) is a low perennial herb of salt marshes, beaches and coastal rocks (Gleason and Cronquist 1991). Spikes of mostly densely arranged small white flowers arise on leafless stems from a basal rosette of fleshy, linear-lanceolate leaves. The species is circumboreal, with variety *juncooides* at least being found in Greenland, Canada, and extending into the east coast of the US in New England, New York, New Jersey and Virginia; plants of northwestern North America are variously included or separated from var. *juncooides* (Kartesz 1999, Weakley in prep.). In Virginia, seaside plantain has only been documented in salt marshes and flats on the Eastern Shore in Accomack County. Threats include habitat destruction from development and sea-level rise.

Big-headed rush a rare perennial in Virginia, is found along the coastal plain usually in open moist or wet areas and often in shallow water, sands, peats and marls; marshy shores, interdune hollows, swales, brackish and fresh marshes, marl prairies and bogs. It is also known to colonize abundantly in ditches. Big-headed rush occurs from south of Virginia to Florida and as far west as southeast Texas. It is known currently in Virginia from nine occurrences, and historically from two occurrences.

Southern beach spurge, a state rare plant species, occurs in mats and is found on the secondary dunes of the Atlantic Ocean and Chesapeake Bay. Virginia is the northern limit of its range with ten documented sites state-wide. The rarity of this plant is due to habitat destruction associated with commercial development along the coast (Ludwig, 1996). Southern beach spurge is currently known from 10 occurrences in Virginia, and historically known from an additional five occurrences.

The Maritime Dune Woodland is a very rare community type known only from two sites in Virginia. The proposed project would directly impact this natural heritage resource. In addition, documented occurrences of Southern beach spurge, Big-head rush, and Seaside plantain, state-rare plants would also be impacted by this project. DCR strongly recommends avoiding impacts to this globally rare community and these state rare plants by relocating the proposed landing strip. Please see the attached map for natural heritage resource locations within and adjacent to the project location.

Furthermore, Peregrine falcon (*Falco peregrinus*, G4/S1BS2N/NL/LT), Northern Harrier (*Circus cyaneus*, G5/S1S2B,S3N/NL/SC), Piping plover (*Charadrius melodus*, G3/S2B,S1N/LT/LT), Wilson's plover (*Charadrius wilsonia*, G5/S1B/NL/LE), and Little blue heron (*Egretta caerulea*, G5/S2B,S3N/NL/NL) have been documented within the project area and the project vicinity. DCR zoologist, Dr. Steve Roble recommends a study to evaluate the potential impacts on these birds as well as colonial waterbirds (herons, egrets, terns) and migratory songbirds by the proposed project. With the study results we can more accurately evaluate potential impacts to natural heritage resources and offer specific protection recommendations for minimizing impacts to the documented resources.

Due to the legal status of the Piping plover, DCR also recommends coordination with USFWS and VDGIF to ensure compliance with protected species legislation. Due to the legal status of the Peregrine falcon and Wilson's plover, DCR also recommends coordination with the VDGIF to ensure compliance with protected species legislation.

Under a Memorandum of Agreement established between the Virginia Department of Agriculture and Consumer Services (VDACS) and the Virginia Department of Conservation and Recreation (DCR), DCR represents VDACS in comments regarding potential impacts on state-listed threatened and endangered plant and insect species. The current activity will not affect any documented state-listed plants or insects.

Our files do not indicate the presence of any State Natural Area Preserves under DCR's jurisdiction in the project vicinity.

New and updated information is continually added to Biotics. Please contact DCR for an update on this natural heritage information if a significant amount of time passes before it is utilized.

The Virginia Department of Game and Inland Fisheries maintains a database of wildlife locations, including threatened and endangered species, trout streams, and anadromous fish waters that may contain information not documented in this letter. Their database may be accessed from <http://vafwis.org/fwis/> or contact Shirl Dressler at (804) 367-6913.

Should you have any questions or concerns, feel free to contact me at 804-692-0984. Thank you for the opportunity to comment on this project.

Sincerely,



Alli Baird, LA, ASLA
Coastal Zone Locality Liaison

CC: Amy Ewing, VDGIF

Literature Cited:

Gleason, H.A. and A. Cronquist. 1991. Manual of Vascular Plants of Northeastern United States and Adjacent Canada. Second Edition. The New York Botanical Garden. Bronx, NY. 910 pp.

Kartesz, J.T. 1999. A Synonymized Checklist and Atlas with Biological Attributes for the Vascular Flora of the United States, Canada, and Greenland. First Edition. In: Kartesz, J.T. and C.A. Meacham. Synthesis of the North American Flora, Version 1.0. North Carolina Botanical Garden, Chapel Hill, NC.

Ludwig, J. Christopher. 1996. Personal communication. Virginia Department of Conservation and Recreation, Division of Natural Heritage.

NatureServe. 2009. NatureServe Explorer: An online encyclopedia of life [web application]. Version 7.1. NatureServe, Arlington, Virginia. Available <http://www.natureserve.org/explorer>. (Accessed: August 9, 2010).

Weakley, A.S. in prep. Flora of the Southern and Mid-Atlantic States. Working Draft of 8 March 2010. University of North Carolina Herbarium, North Carolina Botanical Garden, University of North Carolina at Chapel Hill, Chapel Hill, NC. 994 pp.



COMMONWEALTH of VIRGINIA

DEPARTMENT OF ENVIRONMENTAL QUALITY

Street address: 629 East Main Street, Richmond, Virginia 23219

Mailing address: P.O. Box 1105, Richmond, Virginia 23218

TDD (804) 698-4021

www.deq.virginia.gov

L. Preston Bryant, Jr.
Secretary of Natural Resources

David K. Paylor
Director

(804) 698-4000
1-800-592-5482

August 24, 2010

Mr. Joel T. Mitchell
Natural Resources Manager
Goddard Space Flight Center
Wallops Flight Facility
Wallops Island, VA 23337

RE: Proposed Unmanned Aerial Systems Airstrip

Dear Mr. Mitchell,

The Department of Environmental Quality has received your July 14, 2010, letter requesting scoping comments on the above named project. The DEQ Waste Division staff has reviewed your letter and has the following comments concerning the waste issues associated with this project: When an environmental impact report is written or compiled, it should include an environmental investigation on and near the property to identify any solid or hazardous waste sites or issues. This should include a search of waste-related databases.

The report author should analyze the data in the web-based Waste Division databases to determine if the project would affect or be affected by any sites identified in the databases. These are the Solid Waste Database, CERCLA Facilities, Voluntary Remediation Program, and Hazardous Waste Facilities databases.

The Solid Waste Database

A list of active solid waste facilities in Virginia.

CERCLA Facilities Database

A list of active and archived CERCLA (EPA Superfund Program) sites.

Hazardous Waste Facilities Database

A list of hazardous waste generators, hazardous waste transporters, and hazardous waste storage and disposal facilities. Data for the CERCLA Facilities and Hazardous Waste Facilities databases are periodically downloaded by the Waste Division from U.S. EPA's website.

Mr. Joel T. Mitchell
Natural Resources Manager
Goddard Space Flight Center
Page 2

Accessing the DEQ Databases:

The report author should access this information on the DEQ website at <http://www.deq.state.va.us/waste/waste.html> . Scroll down to the databases which are listed under Real Estate Search Information heading.

The *solid waste information* can be accessed by clicking on the Solid Waste Database tab and opening the file. Type the county or city name and the word County or City, and click the Preview tab. All active solid waste facilities in that locality will be listed.

The *Superfund information* will be listed by clicking on the Search EPA's CERCLIS database tab and opening the file. Click on the locality box, click on sort, then click on Datasheet View. Scroll to the locality of interest.

The *hazardous waste* information can be accessed by clicking on the Hazardous Waste Facility tab. Go to the Geography Search section and fill in the name of the city or county and VA in the state block, and hit enter. The hazardous waste facilities in the locality will be listed.

The *Voluntary Remediation Program* GPS database can be accessed by clicking on "Voluntary Remediation," then "What's in my backyard" in the center shaded area, and then under "Mapping Applications," click on "What's in my backyard" again.

This database search will include most waste-related site information for each locality. In many cases, especially when the project is located in an urban area, the database output for that locality will be extensive.

This database search will include most waste-related site information for each locality. In many cases, especially when the project is located in an urban area, the database output for that locality will be extensive.

In your letter, neither solid waste issues and sites nor hazardous waste issues and sites were addressed. Nor did the letter detail a search of waste-related data bases. The Waste Division staff conducted a cursory review of its data files including a GIS database search, but did not identify any waste sites that would impact or be impacted by the proposed construction.

Any soil that is suspected of contamination or wastes that are generated must be tested and disposed of in accordance with applicable Federal, State, and local laws and regulations. Some of the applicable state laws and regulations are: Virginia Waste Management Act, Code of Virginia Section 10.1-1400 et seq.; Virginia Hazardous Waste Management Regulations (VHWMR) (9VAC 20-60); Virginia Solid Waste Management Regulations (VSWMR) (9VAC 20-80); and Virginia Regulations for the Transportation of Hazardous Materials (9VAC 20-110). Some of the applicable Federal laws and regulations are: the Resource Conservation and Recovery Act (RCRA), 42 U.S.C. Section 6901 et seq., the applicable regulations contained in Title 40 of the Code of Federal Regulations; and the U.S. Department of Transportation Rules for Transportation of Hazardous materials, 49 CFR Parts 107.

Mr. Joel T. Mitchell
Natural Resources Manager
Goddard Space Flight Center
Page 3

Also, if an older structure will be demolished as part of this project, the structure should be checked for asbestos-containing materials (ACM) and lead-based paint (LBP). If they are found, in addition to the federal waste-related regulations mentioned above, State regulations 9VAC 20-80-640 for ACM and 9VAC 20-60-261 for LBP must be followed.

Finally, DEQ encourages all construction projects and facilities to implement pollution prevention principles, including the reduction, reuse, and recycling of all solid wastes generated. All hazardous wastes should be minimized.

If you have any questions or need further information, please contact Paul Kohler at (804) 698-4208.

Sincerely,

A handwritten signature in blue ink, appearing to read "P. W. Kohler".

Paul W. Kohler
Environmental Specialist II

CC: file

Hoffman, Charee

From: Bundick, Joshua A. (WFF-2500) [joshua.a.bundick@nasa.gov]
Sent: Tuesday, September 07, 2010 11:22 AM
To: Hoffman, Charee; Bartlett, Matthew E.
Cc: Silbert, Shari A. (WFF-200.C)[EG&G, Inc. (WICC)]; Mitchell, Joel T. (WFF-2500)
Subject: ESSLog# 31176_Wallops Flight Facility_Unmanned Aerial Systems Airstrip

From: Ewing, Amy (DGIF) [mailto:Amy.Ewing@dgif.virginia.gov]
Sent: Tuesday, September 07, 2010 11:20 AM
To: Bundick, Joshua A. (WFF-2500)
Cc: Boettcher, Ruth (DGIF); Fisher, John (DEQ)
Subject: ESSLog# 31176_Wallops Flight Facility_Unmanned Aerial Systems Airstrip

Joshua,

We received notice that NASA is proposing to construct and Unmanned Airstrip at the north end of the island and that you are looking for scoping comments. In response to various projects going on at Wallops over the past few years, we have provided quite a bit of information about the wildlife resources known from Wallops and what we would like to see the EA's for projects on Wallops consider. We recommend review of the comments we made regarding the SRIPP and the 2009 expansion plans at Wallops. If you need to me provide you with copies of those comments, just let me know. Below is a recap of some of the things we would like to see discussed in the EA for the new airfield.

- Relation of the airfield to the state Threatened bald eagle's nest known from the north end of the property, discussion of any impacts upon this nesting structure, physical encroachment into within 660ft of the nest, and/or any impacts construction and operation of the airfield are likely to have on the eagles using this nest, and how NASA proposes to avoid, minimize or mitigate such impacts.
- Relation of the airfield to the artificial structure used by state Threatened peregrine falcons that is located at the north end of the property, discussion of any impacts construction and operation of the airfield are likely to have on the falcons using this structure, and how NASA proposes to avoid, minimize or mitigate such impacts.
- Any impacts the construction and operation of the airfield may have on federal Endangered piping plovers known to nest on the beaches at the north end of the island and how NASA proposes to avoid, minimize or mitigate such impacts.
- Any impacts the construction and operation of the airfield may have on other shorebirds, listed and non-listed, known to nest on Virginia's barrier islands and how NASA proposes to avoid, minimize or mitigate such impacts.
- Any impacts the construction and operation of the airfield may have on marine species such as sea turtles and sea mammals known from nearby waters and how NASA proposes to avoid, minimize or mitigate such impacts.

In addition to the above, we expect the EA to include a clear description of all proposed activities for the site so that we may better understand the project and assess the impacts it may have to resources under our jurisdiction.

We recommend coordination with the USFWS and NMFS regarding any impacts upon species under their jurisdictions.

Thank you.

Amy

Amy M. Ewing
Environmental Services Biologist
Virginia Dept. of Game and Inland Fisheries
804-367-2211

2009 REPRESENTATIVE COORDINATION LETTER AND RESPONSES

APPENDIX A. 2009 REPRESENTATIVE COORDINATION LETTER AND RESPONSES

DATE	FROM	TO
June 26, 2009	Wallops Flight Facility	U.S. Fish and Wildlife Service
July 17, 2009	Navy Surface Combat Systems Center	Wallops Flight Facility
July 27, 2011	NOAA National Marine Fisheries Service	Wallops Flight Facility

National Aeronautics and Space Administration

Goddard Space Flight Center
Wallops Flight Facility
Wallops Island, VA 23337-5099



June 26, 2009

Reply to Attn of: 250.W

Mr. Lou Hinds
U.S. Fish and Wildlife Service
Chincoteague National Wildlife Refuge
P.O. Box 62
Chincoteague, VA 23336

**Subject: Request for Study Plan Review of the NASA Goddard Space Flight Center's
Wallops Flight Facility, Wallops Island, Virginia Proposed Unmanned Aerial
System Airstrip**

To satisfy its obligations under the National Environmental Policy Act and Section 7 of the Endangered Species Act of 1973, the Wallops Flight Facility (WFF) has retained Timmons Group to assist with the planning for a 5,200-foot x 75-foot airstrip on the north end of Wallops Island in Accomack County, Virginia (see Enclosure 1 Site Vicinity Map). The preparation on an Environmental Assessment (EA) is forthcoming; however, WFF is moving forward with the early scoping process. The Unmanned Aerial Systems (UAS) Airstrip is being proposed to serve NASA and NASA clients and partners for uninhabited aerial vehicles. The WFF invites your agency to participate in the scoping process. We are currently seeking your input and recommendations concerning WFF's proposed project as it pertains to the protection of Threatened and Endangered Species.

The UAS Airstrip at WFF is proposed to have a ground disturbance impact of 125 feet x 5,200 feet to accommodate the grading and surfacing of the 75-foot runway for its entire proposed length. The runway would actually be built up 2 to 3 feet above existing ground surface. There is no excavation proposed as the water table is relatively high in this area. Two 100 foot x 100 foot hangars would be constructed to service the airstrip. The existing site access road (dirt road) will be improved to service the runway and hangars. No other ground disturbance is planned for the project (see Enclosure 2 Overall View of the Project Area). Vegetation clearing for sight would be perpendicular from the edge and along the entire length of the runway fill to approximately 250 feet at a maintained height of approximately 2 feet above ground or less. An additional 500 feet of vegetation would be cleared to the same height off of each end of the runway. Additionally, vegetation beyond the 250-foot limit would be maintained to a height of approximately 5 to 10 feet.

There is the potential for the presence of several threatened and endangered species within the vicinity of the proposed project (see Table below). A loggerhead sea turtle nest was documented on the beach 1.5 miles east of the project site and piping plover nesting habitat has been delineated on Wallops Island overwash areas (see Enclosure 3 Overall View of Piping Plover Habitat). Wilson's plovers tend to nest with piping plovers. Gull-billed terns can be found on the beaches or mud flats on Wallops Island. A pair of resident peregrine falcons nests on a tower on the northwest side of Wallops Island approximate 0.7 miles from the proposed airstrip. Migrating peregrine falcons transit the Wallops Island beach during fall migration.

Threatened and Endangered Species Potentially in the Vicinity of the UAS Airstrip		
Scientific Name	Common Name	Status
<i>Dermochelys coriaces</i>	Leatherback Sea Turtle	Federally Endangered
<i>Eretmochelys imbricate</i>	Hawksbill Sea Turtle	Federally Endangered
<i>Lepidechelys kempi</i>	Kemp's Ridley Sea Turtle	Federally Endangered
<i>Chelonia mydas</i>	Atlantic Green Sea Turtle	Federally Threatened
<i>Caretta caretta</i>	Loggerhead Sea Turtle	Federally Threatened
<i>Charadrius melodus</i>	Piping Plover	Federally Threatened
<i>Charadrius wilsonia</i>	Wilson's Plover	State Endangered
<i>Haliaeetus leucocephalus</i>	Bald Eagle	State Threatened
<i>Falco peregrinus</i>	Peregrine Falcon	State Threatened
<i>Bartramia longicauda</i>	Upland Sandpiper	State Threatened
<i>Sterna nilotica</i>	Gull-billed Tern	State Threatened

To protect piping plover habitat, since 1986 WFF has closed northern and southern Wallops Island beaches to vehicle and human traffic during the plover's nesting season (March 15th through September 1st). Biologists from the U. S. Fish and Wildlife Service's (USFWS) Chincoteague National Wildlife Refuge and the U. S. Department of Agriculture's Wildlife Services monitor piping plover nesting activities and provide advice to WFF on protection and management of the species.

Currently the proposed UAS Airstrip on the northern portion of Wallops Island is greater than 3,000 linear feet from any known piping plover nest. In a memorandum dated March 14, 2003, NASA documents consultation with the USFWS concerning the UAS runway that was to be sited at the southern end of Wallops Island. The consultation was to determine the potential for construction and operation of the UAS runway to disturb piping plovers. USFWS recommended imposing a no-fly zone 1,000 feet horizontally and vertically from any active piping plover nesting site. The current proposed UAS Airstrip would be sited much farther than 1,000 feet from any known nest and UAS operations would be conducted so as to observe the same no-fly restrictions instituted on the southern end of Wallops Island.

If you have any additional questions or require more information about the project, please, contact Mr. Josh Bundick at (757) 824-2319 (Joshua.A.Bundick@nasa.gov) or myself at (757-823-1127 (Joel.T.Mitchell@nasa.gov). Thank you for your attention to this request and we look forward to receiving your comments.


Joel T. Mitchell
Environmental Engineer

3 Enclosures

cc: (w/o encl.)
200/Ms. C. Massey
228/Mr. P. Bull
228/Mr. G. Lilly
250/Mr. J. Bundick
250/Ms. C. Turner
840/Mr. J. Pittman



DEPARTMENT OF THE NAVY
SURFACE COMBAT SYSTEMS CENTER
30 BATTLE GROUP WAY
WALLOPS ISLAND, VIRGINIA 23337-5000

5090
Ser X31/ 200
17 Jul 09

NASA GSFC Wallops Flight Facility
Attn: Josh Bundick, Code 250.W
Wallops Island, Virginia 23337

Dear Mr. Bundick:

Thank you for the opportunity to review your proposal for the UAS Airstrip on the northern end of Wallops Island.

We do recommend that you seek a Section 7 consultation with the Fish & Wildlife Service Endangered Species Office. The beach on the northern end of Wallops Island has been closed to entry for a number of years during the piping plover breeding season. As noted in your current Special Announcement (May 18, 2009), "The closures are part of our continuing cooperation with the U.S. Fish and Wildlife Service (USFWS) to protect the piping plover, a federally endangered species along the Atlantic Coast." Since the area has been closed to protect an endangered species, and since the birds tend to perceive low-flying aircraft as predators, it is likely that establishing a runway in this area would have an impact on the birds. The purpose of a Section 7 consultation is to determine the extent of that impact and any mitigation that could minimize the harm.

You may also need to consider the birds breeding on the nearby Fishing Point. A variety of species have nesting colonies there. A number of them are sensitive to low-flying aircraft due to the similarity to predators. The Section 7 consultation should also address this concern.

Although not clearly addressed, the proposed buildings may include a source of light near the beach. This may affect nesting marine turtles, as well as the viewscape from Assateague Island.

Although not addressed in this point paper, we are confident that you are aware that much of this area is tidal wetlands and will require mitigation. You may also need to address the essential fish habitat located nearby, and the destruction of the dunes. This is a very dynamic area; it will be difficult to maintain the integrity of the runway on the eastern side.

Sincerely,


JOHN J. KEEGAN
Commander, U.S. Navy
Commanding Officer



UNITED STATES DEPARTMENT OF COMMERCE
National Oceanic and Atmospheric Administration
NATIONAL MARINE FISHERIES SERVICE
Habitat Conservation Division
James J. Howard Marine
Sciences Laboratory
74 Magruder Road
Highlands, New Jersey 07732

July 27, 2009

Joshua A. Bundick
NEPA Program Manager
National Aeronautics and Space Administration
Goddard Space Flight Center, Wallops Island Facility
Wallops Island, VA 23337-5099
Attn: 250.W

Dear Mr. Bundick,

This is in response to a letter dated June 26, 2009 to John Nichols, NOAA Habitat Conservation Division regarding NASA's Wallops Island Facility's proposed Unmanned Aerial Systems (UAS) Airstrip, located on the north end of Wallops Island in Accomack County, Virginia. The proposed construction of a 75 ft. wide by 5,200 ft. long runway, two (2) 100 ft. by 100 ft. hangars, improvements to an existing dirt access road, and clearing of adjacent vegetation will occur across approximately 161 acres.

In seeking to satisfy your obligations under the National Environmental Policy Act (NEPA) and Section 7 of the Endangered Species Act (ESA) of 1973, your office requested and received comments regarding the proposed UAS's potential to adversely affect listed species from Mary Colligan, NOAA Fisheries Service, Protected Resources Division (PRD). At this time, NOAA Fisheries Service, Habitat Conservation Division (HCD) appreciates the opportunity to also provide input and recommendations during the scoping process in preparation of the forthcoming environmental assessment (EA) for this project.

As you know, NOAA Fisheries Service, Habitat Conservation Division (HCD) reviews projects with regards to the project's potential to adversely affect essential fish habitat (EFH), and provides comments and conservation recommendations to state and federal regulatory agencies pursuant to the Magnuson-Stevens Fishery Conservation and Management Act (MSA), as amended by the Sustainable Fisheries Act of 1996 (Public Law 104-297; 11 October 1996) and the Fish and Wildlife Coordination Act (48 Stat. 401, as amended; 16 U.S.C 661 et seq.). Section 305(b)(2) of the MSA requires all Federal agencies to consult with NOAA Fisheries Service on any action authorized, funded, or undertaken by that agency that may adversely affect EFH. This includes activities authorized or permitted by the U.S. Army Corps of Engineers, such as construction of the proposed UAS airstrip and supporting infrastructure at Wallops Island.

The EFH consultation process includes the preparation of a complete and appropriate EFH assessment to provide the necessary information on which NOAA Fisheries Service then



consults. Our EFH regulation at 50 CFR 600.905 mandates the preparation of EFH assessments and generally outlines each agency's obligations in this consultation procedure. In accordance with the EFH Final Rule published in the Federal Register on January 17, 2002, Federal agencies may incorporate an EFH assessment into documents prepared for another purpose, such as the forthcoming environmental assessment (EA) being prepared for the Wallops Island UAS project, provided the EFH assessment is clearly identified as a separate and distinct section of the document. The EFH assessment must include four major elements: 1) a description of the proposed actions; 2) an analysis of the effects of the actions on EFH, managed species and their prey species; 3) the Federal agency's views regarding the effects of the action on EFH, and; 4) a discussion of proposed mitigation, if applicable. Other information that should be included in the EFH assessment, if appropriate, includes: 1) the results of on-site inspections to evaluate the habitat and site-specific effects; 2) the views of recognized experts on the habitat or species that may be affected; 3) a review of pertinent literature and related information; and 4) an analysis of alternatives to the action that could avoid or minimize the adverse effects on EFH. Additional information on EFH consultation process and the development of EFH assessments can be found at NOAA's Northeast Region HCD website: <http://www.nero.noaa.gov/hcd/>

Though it is difficult to quantify potential impacts to wetlands and essential fish habitat based on the scale of the figures appended to your letter of June 26, 2009, it appears that the majority of the proposed UAS project area is located in sensitive terrestrial and aquatic habitats including palustrine forested wetlands (PFO), palustrine scrub-shrub wetlands (PSS), palustrine open water (POW), intertidal estuarine emergent wetlands (EEM) and estuarine subtidal open water (ESOW). Intertidal emergent wetlands such as smooth cordgrass (*Spartina alterniflora*) marshes and nonvegetated intertidal flats provide important breeding, nursery, forage and refuge habitat for the various life stages of numerous federally managed fish species and their prey.


Based on information provided in your letter of June 26, 2009, the UAS airstrip was originally proposed to be located on the southern end of Wallops Island. However, ESA Section 7 consultation with U.S Fish and Wildlife Service (USFWS) regarding the Federally Threatened piping plover (*Charadrius melodus*) resulted in USFWS recommendations for a 1,000 ft. vertical and horizontal no-fly zone from any active piping plover nesting site. We assume that the currently proposed northern location of the UAS is in response to the presence of active piping plover nests on the southern end of the island and the operational constraints the USFWS no-fly zone recommendations would place on the UAS.

The NEPA process requires that a thorough alternatives analysis be conducted for Federal undertakings to evaluate the least environmentally damaging practicable alternative. Please include an alternatives analysis, including potential off-island locations for the UAS, in the EA along with a description of any measures employed during the planning phase of the project to avoid and minimize impacts to waters of the U.S. (WOUS), including tidal and non-tidal wetlands, as required under the Clean Water Act's (CWA) Section 404 (b)(1) guidelines. Typically, permitting agencies require compensation for unavoidable impacts to wetlands. Compensation for unavoidable loss of wetlands is supported by NOAA Fisheries Service HCD to compensate for the lost ecological services provided by these ecologically important habitats.

Thank you for the study plan review of the NASA Goddard Space Flight Center's Wallops Island

Flight Facility's proposed Unmanned Aerial System (UAS) airstrip and the opportunity to comment on issues and concerns under the purview of NOAA Fisheries Service's Habitat Conservation Division. Pursuant to the coordination requirements for Federal agencies under Section 305(b)(2) of the MSA, NOAA Fisheries Service requests that the NASA prepare an EFH assessment for the proposed UAS for inclusion in the forthcoming EA. Within 30 days following the submittal of an EFH assessment, NOAA Fisheries will review the assessment for completeness and will evaluate the proposed project's potential to adversely affect EFH, managed species and their prey species. At that time NOAA Fisheries Service may provide conservation recommendations to NASA designed to help avoid and minimize project impacts or to compensate for unavoidable impacts to EFH, managed species and their prey species. NOAA Fisheries Service reserves the right to raise additional concerns in the future as new information regarding the design, materials, and methods to be used in the construction of the UAS become available. Please contact Mr. David O'Brien of our Gloucester Point, VA field office at 804-684-7828 (David.L.O'Brien@noaa.gov) if you have any questions or concerns regarding the EFH consultation process.

Sincerely,


Stanley W. Gorski
Field Offices Supervisor

Cc: John Nichols, HCD
Carol Petrow, EPA
Robert Hume, Corps

APPENDIX B

BIOLOGICAL ASSESSMENT

APPENDIX B. BIOLOGICAL ASSESSMENT

DATE	FROM	TO
July 13, 2009	NOAA National Marine Fisheries Service	Wallops Flight Facility
August 24, 2010	NOAA National Marine Fisheries Service	Wallops Flight Facility
June 10, 2011	Wallops Flight Facility	U.S. Fish and Wildlife Services
September 22, 2011	U.S. Fish and Wildlife Services	Wallops Flight Facility
June 2011	Draft Biological Assessment for the Wallops Flight Facility Unmanned Aerial Systems Airstrip	



UNITED STATES DEPARTMENT OF COMMERCE
National Oceanic and Atmospheric Administration
NATIONAL MARINE FISHERIES SERVICE
NORTHEAST REGION
55 Great Republic Drive
Gloucester, MA 01930-2276

JUL 13 2009

Joshua A. Bundick
National Aeronautics and Space Administration
Goddard Space Flight Center
Wallops Flight Facility
Wallops Island, Virginia 23337
Attn: 250.W

Dear Mr. Bundick,

This is in response to your letter dated June 26, 2009 regarding the National Aeronautics and Space Administration's (NASA) Goddard Space Flight Center's Wallops Flight Facility's proposed Unmanned Aerial Systems Airstrip, located on the north end of Wallops Island in Accomack County, Virginia. The proposed work would have a ground disturbance impact of 125 feet x 5,200 feet to accommodate the grading and surfacing of the 75-foot runway for its entire proposed length. Work proposed includes: construction of two 100 foot x 100 foot hangars; improvement of the existing site access roads; and clearing of vegetation.

Several species of sea turtles listed by NOAA's National Marine Fisheries Service (NMFS) as threatened and endangered occur seasonally in the coastal waters of Virginia. However, as no in water work is proposed, no listed species will be affected by the proposed project. As such, no consultation pursuant to Section 7 of the Endangered Species Act of 1973, as amended, is required. Should project plans change or new information become available that changes the basis for this determination, consultation should be reinitiated. If you have any questions about these comments, please contact Danielle Palmer at (978)282-8468.

Sincerely,

Mary A. Colligan
Assistant Regional Administrator
for Protected Resources





UNITED STATES DEPARTMENT OF COMMERCE
National Oceanic and Atmospheric Administration
NATIONAL MARINE FISHERIES SERVICE
NORTHEAST REGION
55 Great Republic Drive
Gloucester, MA 01930-2276

AUG 24 2010

Joel T. Mitchell
National Aeronautics and Space Administration
Goddard Space Flight Center
Wallops Flight Facility
Wallops Island, Virginia 23337
Attn: 250.W

Dear Mr. Mitchell,

This is in response to your letter dated July 14, 2010 regarding the National Aeronautics and Space Administration's (NASA) Goddard Space Flight Center's Wallops Flight Facility's proposed Unmanned Aerial Systems Airstrip, located on the north end of Wallops Island in Accomack County, Virginia.

Several species of sea turtles listed by NOAA's National Marine Fisheries Service (NMFS) as threatened and endangered occur seasonally in the coastal waters of Virginia. However, as no in water work is proposed, no listed species will be affected by the proposed project. As such, no consultation pursuant to Section 7 of the Endangered Species Act of 1973, as amended, is required. Should project plans change or new information become available that changes the basis for this determination, consultation should be reinitiated. If you have any questions about these comments, please contact Danielle Palmer at (978)282-8468.

Sincerely,

Mary A. Colligan
Assistant Regional Administrator
for Protected Resources



National Aeronautics and
Space Administration

**Goddard Space Flight Center
Wallops Flight Facility
Wallops Island, VA 23337**



Reply to Attn of: 250.W

June 10, 2011

Ms. Cindy Schulz
Virginia Field Office
U.S. Fish and Wildlife Service
6669 Short Lane
Gloucester, Virginia 23061

Dear Ms. Schulz:

In accordance with Section 7(c) of the Endangered Species Act of 1973 (ESA), the National Aeronautics and Space Administration (NASA) has prepared a Biological Assessment for the construction and operation of an Unmanned Aerial Systems (UAS) Airstrip at Goddard Space Flight Center's Wallops Flight Facility (WFF) on the north end of Wallops Island in Accomack County, Virginia. Three copies of the Biological Assessment are enclosed with this letter.

NASA has determined that the proposed UAS airstrip will not contribute to the future listing of the candidate species, red knot. The project may affect but is not likely to adversely affect the piping plover and will have no effect on the loggerhead sea turtle. Please consider this correspondence as NASA's request to begin formal consultation pursuant to the ESA. NASA respectfully requests that your agency's Opinion be provided within 135 days of receiving this correspondence.

If you have any questions or require any additional information please contact me at (757) 824-1127, or Ms. Shari Silbert at (757) 824-2327.

Sincerely,

A handwritten signature in cursive script that reads "Joel Mitchell".

Joel Mitchell
Natural Resources Program Manager

Enclosures

cc:
200/Ms. C. Massey
228/Mr. P. Bull
250/Mr. E. Connell
250/Ms. C. Turner
802/Mr. M. Hitch

DRAFT

**BIOLOGICAL ASSESSMENT
WALLOPS FLIGHT FACILITY
UNMANNED AERIAL SYSTEMS AIRSTRIP**

Prepared for:



National Aeronautics and Space Administration
Goddard Space Flight Center
Wallops Flight Facility

**WALLOPS ISLAND, VIRGINIA
JUNE 2011**

(This page intentionally left blank)

TABLE OF CONTENTS

CHAPTER 1 PROJECT OVERVIEW1-1

1.1 INTRODUCTION 1-1

1.2 PROJECT AREA AND SETTING 1-1

1.3 PROJECT NEED..... 1-1

1.4 PROJECT DESCRIPTION 1-7

1.5 GENERAL CONSERVATION MEASURES..... 1-11

1.6 CONSULTATION HISTORY 1-13

CHAPTER 2 EXISTING CONDITIONS2-1

2.1 ACTION AREA 2-1

2.2 ECOLOGICAL CLASSIFICATION OF NORTH WALLOPS ISLAND 2-1

CHAPTER 3 LISTED SPECIES THAT MAY BE AFFECTED BY THE PROPOSED ACTION.....3-1

3.1 LISTED SPECIES OVERVIEW 3-1

3.2 SEABEACH AMARANTH 3-4

3.3 NORTHEAST BEACH TIGER BEETLE..... 3-5

3.4 LOGGERHEAD SEA TURTLE 3-5

3.5 RED KNOT 3-6

3.6 PIPING PLOVER..... 3-7

3.7 DELMARVA PENINSULA FOX SQUIRREL 3-7

CHAPTER 4 ANALYSIS OF EFFECTS TO LISTED SPECIES4-1

4.1 APPROACH TO ANALYSIS 4-1

4.2 EFFECTS TO LISTED SPECIES 4-1

4.3 LOGGERHEAD SEA TURTLE 4-1

4.4 RED KNOT 4-2

4.5 PIPING PLOVER..... 4-3

CHAPTER 5 CUMULATIVE IMPACTS.....5-1

CHAPTER 6 CONCLUSION6-1

CHAPTER 7 REFERENCES.....7-1

APPENDIX A WALLOPS ISLAND PROTECTED SPECIES MONITORING PLANA-1

List of Figures

Figure 1. Location of NASA’s Wallops Flight Facility1-2

Figure 2. NASA Controlled/Restricted Airspace R-6604A/B and Location of the Existing and Proposed UAS Airstrip1-3

Figure 3. Initial UAS Airstrip (2003)1-4

Figure 4. Expanded UAS Airstrip (2005).....1-4

Figure 5. UAS Currently Operating and Proposed for Future Operations at WFF1-5

Figure 6. South Wallops Island UAS Airstrip after a Storm1-6

Figure 7. Representative View of the Proposed UAS Airstrip1-8

Figure 8. Nest and Sighting Locations on Wallops Island.....3-2

List of Tables

Table 1. UAS Operating and Proposed for Operations on Wallops Island.....1-4

Table 2. Federally Listed Threatened and Endangered Species Known to Occur in the Region.....3-3

Table 3. Summary of Findings for Federally Listed Threatened and Endangered Species under the Jurisdiction of the USFWS.....6-1

ACRONYMS AND ABBREVIATIONS

AGL	above ground level
cm	centimeters
dB	decibel
DNL	Day-Night Average Sound Level
ESA	Endangered Species Act
FAA	Federal Aviation Administration
ft	feet
GTM	Generic Transport Model
in	inch
JP	jet propellant
km	kilometer
L _{max}	Maximum Level
m	meters
NMFS	National Marine Fisheries Service
SEL	Sound Exposure Level
UAS	unmanned aerial systems
USACE	U.S. Army Corps of Engineers
USFWS	U.S. Fish and Wildlife Service
VACAPES OPREA	Virginia Capes Operating Area
VDEQ	Virginia Department of Environmental Quality
VDGIF	Virginia Department of Game and Inland Fisheries
WFF	Wallops Flight Facility

(This page intentionally left blank)

CHAPTER 1 PROJECT OVERVIEW

1.1 INTRODUCTION

NASA Goddard Space Flight Center owns and operates Wallops Flight Facility (WFF). The mission of WFF is to support aeronautical research, science technology, and education. WFF provides NASA and other U.S. government agencies as well as foreign and commercial organizations access to resources such as special use (i.e., controlled/restricted) airspace, airstrips, launch pads, and the technical expertise and project oversight to conduct a wide-variety of scientific research in a low-cost environment. Much of the research at WFF is conducted via various carrier systems such as rockets, balloons, and unmanned aerial systems (UAS).

1.2 PROJECT AREA AND SETTING

WFF is located in the northeast portion of Accomack County, Virginia on the Delmarva Peninsula. The facility is comprised of three separate land masses: Main Base, Wallops Mainland, and Wallops Island (Figure 1). NASA Goddard Space Flight Center's Suborbital and Special Orbital Projects Directorate is responsible for management of Wallops Research Range located on Wallops Island. The Research Range is where the majority of scientific research launch activities occur. To support suborbital missions, restricted airspace R-6604A/B was established through the Federal Aviation Administration (FAA). Restricted airspace is established when it is determined necessary to confine or segregate activities considered hazardous to nonparticipating aircraft (14 Code of Federal Regulation Part 1.1). R-6604A/B, owned and operated by WFF, is available 24 hours a day, 7 days a week from the surface to unlimited altitude. This restricted airspace covers the entirety of Wallops Island and extends over the Atlantic Ocean for approximately 5.0 kilometers (km) (3 miles) (Figure 2).

UAS launch operations, which require restricted airspace, are an important business at WFF. UAS perform a wide variety of functions; the majority of these functions are some form of remote sensing (e.g., atmospheric monitoring and testing, hurricane analysis, etc.). Due to the temperate climate in the region, commercial UAS manufacturers and others come from around the world to WFF to conduct product trials, pilot training, and science missions from a UAS airstrip located on the south end of Wallops Island (Figure 2).

1.3 PROJECT NEED

Since 2003, UAS have been operating from an airstrip on a then remote portion of south Wallops Island. The airstrip (Figure 3), formerly a paved road, measured 230 meters (m) long by 15 m wide (750 feet [ft] long by 50 ft wide). In 2005, the airstrip was expanded to accommodate larger classes of UAS. The airstrip was lengthened to 450 m (1,500 ft); two staging pads were also added (Figure 4). While this airstrip met an immediate and emerging need, the location has proven to be unsatisfactory for continued UAS flight operations.



Figure 1. Location of NASA's Wallops Flight Facility




Figure 2. NASA Controlled/Restricted Airspace R-6604A/B and Location of the Existing and Proposed UAS Airstrip




Figure 3. Initial UAS Airstrip (2003)



Figure 4. Expanded UAS Airstrip (2005)

The most common and largest UAS that currently operate from the south Wallops Island airstrip are shown in Table 1 and provided in Figure 5. As shown in Table 1, the Viking 100 and 300 models require a 450 m (1,500 ft) airstrip for safe takeoff and landing and are therefore the largest UAS capable of operating from the existing airstrip. The Viking 400 is proposed for future operations at WFF.

Table 1. UAS Operating and Proposed for Operations on Wallops Island

<i>Model</i>	<i>Wingspan (meters/feet)</i>	<i>Length (meters/feet)</i>	<i>Maximum Weight with Payload (kilogram/pounds)</i>	<i>Takeoff/Landing Minimum Requirement (meters/feet)</i>
Aerosonde ¹	3.0 / 9.5	1.5 / 5.6	14 / 30	none
GTM AirSTAR ²	2.0 / 7.0	2.5 / 8.0	23 / 50	450 / 1,500
Viking 100 ³	4.5 / 15.0	2.5 / 8.0	68 / 150	450 / 1,500
Viking 300 ³	5.5 / 17.5	4.0 / 13.5	144 / 318	450 / 1,500
Viking 400 ³	6.0 / 20.0	4.5 / 14.7	240 / 530	760 / 2,500
Exdrone ⁴	3.0 / 9.5	2.0 / 6.2	2 / 6	100 / 300
Scan Eagle ⁵	3.0 / 9.5	2.0 / 5.6	2 / 6	10 / 30
Shadow 200 ⁶	6.0 / 20.0	4.0 / 12.0	4 / 12	30 / 500
Blimp (tethered)	2.0 / 7.0	7.0 / 23.0	7 / 23	none

Notes: ¹ Manufactured by Aerosonde. ² GTM (Generic Transport Model) AirSTAR is manufactured by NASA Langley Research Center. The GTM is similar to an upscale model airplane and is the smallest of the UAS piloted at WFF. ³ Manufactured by L3 BAI Systems. ⁴ Launched via catapult; stopped by chute or skid. ⁵ Launched via catapult; stopped via SkyHook. ⁶ Launched via catapult; wheel landing.




Figure 5. UAS Currently Operating and Proposed for Future Operations at WFF

In recent years, however, WFF has determined that the size and location of the existing airstrip has placed limitations on its use, constraining opportunities for scientific testing and research at WFF. Limitations on use of the existing UAS airstrip are outlined below:

- The airstrip has a north/south orientation making it susceptible to (east/west) cross winds. Due to the small size and light weight of most UAS, strong east/west winds often preclude and/or limit UAS operations. Historical wind data for Wallops Island indicates that winds are generally from the west/northwest or east/southeast directions (NASA 2010a).

- During storm events, the existing airstrip is often inundated with surf and sand. Severe beach erosion from hurricanes and nor'easters (as evident in Figure 6) has virtually eliminated the beachfront and dunes that provided protection in the past. Although, WFF is in the process of restoring the Wallops Island shoreline (NASA 2010b), the beach restoration project will not prevent storm driven flood waters from the back bays from inundating the existing UAS airstrip.
- WFF's rocket launch program has expanded with the current construction of a new launch pad north of the UAS airstrip. Mandatory safety constraints from increased rocket launch activities at the nearby Mid-Atlantic Regional Spaceport are anticipated to further reduce UAS research opportunities. The airstrip is inactivated prior to and immediately following rocket launch activities and static test firing of the rocket engines. Approximately 18 orbital launches, 60 sounding rockets, and 2 static test firing of rockets will occur each year (NASA WFF 2009a). Each of these activities has the potential to reduce opportunities for UAS flight operations.
- The existing airstrip (450 m [1,500 ft] long) would not be capable of supporting the next generation of Viking UAS; the Viking 400 would require, at a minimum, 760 m (2,500 ft) long airstrip for take-offs and landings; an additional 75 m (250 ft) clearance zone on each end would provide for safe operations.



Figure 6. South Wallops Island UAS Airstrip after a Storm

Based on the limitations presented, the requirement to operate UAS in restricted airspace, and NASA Goddard Space Flight Center's Suborbital and Special Orbital Projects Directorate's mission to provide the infrastructure and support services for scientific research and discovery, NASA has determined the need to construct a new UAS airstrip on the north end of Wallops Island.

1.4 PROJECT DESCRIPTION

As described above, WFF has determined that a new airstrip is needed to provide an adequately-sized facility that will be capable of supporting the testing and deployment of existing and future UAS and UAS-based scientific instruments at WFF. UAS test and UAS-based research opportunities form an important objective of NASA Goddard Space Flight Center's Suborbital and Special Orbital Projects Directorate and as such, this type of mission need requires an unencumbered operating environment. The new airstrip will have an asphalt surface and will measure approximately 900 m (3,000 ft long [2,500 ft plus an additional 500 ft clear zone]) by 25 m (75 ft) wide. Figure 7 offers a representative plan view of the proposed airstrip.

Design

The UAS airstrip will incorporate typical aircraft airstrip design elements such as the necessary airstrip length, width, shoulders, and clear zone. The length and width of the airstrip will be the minimum required to support the takeoff/landing requirements of the largest UAS proposed (i.e., Viking 400) for operations at the airstrip. The unpaved shoulders of the airstrip will provide passage of maintenance or other vehicles and the occasional UAS that could veer of course. The clear zones will extend beyond the end of the airstrip and will provide additional area for takeoff operations. The airstrip will be designed to ensure that the surface area is flat, without humps, depressions, or other surface variations and the shoulders of the airstrip will be sloped to direct water to an infiltration trench.

Construction

Prior to the start of construction activity, silt fencing and other approved measures to control erosion, sedimentation, stormwater runoff, and the integrity of a known archaeological site will be put in place. Following these control measures, two structures (metal observation tower and wood frame observation platform) located within the project area will be removed. The area comprising the base and clearing limits of the airstrip will be cleared of all vegetation. Vegetation alongside the length (out to 30 m [100 ft] on each side) of the airstrip will be cleared. Trees will be cut to ground level; digging below ground to remove stumps and roots is not anticipated since the area for the airstrip will be elevated with up to 1 m (3 ft) with fill in most areas. The site will then be filled, compacted, and graded to design specifications prior to application of the asphalt.

Construction of the UAS airstrip will affect approximately 5.3 hectares (13 acres) of vegetated areas from clearing and approximately 1.2 hectares (3 acres) of jurisdictional wetlands from fill activities. The appropriate permits for construction in a wetland area will be obtained prior to commencement of construction activities. Additionally, WFF will submit an infiltration trench design plan to Virginia Department of Environmental Quality (VDEQ) and U.S. Army Corps of Engineers (USACE) for review and approval.




Figure 7. Representative View of the Proposed UAS Airstrip

The UAS airstrip will need to be elevated approximately 1 m (3 ft) above the existing ground surface to ensure sufficient surface water runoff for UAS operations. An infiltration trench will be constructed to capture the surface water runoff; the trench will incorporate low impact development techniques and will be constructed in accordance with Virginia stormwater management regulations and VDEQ standards for pre- and post-development stormwater discharge rates.

A staging pad for aircraft and support vehicles (i.e., government vehicles, fire truck, mobile command station, and road sweeper) in preparation for and during flight operations will be located just below the point where the access road meets the airstrip. Crushed gravel will be used to improve the existing dirt access road that provides service to the northernmost end of Wallops Island. Infrastructure improvements to provide electrical and telecommunication service will be implemented.

WFF anticipates construction of the UAS airstrip will begin in fiscal year 2013 and require approximately 9 months to complete. Construction activities will occur during daylight hours.

Maintenance

UAS operators require a clear line of sight during take-offs and landings; therefore, vegetation alongside the length (out to 30 m [100 ft] on each side with some variations) of the airstrip will be maintained via mowing and simple mechanical tools, as needed, throughout the year. Beyond the ends of the airstrip, the vegetation height will also be maintained in order to provide the necessary line of sight for UAS operators. Clearing around the known archaeological site will be done in accordance with a plan approved by the Virginia Department of Historic Resources.

Operations

UAS and UAS-based operations will be conducted year round during NASA's normal Air Traffic Control tower hours (Monday through Friday, 7 AM to 5 PM). From 2007 to 2009, annual UAS operations varied between 70 and 130 sorties¹ (personal communication, Justis 2010). Under this proposal, WFF intends to conduct on average, four UAS sorties each day. A maximum of 1,040 UAS sortie operations² will occur each year. This total will include the transition of UAS flight operations from the south Wallops Island airstrip. The number and frequency of operations will be dictated by the type of UAS test and UAS-based research being conducted in a given year.

Night operations are probable and will take place under special circumstances (e.g., hurricane monitoring). The airstrip will have no permanent lighting; should lighting be required for the rare nighttime operation, the lighting will be provided via mobile vehicle source at the minimum intensity necessary for task performance.

UAS will operate within the existing NASA controlled/restricted airspace (R-6604A/B) and within the Virginia Capes Operating Area (VACAPES OPREA), the Navy's offshore training area (Figure 2). UAS from WFF will not operate over Chincoteague Island, Assateague Island National Seashore, or over any populated areas. Aside from takeoff and landing, the minimum operating altitude for UAS operating near the airstrip will be approximately 150 m (500 ft).

¹ A sortie consists of a single UAS flight operation from takeoff through landing.

² A sortie operation applies to flight activities outside of the airfield/airstrip space environment.

UAS Community Operational Noise Levels

Of the UAS currently operating and proposed for operations at the new UAS airstrip, the Viking 3 00 has been determined to be the loudest of the unmanned systems. The noise level³ of the Viking 3 00 is 70 dB at 300 m (1,000 ft) flight altitude at 100 km per hour (56 knots) (this is maximum level (L_{max}) occurring during the flyover). For aircraft fly overs at these speeds, the Sound Exposure Level (SEL)⁴ is approximately 10 decibels (dB) greater than the maximum level, which would give an estimated SEL value of 80 dB for a 300 m (1,000 ft) flyover. A 150 m (500 ft) minimum cruise altitude near the airstrip is proposed. The reduction of the altitude by a factor of 2 would increase the SEL by 3 dB⁵. Thus, the estimated SEL underneath the flight track near the airstrip at 150 m (500 ft) would be approximately 83 dB.

Under the Proposed Action, it is projected that the average operational day would consist of no more than four UAS sorties, which means eight operations per day (one sortie equals one departure and one arrival). UAS sorties would occur during daylight hours, with the potential for an occasional nighttime operation taking place under special circumstances (e.g., hurricane monitoring). Therefore, an estimated maximum Day-Night Average Sound Level (DNL)⁶ value underneath the flight track is calculated using the following formula:

$$DNL = SEL + 10 \cdot \log(\text{Number of passes}) - 49.4$$

Using this formula, a maximum DNL for UAS operations under this proposal would be:

$$DNL = 83 \text{ dB SEL} + 10 \cdot \log(8) - 49.4 = DNL 43 \text{ dB}$$

This level is very low and is actually 10 dB below the ambient levels of DNL 52.5 dB (Downing 2011). These calculations indicate that UAS operations at the new airstrip would not create significant noise levels in the surrounding areas, assuming operational parameters remain as projected.

³ Sound Level is the amplitude (level) of the sound that occurs at any given time. When an aircraft flies by, the level changes continuously, starting at the ambient (background) level, increasing to a maximum as the aircraft passes closest to the receiver, then decreases to ambient as the aircraft flies into the distance. Sound levels occur on a logarithmic decibel scale; a sound level that is 10 dB louder than another will be perceived as twice as loud.

⁴ SEL accounts for both the maximum sound level and the length of time a sound lasts. SEL does not directly represent the sound level heard at any given time, but rather provides a measure of the total sound exposure for an entire event.

⁵ SEL values are analogous to a line source which has a distance variation of 3 dB per doubling, whereas L_{max} variation with distance follows a point source which is 6 dB per doubling of distance.

⁶ DNL is a noise metric combining the levels and durations of noise events, and the number of events over a 24-hour time period. It is a cumulative average, computed over a given time period like a year, to represent total noise exposure.

UAS Proposed for Operations

A representative list of UAS that currently operate and are proposed for operations has been provided (refer to Table 1). The Viking 400 would be the largest UAS authorized to operate from the proposed airstrip. The Viking 400 has a 6 m (20 ft) wingspan, is 4.5 m (14.7 ft) in length, and has a maximum weight of 240 kilograms (530 pounds). The minimum length for takeoff and landing the Viking 400 is 760 m (2,500 ft).

UAS Operators

UAS operators are and will remain responsible for transporting their respective aircraft to and from WFF; operators are not provided storage or maintenance space while on the installation. On average, a UAS operations team will consist of three people who will remain in the local area for up to two weeks. Additionally, WFF range safety personnel, consisting of up to three persons will remain on site during UAS operations. If the UAS airstrip will be used as a base for NASA scientific instrumentation, up to two NASA science personnel will also be present to monitor the instrument's functionality. UAS will be controlled by the operator via a truck-mounted mobile command center or a hand-held control switch, depending on the type of UAS being operated. Operators will be required to maintain a clear line of sight for UAS take-offs and landings. WFF will not permit UAS to be remotely controlled unless prior approval by WFF Range Safety Office was provided. With the exception of the Aerosonde listed above, UAS operating from the airstrip will be fueled with a common jet propellant (JP). JP-5 is the most frequently used fuel for turbine engines. This fuel will not be stored on site; each UAS operator will be responsible for transporting and dispensing fuel for each day's use. The average UAS operating from WFF will hold approximately 11 liters (3 gallons) of JP-5 fuel.

1.5 GENERAL CONSERVATION MEASURES

Provided below is a summary of considerations and mitigation measures for sensitive biological resources that WFF has incorporated into the planning, design, and operation of the new UAS airstrip. These more general conservation measures help to avoid and minimize impacts to all species being covered by this biological assessment; species-specific conservation measures are discussed separately for each species in Chapter 3.

1. In 2009, WFF proposed to construct a 1,600 m (5,200 ft) long by 25 m (75 ft) wide UAS airstrip in the north end of Wallops Island at the location currently proposed. Coordination letters were sent to Federal and state agencies providing a brief description of the proposal. After careful consideration, WFF determined that a smaller UAS airstrip will meet their overall need. As such, the original proposed airstrip has been reduced by 42% in length, placing it further inland away from the coastal dunes and beaches, and thus lessening potential impacts on species using those habitats.
2. WFF has chosen to construct the shortest airstrip possible necessary to accommodate all UAS types. The Viking 400 will be the largest UAS that would be authorized to operate from the new airstrip.
3. The proposed airstrip is now sited to minimize encroachment of the existing bald eagle nest. The eastern end of the airstrip is now approximately 215 m (700 ft) from the recently active nest, and

the clear zones that will be annually maintained now only encroach tangentially on the previously required 200 m (660-ft) nest site buffer.

4. Prior to the start of construction activity, silt fencing and other approved measures to control erosion and sedimentation will be installed. After completion of construction, all barren and exposed soil surfaces will be revegetated using native grass seed mixtures following a site-specific Sediment and Erosion Control Plan that WFF will design and oversee its implementation.
5. In accordance with State of Virginia stormwater management standards for pre- and post-development stormwater discharge rates, an infiltration trench will be constructed to capture the surface water runoff from the airstrip and all other developed, impervious surfaces; low impact development methods will be incorporated into the trench allowing stormwater to infiltrate directly from the trench.
6. Clear zones on either side of the airstrip (out to 30 m [100 ft] on each side with some variations) and at either ends are required to maintain clear lines-of-sight per safety standards. Vegetation within clear zones will be maintained in a minimally intrusive manner via mowing and simple mechanical tools, as needed, throughout the year.
7. UAS operating from the airstrip would be fueled with a common JP. JP-5 is the most frequently used fuel for turbine engines. In order to minimize any potential spills of hazardous materials, jet fuel will not be stored on site; instead, each UAS operator will be responsible for transporting fuel to the site, dispensing fuel for each day's use, and then transporting fuel offsite. All personnel involved in transporting and dispensing fuel will be trained on how to implement WFF's Integrated Contingency Plan prior to handling fuel onsite.
8. There will be no permanent lighting at the new airstrip. Any temporary lighting that may be necessary during UAS operations will be of the minimum intensity necessary to perform the required function and will be designed so that it is shielded and/or cast downwards. Because nighttime UAS operations will be very infrequent, and any light that is needed will be shielded and downward cast, the potential impact from nighttime safety lighting at the airstrip will be negligible.
9. Besides being infrequent, nighttime operations of UAS will not result in impacts from aircraft safety lighting potentially illuminating beachfront areas. UAS will be operating within the existing NASA controlled/restricted airspace (R-6 604A/B) and within the Navy's VACAPES OPAREA, both of which are restricted airspace so standard FAA aircraft safety lighting requirements do not apply.
10. A minimum cruise altitude will be mandated as UAS fly over the beach areas, and maximum angles of ascent and descent will be used for UAS takeoffs and landings. Although, minimum cruise altitudes over the airstrip and beach/land areas may be as low as 150 m (500 ft) above ground level, UAS operators will be instructed to maintain an altitude of 305 m (1,000 feet) over protected species. Trajectories will be included in each UAS flight profile/plan.
11. UAS operators will be instructed not to use flight paths that run parallel to the beaches.
12. The existing threatened and endangered species monitoring/reporting program will continue. A summary of the program's objectives, methodologies, and reporting forms for the coming year

(2011) can be found in Appendix A – “*Wallops Island Protected Species Monitoring Plan, February 2011.*” Per the program’s protocols, should listed species (e.g., piping plovers, red knot, sea turtles) or their nests be found on the beach directly under the primary UAS flight paths, UAS operators will be directed to use alternate flight paths, or to temporarily shut down flight operations.

1.6 CONSULTATION HISTORY

NASA is the proponent for the North Wallops Island airstrip and is the lead agency for preparation of the corresponding Environmental Assessment. The USACE is a cooperating agency. As defined in 40 CFR §1508.5, a cooperating agency....

means any Federal agency other than a lead agency which has jurisdiction by law or special expertise with respect to any environmental impact involved in a proposal (or a reasonable alternative) for legislation or other major Federal action significantly affecting the quality of the human environment.

USACE is a cooperating agency because they possess regulatory authority and specialized expertise pertaining to the location of the Proposed Action. Under Section 404 of the Clean Water Act, the USACE has jurisdiction over the disposal of dredged and fill material in Waters of the U.S.

Because of the project’s potential to affect federally listed species under the jurisdiction of the U.S. Fish and Wildlife Service (USFWS), WFF sent a project scoping letter to the USFWS Virginia Field Office on July 14, 2010, requesting any early project-related comments and potential concerns. Informal USFWS consultation began with a teleconference held on January 26, 2011, which was attended by Mr. Mike Drummond of the USFWS Virginia Field Office. Mr. Drummond requested that he be provided with a more focused project description, as well as a list of any avoidance and minimization measures that may have already been incorporated into the project design and operational phases. Mr. Drummond also requested that, in addition to the species list he was provided, that the biological assessment also consider potential impacts to red knot (*Calidris canutus*), nesting loggerhead sea turtles (*Caretta caretta*), and evaluate the potential for Delmarva fox squirrel (*Sciurus niger cinereus*) and tiger beetle (*Tetracha virginica*) to be present on Wallops Island.

(This page intentionally left blank)

CHAPTER 2 EXISTING CONDITIONS

2.1 ACTION AREA

The action area is the geographic area in which project effects could be experienced by listed species. The area of effect for the construction of the new UAS airstrip includes the airstrip footprint, access road upgrade, and areas underlying the approach and takeoff zones at either end of the airstrip. The coastal communities over which UAS will traverse during takeoffs and on approach during landings are included because of potential indirect effects of visual and noise disturbance produced by overflying UAS. There are four distinct ecological communities included within the action area: 1) uplands, 2) non-tidal emergent and scrub-shrub wetlands, 3) estuarine intertidal emergent wetlands, and 4) coastal habitats (i.e., dunes, inter-dune swales, beaches, and nearshore waters). Due to varying degrees of human disturbance and the influence of invasive species within the project area, the quality of these habitats varies significantly throughout the site.

2.2 ECOLOGICAL CLASSIFICATION OF NORTH WALLOPS ISLAND

The western portion of the project area, identified as the area to the west of North Seawall Road, is dominated by tidal marsh which transition into smaller areas of palustrine emergent and scrub-shrub wetlands. Scrub-shrub uplands are located between the tidal and non-tidal wetland complexes located to the north and south. The eastern portion of the project area contains a larger percentage of forested and scrub-shrub uplands than the western portion. Palustrine emergent wetlands are more prevalent to the north of North Seawall Road while palustrine scrub-shrub wetlands are prevalent to the south of the road. The following descriptions generally depict the habitats encountered while transiting from the drier, more central portions of the island seaward to the inshore waters of the Atlantic Ocean.

Forested Uplands

The majority of the forested upland areas located within the subject project area are characterized as mature pine with mixed hardwoods. Dominant species within these areas include loblolly pine (*Pinus taeda*), black cherry (*Prunus serotina*), American Holly (*Ilex opaca*), and eastern red cedar (*Juniperus virginiana*). Dominant species within the scrub-shrub upland areas include wax myrtle (*Myrica cerifera*), poison ivy (*Toxicodendron radiicans*), common greenbrier (*Smilax rotundifolia*), black cherry, American holly, eastern red cedar, and Sassafras (*Sassafras albidium*). Upland soils typically have a fine sand texture with a very dark grayish brown (10YR 3/2) color with no mottles in the upper 2.5 to 10 centimeters (cm) (1 to 4 inches [in]) and underlain with a light olive brown (2.5Y 5/3) color.

Common mammal species that occupy the maritime forest include white tail deer (*Odocoileus virginianus*), gray fox, and opossum. Songbirds frequently seen in the woodlands and adjoining tidal wetlands include saltmarsh sharp-tailed sparrow (*Ammodramus caudacutus*), swamp sparrow (*Melospiza georgiana*), common yellowthroat (*Geothlypis trichas*), white-eyed vireo (*Vireo griseus*), and white-breasted nuthatch (*Sitta canadensis*). The inland areas and tidal marshes on Wallops Island also support a variety of raptor species, including turkey vulture (*Cathartes aura*), black vulture (*Coragyps atratus*), sharp-shinned hawk (*Accipiter striatus*), red-tailed hawk (*Buteo jamaicensis*), Cooper's hawk (*Accipiter cooperii*), red-shouldered hawk (*Buteo lineatus*), northern harrier (*Circus cyaneus*), American kestrel (*Falco sparverius*), barn owl (*Tyto alba*), bald eagle, and peregrine falcon.

Palustrine Scrub-Shrub

Palustrine scrub-shrub wetland communities are dominated by wax myrtle, poison ivy, common greenbrier, and groundsel bush (*Baccharis halimifolia*). Palustrine emergent wetlands are mainly dominated by common reed (*Phragmites australis*) with a low persistence of soft rush (*Juncus effuses*) in some areas. Soils within the non-tidal wetlands vary but typically have a sand texture with a black color in the upper 2.5 to 10 cm (1 to 4 in) and a grayish brown color beneath. Evidence of organic streaking was also noted to exist below the A layer.

Tidal Marsh

The tidal marsh complexes are dominated by species typically occurring in these communities. These species, transitioning from upper tidal marsh to lower tidal marsh, include common reed, salt bush (*Iva frutescens*), seashore mallow (*Kosteletzkya virginica*), marsh mallow (*Althaea officinalis*), seaside goldenrod (*Solidago sempervirens*), common glasswort (*Salicornia europaea*), salt meadow hay (*Spartina patens*), salt grass (*Distichlis spicata*), and salt marsh bulrush (*Scirpus robustus*). Typical lower tidal communities include salt meadow hay and smooth cordgrass (*Spartina alternifolia*). Non-vegetated tidal mud flats and tidal drainage patterns are present within the low marsh habitat along the southeastern boundary of the project area. Comacca soils within the tidal areas exhibit a fine sandy texture with a dark grayish brown color (10YR 4/2) in the top 15 cm (6 in), and underlain with a very dark gray color (10YR 3/1). Chincoteague soils exhibited a black (2.5Y 2.5/1) silt loam in the upper 15 cm (6 in) of soil, and underlain with a dark grey (2.5Y 4/1) loamy sand.

The tidal marshes on Wallops Island represent an important stop-over habitat for waterfowl and shorebirds during spring and fall migration. Some of the species frequently observed in large numbers on Wallops Island include Canada goose (*Branta canadensis*), gadwall (*Anas strepera*), least sandpiper (*Calidris minutilla*), short-billed dowitcher (*Limnodromus griseus*), least tern (*Sterna antillarum*), osprey (*Pandion haliaetus*), double-crested cormorant (*Phalacrocorax auritus*), and horned grebe (*Podiceps auritus*).

The bays and tidal marshes adjacent to Wallops Island support a wide variety of breeding, wintering, and migrating waterfowl. Species frequently observed in large numbers during winter include common loon (*Gavia immer*), American black duck (*Anas rubripes*), blue-winged teal (*Anas discors*), bufflehead (*Bucephala albeola*), common goldeneye (*Bucephala clangula*), canvasback (*Aythya valisineria*), lesser scaup (*Aythya affinis*), common merganser (*Mergus merganser*), hooded merganser (*Lophodytes cucullatus*), and red-breasted merganser (*Mergus serrator*).

Dunes and Maritime Grasslands

The maritime grasslands, which occur on the foredunes and secondary sand dunes, are characterized by American beachgrass (*Ammophila breviligulata*), saltmeadow cordgrass, beach panic grass (*Panicum amarum*), and seaside goldenrod (*Solidago sempervirens*). Relatively pristine occurrences of this habitat type can be found at the northern end of Wallops Island.

Inter-dune Swales

Inter-dune swales (“sea swales”) are seasonally to semipermanently flooded, maritime herbaceous wetlands occupying deep inter-dune basins and swales. These swales occur chiefly in the northern and north central parts of the island. Common threesquare (*Schoenoplectus pungens* = *Scirpus pungens*), other Cyperaceae, grasses such as switchgrass (*Panicum virgatum*), and saltmeadow cordgrass, rushes (*Juncus*

spp.), sea pink (*Sabatia stellaris*), saltmarsh fimbriatilis (*Fimbristylis spadicea*), seaside goldenrod, and other herbaceous species are present.

Mammal species routinely observed in the inter-dune areas include white-tailed deer, meadow vole (*Microtus pennsylvanicus*), and cottontail rabbit (*Sylvilagus floridanus*), while typical amphibians and reptiles include Fowler's toad (*Bufo fowleri*), green tree frog (*Hyla cinerea*), black rat snake (*Elaphe obsoleta obsoleta*), eastern hognose snake (*Heterodon platirhinos*), fence lizard (*Sceloporus undulatus*), box turtle (*Terrapene carolina*), and diamondback terrapin (*Malaclemys terrapin*).

Beaches

The beach systems include upper beaches and overwash flats, which are situated just above the mean high tide limit, but are flooded by high spring tides and storm surges. They are generally sparsely vegetated with American searocket (*Cakile edentula*), seabeach orach (*Atriplex arenaria*), and Russian thistle (*Salsola kali*), a common invasive non-native beach species.

Mammalian species frequently observed in the upper beach and intertidal zones include red fox and raccoon. Shorebirds and wading birds species that routinely use the marshes and shoreline areas of Wallops Island include piping plover (*Charadrius melodus*), red knot (*Calidris canutus*), great-black backed gull (*Larus marinus*), American oystercatcher (*Haematopus palliatus*), willet (*Catoptrophorus semipalmatus*), glossy ibis (*Plegadis alcinellus*), ring-billed gull (*Larus delawarensis*), great blue heron (*Ardea herodias*), snowy egret (*Egretta thula*), and green heron (*Butorides striatus*).

Inshore Marine System

The marine system consists of the open ocean overlying the continental shelf and its associated high-energy coastline. Salinities exceed 30 parts per thousand with little or no dilution except outside the mouths of estuaries. Marine systems are divided into two subsystems, subtidal and intertidal. In subtidal subsystems the substrate is continuously submerged, whereas in intertidal subsystems the substrate is exposed and flooded by tides. Substrates may consist of rock bottom, unconsolidated bottom, aquatic bed, reef, rocky shore, and unconsolidated shore. The beaches at Wallops Island are classified as intertidal with an unconsolidated sand bottom and the adjacent waters are classified as subtidal with an unconsolidated bottom. Shoreline erosion and accretion constantly change the character of the shoreline. Currently, the widest beaches occur on the northern and southern portions of the east shore, with the central portion of the island being nearly devoid of beaches and protected by a seawall.

Nearshore state jurisdictional waters extend 5.5 km (3 nautical miles) offshore of the Wallops Island coast. Water depth in state waters ranges up to approximately 12 m (40 ft). This zone is located on the inner portion of the outer continental shelf and extends to about 130 to 160 km (80 to 100 miles) off the mid-Atlantic Coast. Numerous invertebrate species are present in the unconsolidated substrate and open waters of the nearshore zone. Common species include annelid worms, bivalves, crabs, sand dollars, gastropods, comb jellies, and jellyfish. Many of these organisms are an important food source for fish, birds, and sea turtles.

Common fish in the waters near WFF include the sandbar shark (*Carcharhinus plumbeus*), sand shark (*Carcharisa taurus*), northern pipefish (*Syngnathus fuscus*), dusky pipefish (*Syngnathus floridae*), bay anchovy (*Anchoa mitchilli*), smooth dogfish (*Mustelus canis*), smooth butterfly ray (*Gymnura micrura*), bluefish (*Pomatomidae saltatrix*), spot (*Leiostomus xanthurus*), and summer flounder (*Paralichthys dentatus*).

CHAPTER 3 LISTED SPECIES THAT MAY BE AFFECTED BY THE PROPOSED ACTION

3.1 LISTED SPECIES OVERVIEW

The federal Endangered Species Act (ESA) provides for the protection of federally listed threatened and endangered species of plants and animals, as well as designation of critical habitat for animal species. The ESA establishes federal policy that federal agencies, in exercise of their authorities, shall seek to conserve and protect endangered and threatened species. It also establishes a consultation process through which federal agencies, such as NASA and USFWS, can facilitate avoidance of agency actions that would adversely affect, or result in “take,” of federally listed species or critical habitat. The taking prohibition includes any harm or harassment, and applies within the U.S. and on the high seas.

Table 2 includes a list of federally threatened and endangered species that are known to occur, or may potentially occur, within the action area. Note that this BA, and the table below, is an analysis of federally listed species that are terrestrial, but also includes marine species that may come ashore and nest on the nearby beaches of north Wallops Island. In general, this includes listed species that may be occupying habitats directly impacted by construction of the new UAS airstrip and associated facilities, as well as species that may be indirectly affected from lights, overflight UAS noise, and the visual disturbance from UAS suddenly appearing over the beach. As a federal agency, NASA does not have an obligation to protect state-listed only species, but often consults with Virginia Department of Game and Inland Fisheries (VDGIF) on species that are dually listed under the federal ESA and state ESA. As the Proposed Action will not affect nearshore or subtidal habitats, impacts to marine mammals, fish, and sea turtle species in the nearshore open water environment will not occur.

As a responsible federal agency and steward of the land under its jurisdiction and management, NASA WFF environmental program staff have been monitoring threatened and endangered species use of Wallops Island for many years now, either solely or through partnerships with other agencies, institutions, or research groups. In 2010, WFF staff organized its various monitoring efforts into a single Protected Species Monitoring Program, the results of which were published in December 2010 (NASA WFF 2010b). Data for loggerhead sea turtle nests, piping plover nests, and red knot flock sighting locations are presented in Figure 8, as are the locations of the Proposed Action (new UAS airstrip, hangar, and clear zones). A summary of the objectives, methodologies, and procedures that will be used in the 2011 monitoring program is provided in Appendix A.




Figure 8. Nest and Sighting Locations on Wallops Island

Table 2. Federally Listed Threatened and Endangered Species Known to Occur in the Region

<i>Common Name</i>	<i>Scientific Name</i>	<i>Federal Listing Status</i>	<i>Likelihood of Occurrence</i>	<i>Seasonality of Occurrence</i>	<i>Required Habitat & Potential to Occur Onsite</i>
Plants					
Seabeach Amaranth	<i>Amaranthus pumilus</i>	Threatened	Slight	Year-round	Restricted to open sandy portions of ocean beaches between the high tide line and the toe of the primary dune. Nearest known location in Virginia is Hog Island. Not known to occur on Wallops.
Invertebrates					
Northeast Beach Tiger Beetle	<i>Cicindela d. dorsalis</i>	Threatened	Remote	Year-round	Present historically, from Cape Cod south through the Chesapeake Bay shorelines, but now believed extirpated from nearly this entire region. Normally occurs from about the fore-dune to the high tide line on ocean and bay beaches. Not known to occur on Wallops.
Reptiles					
Loggerhead Sea Turtle	<i>Caretta caretta</i>	Threatened	Known to Occur	<u>Maturation & Migration</u> May- November <u>Nesting</u> April- September	The only sea turtle that nests as far north as Virginia. Nests in small numbers on sandy beaches along Virginia's coast late spring through summer, and found in Virginia's offshore coastal waters during winter and migration. Last nested on Wallops Island in 2010.
Birds					
Red Knot	<i>Calidris canutus</i>	Candidate	Known to Occur	Primarily late May	A locally common to abundant transient in late spring and early fall, and does not breed in Accomack County. Preferred habitats include tidal flats and sandy or pebbly beaches. Numbers declining, but several hundred observed in 2010 at North End Curve and North End Point on Wallops Island's ocean beaches.

Table 2. Federally Listed Threatened and Endangered Species Known to Occur in the Region

<i>Common Name</i>	<i>Scientific Name</i>	<i>Federal Listing Status</i>	<i>Likelihood of Occurrence</i>	<i>Seasonality of Occurrence</i>	<i>Required Habitat & Potential to Occur Onsite</i>
Piping Plover	<i>Charadrius melodus</i>	Threatened	Known to Occur	late April- late July	Known to nest on Virginia’s coastal beaches, dunes, and wash-over areas in late spring to mid-summer, with one brood raised per year. They feed on small invertebrates in intertidal surf zones, mud flats, tidal pool edges, barrier flats, and sand flats and along the ocean and barrier bays. Suitable nesting habitat occurs on the extreme southern and northern ends of Wallops Island., with three nesting events at north end in 2010, and one on south end in 2011.
Mammals					
Delmarva Peninsula Fox Squirrel	<i>Sciurus niger cinereus</i>	Endangered	None	Year-round	Prefers mature forest of both hardwood and pine trees with minimal understory and ground cover. Feeds primarily on nuts from oak, hickory, sweet gum, walnut and loblolly pine. While within the historic range of the species, the only known location for it in Virginia is a trans-located population at Chincoteague National Wildlife Refuge. This species does not occur on Wallops Island.

Sources: Virginia Department of Game and Inland Fisheries (VDGIF 2009); NASA INRMP (2008b); USFWS (2011); and National Marine Fisheries Service (NMFS [2011]).

Note: The bald eagle, formerly listed as endangered, now de-listed and considered recovered; is provided protection under the federal Bald and Golden Eagle Protection Act. An active bald eagle nest is known to occur about 200 m (700 ft) east of the eastern portion of the proposed airstrip. WFF will continue to monitor activity at the nest during breeding season and during the operational phase of the UAS airstrip.

3.2 SEABEACH AMARANTH

The threatened seabeach amaranth (*Amaranthus pumilus*) is an herbaceous plant, which colonizes and stabilizes the areas seaward of the primary dunes, growing closer to the high tide line than any other coastal plant. An annual plant and fugitive species, seabeach amaranth appears to need extensive beach and inlet areas that function in a relatively natural and dynamic manner. It often grows in the same areas selected for nesting by shorebirds such as plovers, terns, and skimmers. It emerges on sand dunes, inlets, and over-wash flats in summer and early fall. Its distribution varies from year to year,



influenced by seed dispersal and locally favorable conditions for germination, growth, and flowering. Flowering begins as soon as plants are mature, sometimes as early as June, but more typically beginning in July and continuing into late fall. Seed production begins in July or August and peaks in September.

Seabeach amaranth occurs on barrier islands and beaches, where its primary habitat consists of over-wash flats at the accreting ends of islands, and the lower foredunes and upper strands of non-eroding beaches. This species appears to be intolerant of competition, and does well on sites with low vegetative cover. Seabeach amaranth requires extensive areas of barrier island beaches and inlet areas, and is most successful at colonizing un-altered beach landscapes which are inherently dynamic. These characteristics allow it to “move around” in the landscape as a fugitive species, occupying suitable habitat as it becomes available.

While seabeach amaranth has been documented as occurring along coastal Virginia in areas of suitable habitat, it has yet to be located on Wallops Island. Surveys in 2010 failed to locate any seabeach amaranth on Wallops Island (NASA WFF 2010b). Because seabeach amaranth is not known to occur on Wallops Island, and beach dune habitats will not be disturbed by construction, implementation of the Proposed Action would have **No Effect** on this plant species, and it will not be discussed further in this BA.

3.3 NORTHEAST BEACH TIGER BEETLE




Northeast beach tiger beetle (*Cicindela dorsalis dorsalis*) is a whitish tiger beetle with variable dark maculation that is found only along saltwater beaches. The northeast beach tiger beetle only occurs from about the fore-dune to the high tide line on some ocean and bay beaches. Adults actively hunt while larvae live in burrows in the sand where they sit and wait for passing prey. Tiger beetle larvae seal off their burrow and hibernate in early fall. The life cycle spans two or three years. The northeastern beach tiger beetle spends its entire two-year life cycle on sandy beaches. Eggs are laid in the sand, and the larvae live in burrows below the high tide line. The adults are about 1 cm (0.5 in) long and are active along the intertidal zone (between high and low tide) during the day and rest under the sand along the back beach at night. The larvae inhabit vertical burrows within the intertidal zone, capturing food items washed ashore by waves.

The northeastern beach tiger beetle has a historic range from New Jersey to Cape Cod and along much of the eastern and western shorelines of the Chesapeake Bay, from southern Maryland to Virginia. Although the northeastern beach tiger beetle was present historically on the Atlantic coast beaches, especially in the northeast, it is extirpated from nearly this entire region. It is believed that this species only inhabits portions of the Delmarva Peninsula fronting the Chesapeake Bay, not the Atlantic Ocean (NASA WFF 2009b). Because it is highly unlikely that this species occurs in the Action Area, implementation of the Proposed Action would have **No Effect** on northeast beach tiger beetle, and they will be excluded from further discussion in this BA.

3.4 LOGGERHEAD SEA TURTLE

Although the loggerhead sea turtle (*Caretta caretta*) is the most abundant sea turtle in U.S. waters, it is still listed as threatened under the ESA. Loggerhead sea turtles are a reddish-brown sea turtle that inhabit the open sea to more than 800 km (500 miles) from shore, mostly over the continental shelf, as well as

bays, estuaries, lagoons, creeks, and river mouths. Nesting occurs on open high-energy sandy beaches above the high-tide mark, seaward of well-developed dunes. Hatchlings drift in convergence zones in floating patches of kelp (*Sargassum* spp.) (USFWS and NMFS 1993). As juveniles, they begin occupying the waters of the continental shelf, edge and slope from 200 m (656 ft) depth all the way into coastal waters and estuaries (Hopkins-Murphy et al. 2003). These waters comprise an important developmental habitat for this species. Juveniles and adults feed mostly on benthic invertebrates. Loggerheads do not venture into the Gulf Stream in the fall, probably to avoid being swept into the colder northern waters (Epperly et al. 1995). Loggerheads prefer steeply sloped beaches with gradual offshore approaches and are sensitive to beachfront lighting.



Based on data from the Wallops Island protected species monitoring program (NASA WFF 2010b), a total of four loggerhead sea turtle nests were found on Wallops Island's beaches in 2010 (during June and July), with the number of eggs in each ranging from 99 to 175. All four nests were located south of the existing south Wallops Island UAS airstrip, approximately 2.5 km (1.6 miles) southwest of the proposed new north Wallops Island airstrip (see Figure 8). Each nest was marked with protective signage and covered with a protective cage, with one egg being retained for eventual genetic analyses. No sea turtle nests or false crawls were found on Wallops Island's beaches in 2009, and in 2008 one nest was laid late in the season but was flooded and froze during late October storms (Mitchell 2011a).

3.5 RED KNOT

The red knot (*Calidris canutus*), a Candidate species for federal listing, is a medium sized sandpiper that is one of the longest-distance migrants known in the world (USFWS 2005). These small birds have wingspans of approximately 50 cm (20 in) and fly more than 1,500 km (930 miles) from south to north each spring and in reverse each autumn. These are relatively short birds with short legs, and their heads



and breasts are rusty colored during the breeding season and grey the rest of the year. Red knots migrate in large flocks and frequent the same stopping areas each year. Their long migration periods cause physiological changes such as increases in fat mass and flight muscle and decreases in leg muscle mass, stomach mass, and gizzard mass (USFWS 2005). Red knots survive on small mussels and other mollusks for a large percentage of the year and horseshoe crab eggs during migration (USFWS 2005). In 2006, USFWS reviewed the candidacy status of red knot, but determined that its protection under the federal ESA remains warranted but precluded by other, higher priority activities. Currently it is still a Candidate species.

Based on survey data from the mid-1990s, 8,000 to 10,000 red knots would migrate through the barrier islands of Virginia each year (NASA WFF 2009b). However, survey data throughout 2009 indicated much lower numbers of individuals. On May 8, 2009, there was a flock of approximately 1,300 individuals seen on north Wallops Island; but, later that same month, flock size dropped to about 20 to 200 individuals (NASA WFF 2009b). In 2010, red knot flocks were sighted between May 14 and May 28 at numerous locations along Wallops Island's beaches, with flock size ranging from 2 to 230, and flocks

averaging 56 individuals. A number of these sightings occurred at “North End Curve” and “North End Point,” which are both about 1.5 km (1 mile) south-southeast from the eastern end of the proposed airstrip, and generally near what will eventually be some of the UAS departure and approach flight paths over the beach (see Figure 8).

3.6 PIPING PLOVER

The Atlantic coast population of piping plover (*Charadrius meolodus*) breeds on coastal beaches in the north from Newfoundland and southeastern Quebec and south to North Carolina and Florida. Some plovers migrate as far south as the West Indies and Bahamas. Plovers are small, beige and white shorebirds with a black band across their breast and forehead. They typically feed on invertebrates such as marine worms, beetles, fly larvae, crustaceans, and mollusks. Habitat generally consists of ocean beaches, sand, or algal flats in protected bays, while breeding occurs mainly on gently sloping



foredunes or blow-out areas behind dunes (NASA WFF 2009b). In late March or early April, after they have established territories and conducted courtship rituals, plover pairs form shallow depressions in the sand for nests where they lay their eggs. Nests can be found above the high tide line on coastal beaches, sandflats at the end of spits and barrier islands, gently sloping foredunes, blowout areas behind dunes, and over-wash areas between dunes. These nests consist of a range of substrate material from fine grained sands up to shells and cobbles. Generally, nests are found in areas with little or no vegetation, however, occasionally nests have been found under beachgrass and other vegetation (NASA WFF 2009b).

Piping plovers have been monitored on Wallops Island since 1986 and nesting habitat has been delineated in the dune and over-wash areas. Plovers are observed annually foraging and resting on the beaches of Wallops Island, and nesting is routinely documented on the northern beaches; however, no nesting plovers have been observed on the southern portion of the island since 2000. In 2008, two pairs of piping plovers began nesting attempts at the north end of Wallops Island, but no eggs were laid (NASA WFF 2010b). In 2009, three pairs nested successfully on the northern beaches; and in 2010, there were three nesting attempts, including one nest that was washed out by the tide, one nest with eggs that did not hatch, and one nest with 4 eggs that fledged 4 young (NASA WFF 2010b; Mitchell 2011b). Of the three 2010 piping plover nests, the one nearest to the project site was at “North End Point,” about 1.5 km (0.9 miles) to the south-southeast from the eastern end of the proposed airstrip (see Figure 8). In May 2011, one piping plover nest was observed on the south end of Wallops Island. At the request of USFWS, NASA has designated piping plover nesting habitat at the extreme northern and southern ends of Wallops Island, and these areas are recognized as sensitive resource areas by WFF requiring special protective measures.

3.7 DELMARVA PENINSULA FOX SQUIRREL

Delmarva Peninsula fox squirrel (*Sciurus niger cinereus*) is a large tree squirrel that is a well-marked and distinct subspecies restricted in range to the Delmarva Peninsula (Delaware, Maryland, Virginia). There are about 180 Delmarva Peninsula fox squirrels in the Chincoteague National Wildlife Refuge. Habitat for the Delmarva Peninsula fox squirrel includes mature, open park-like stands of deciduous or mixed

deciduous-pine forest, especially near farm land; this species prefers ecotones where forest grades into scrub or grasslands. It is found in both upland and bottomland locations, but most often among loblolly pines. It is restricted to larger groves along streams, bays, or salt marshes and is found in relatively small woodlots on occasion. The squirrels prefer dens in hollow trees, but also construct nests of twigs and leaves in tree crotches, in tangles of vines in trees, or toward the ends of larger branches, 10-15 m (30 to 50 ft) above ground. Delmarva Peninsula fox squirrels are more terrestrial than gray squirrels and often forage on the ground. Diet includes acorns and nuts; the seeds of hickory, beech, walnut, and loblolly pine; buds and flowers of trees; and fungi, insects, fruit, and an occasional bird egg. When available in abundance, they can feed almost exclusively on green pine cones.



Though it occurs on nearby Assateague Island, the Delmarva Peninsula fox squirrel does not occur on those portions of the peninsula fronting the Atlantic Ocean, so it would not occur in the Action Area, and it has never been found on any part of Wallops Island (NASA WFF 2009b). As such, implementation of the Proposed Action would have **No Effect** on the Delmarva Peninsula fox squirrel, and it will be excluded from further discussion in this BA.

CHAPTER 4 ANALYSIS OF EFFECTS TO LISTED SPECIES

4.1 APPROACH TO ANALYSIS

This chapter presents an analysis of potential direct, indirect, temporary, and permanent effects on listed species that would result from construction, operation, and periodic maintenance of the proposed new UAS airstrip on north Wallops Island. Direct effects are considered to be the immediate result of the Proposed Action, whereas indirect effects are caused by the Proposed Action but occur later in time and are reasonably certain to occur. Potential project effects on protected species are further classified and evaluated based on their anticipated longevity as temporary or permanent effects. All project effects are summarized as they would occur after the General Conservation Measures (avoidance and minimization measures) described in Subchapter 1.5 are implemented. Any additional conservation measures being considered and implemented that are specific to certain species protection are described below.

4.2 EFFECTS TO LISTED SPECIES

Based on the scope of the proposed new UAS airstrip construction and operational parameters, as described in Chapter 1, potential effects to nesting loggerhead sea turtles, red knots, and piping plovers could occur with implementation of the Proposed Action. As discussed below, some impacts may occur from construction noise, but more likely from operational lighting with regard to sea turtles, or UAS overflight noise or visual disturbance with regard to red knots and piping plovers. The benefits that will be derived from implementing the project's General Conservation Measures, as well as any remaining potential effects, are described below for each of these three species.

4.3 LOGGERHEAD SEA TURTLE

Loggerhead sea turtles are often seen in the channels and inlets of Virginia's barrier islands. It has only been in more recent years that loggerhead sea turtle nests have been periodically found on Wallops Island beaches. Four loggerhead sea turtle nests were found on Wallops Island in 2010 (during June and July), but all four nests were located north of the existing south Wallops Island UAS airstrip, and approximately 2.6 km (1.6 miles) southwest of the proposed new north Wallops Island airstrip (see Figure 8). However, direct impacts to this species from the Proposed Action are not anticipated, because the project has been intentionally designed and sited to avoid disturbance to any dune or beach habitats. Nighttime lighting could disorient nesting females and emerging hatchlings; however, this type of indirect impact is also not anticipated, because: (1) UAS will only be operating infrequently at night; (2) any safety lighting at the airstrip will be of minimal intensity and downward-shielded; and (3) overflying UAS will not be using running lights. Finally, as directed by the WFF Threatened and Endangered Species Monitoring Program protocols, should WFF monitoring staff identify sea turtle nesting activity under UAS flight paths on the beach, UAS flights will be redirected or suspended until nesting activity has ceased or nestlings have completed their emergence. Given that direct impacts to sea turtle nesting habitat will be avoided, and that numerous measures will be implemented to avoid lighting and UAS overflight noise disturbances, it is concluded that implementation of the Proposed Action will have **No Effect** on loggerhead sea turtles.

4.4 RED KNOT

Red knots, a candidate species for federal listing, are a locally common to abundant transient from May 10th through June 5th and from July 20th through September 25th along the coast of Accomack County, Virginia. Red knots are rare west of the Chesapeake Bay and an uncommon to rare visitor in the winter and summer. Red knots do not breed in the vicinity of Accomack County, although they have been appearing regularly during spring migration on Wallops Island, mostly during the second half of May. In 2010 on the northern beaches of Wallops Island, numbers of red knots grew steadily from a low of 50 individuals or so in mid-May, to a large flock of 230 birds that was observed on May 28. No red knots were observed on the northern beaches after the end of May, and none were ever observed on the southern beaches. Many of the 2010 north beach sightings of red knots were at “North End Curve” and “North End Point” (see Figure 8), which are both about 1.6 km (1 mile) south-southeast from the eastern end of the proposed airstrip, and generally near what will eventually be some of the UAS departure and approach flight paths over the beach. However, direct impacts to this species’ habitat from the Proposed Action are not anticipated because the project has been intentionally designed and sited to avoid all sensitive intertidal and over-wash habitats seaward of the dunes.

It is possible that red knots occurring within the flight path of UAS overflying the beach could experience deleterious startle responses from the sudden appearance and sound generated by UAS. The effects of overflying aircraft on waterfowl and shorebirds have been well-studied in the past 20 years, with researchers reporting varying results and conclusions. A review of the literature indicates that at least some level of temporary startle response can be expected and anticipated, particularly in non-nesting birds. Komenda-Zehnder *et al.* (2003), for example, focused on determining the minimum altitude above ground level (AGL) needed to minimize the stressful startle response of ducks in the Swiss lowlands to overflying aircraft and helicopters; they found that, depending on aircraft type, between 60 and 78 percent of waterfowl exhibited “stressed” behaviors (alarm posture, swimming away, taking immediate flight) with fixed-wing aircraft flying at approximately 150 m (500 ft) AGL and generating 66-68 dB noise, while helicopters at the same altitude caused a 82-89 percent startle response rate at 75-79 dB. Waterfowl returned to a relaxed posture after 5 minutes or so, although they did not appear to habituate or acclimate to the overflights. Smit and Visser (1993), in summarizing many Dutch studies, believe that large groups of waterfowl can habituate to overflights that occur daily, but mass startle responses can be elicited when a new type of aircraft suddenly appears, particularly at low altitudes (less than 300 m [about 1,000 ft] AGL).

It is sufficient to conclude that at least some level of shorebird startle response may be elicited, particularly early on in UAS operations, and if UAS fly below 150 m (500 ft) over the beach and intertidal zone, although some eventual habituation to UAS overflights is possible. However: (1) UAS will only be overflying the beach eight times per day, at most; (2) UAS operators will be instructed to maintain a flight path both 305 m (1,000 feet) vertically and horizontally away from red knots; and (3) with sound levels generated by the loudest UAS type actually being nearly 10dB below ambient levels measured onsite - it is unlikely that red knots would experience any significant short or long-term effects from UAS sound or visual disturbances. Therefore, given that direct impacts to dune habitats and maritime habitats seaward of the dunes will be avoided, and that numerous measures will be implemented to minimize visual and sound disturbances, it is concluded that implementation of the Proposed Action **will not substantially affect** local populations of red knots.

4.5 PIPING PLOVER

The piping plover is an uncommon transient and summer resident of the lower Chesapeake Bay and is known to inhabit the coastal habitats of the nearby Chincoteague National Wildlife Refuge. It was first identified on northeast Wallops Island in a survey in June 28, 1995. Piping plovers are known to periodically use the sandy beaches and tidal flats along the coast of Wallops Island; piping plover nesting has been documented in recent years on Wallops Island. In 2008, two pairs of piping plovers began nesting attempts at the north end of Wallops Island, but no eggs were laid (NASA WFF 2010b). In 2009, three pairs nested successfully on the northern beaches; and in 2010, there were three nesting attempts, including one nest with 4 eggs that fledged 4 young (NASA WFF 2010b). Of the three 2010 piping plover nests, the one nearest to the project site was at “North End Point,” about 1.5 km (0.9 miles) to the south-southeast from the eastern end of the proposed airstrip (see Figure 8).

Direct impacts to this species’ habitat from the Proposed Action are not anticipated because the project has been intentionally designed and sited to avoid all sensitive intertidal and over-wash habitats seaward of the dunes. Indirect impacts on piping plovers from UAS noise and visual disturbances is possible, but unlikely. Similar precautions will be taken to avoid startle responses in nesting piping plovers from overflying UAS, including: (1) UAS overflights of the beach will be infrequent (eight times per day, at most) and (2) UAS operators will be instructed to maintain a flight path both 305 m (1,000 feet) vertically and horizontally away from piping plovers. And, with sound levels generated by the loudest UAS type actually being nearly 10dB below ambient levels measured onsite, startle responses resulting in piping plover nest abandonment are also not anticipated. Given that direct impacts to dune habitats and other maritime habitats seaward of the dunes will be avoided, and that numerous measures will be implemented to minimize visual and sound disturbances, it is concluded that implementation of the Proposed Action **may affect, but is not likely to adversely affect**, piping plovers.

(This page intentionally left blank)

CHAPTER 5 CUMULATIVE IMPACTS

"Cumulative effects" under the ESA are those effects of *future* State, municipal, or private activities, *not* involving federal activities, that are reasonably certain to occur within the action area of the federal action subject to consultation (50 Code of Federal Regulations 402.02). No future State, municipal, or private projects have been identified in the action area. Therefore, the Proposed Action, in conjunction with other past, present, or reasonably foreseeable projects, would not be expected to result in major adverse cumulative impacts to any listed threatened or endangered species.

(This page intentionally left blank)

CHAPTER 6 CONCLUSION

Based on the evaluation presented above, NASA has made the following determination of effects on listed species and critical habitat from implementation of the Proposed Action within the action area (Table 3).

Table 3. Summary of Findings for Federally Listed Threatened and Endangered Species under the Jurisdiction of the USFWS		
<i>Species</i>	<i>ESA Status</i>	<i>Effects Determination</i>
Sea Turtles (nesting only)		
Loggerhead Sea Turtle	Threatened	No effect.
Birds		
Red Knot	Candidate	Not likely to substantially affect.
Piping Plover	Threatened	May affect, not likely to adversely affect.

(This page intentionally left blank)

CHAPTER 7 REFERENCES

- Downing, J.M. 2011. Review of Wallops Island 1999 Noise Study. J. M. Downing, PhD, Blue Ridge Research and Consulting, Personal Correspondence date 21 April, 2011, 2 p.
- Epperly, S.P., J. Braun, and A. Veishlow. 1995. Sea Turtles in North Carolina Waters. *Conservation Biology* 9:384-394.
- Hopkins-Murphy, S. R., D. W. Owens, and T. M. Murphy. 2003. Ecology of immature loggerheads on foraging grounds and adults in inter-nesting habitat in the eastern United States. In *Loggerhead sea turtles*, edited by A. B. Bolten and B. E. Witmer. Washington, DC: Smithsonian Institution Press.
- Justis, Barbara. 2010. E-mail correspondence from Barbara Justis, NASA Code 840, Range and Mission Management Office, Wallops Flight Facility regarding historical annual UAS operations. 13 July.
- Komenda-Zehnder, S., M. Cevallos, and B. Bruderer. 2003. Effects of disturbance by aircraft overflight on waterbirds – an experimental approach. International Bird Strike Committee. IBSC26/WP-LE2, Warsaw, May 5-9, 2003. 12p.
- Mitchell, J.T. 2011a. E-mail correspondence from Joel Mitchell, Environmental Engineer, NASA Wallops Flight Facility, regarding 2008 and 2009 sea turtle nest data for WFF, dated April 26, 2011.
- _____. 2011b. E-mail correspondence from Joel Mitchell, Environmental Engineer, NASA Wallops Flight Facility, regarding piping plover nest data for WFF from 1986-2008, dated April 26, 2011.
- National Aeronautics and Space Administration Wallops Flight Facility (NASA WFF). 2010a. Historical Wind and Weather Data.
- _____. 2010b. Wallops Island Protected Species Monitoring Report, December 2010. NASA Wallops Flight Facility (WFF), Wallops Island, Virginia. 5 p (plus appendices).
- _____. 2009a. Environmental Assessment for Expansion of the Wallops Flight Facility Launch Range. August.
- _____. 2009b. Final Biological Assessment for Proposed and Ongoing Orbital Launch Operations at Wallops Flight Facility. NASA Goddard Space Flight Center, Wallops Flight Facility, Wallops Island, VA. 29p.
- _____. 2009c. Wallops Flight Facility Draft Biological Assessment UAS Airstrip. Prepared by Timmons Group, Richmond, Virginia for NASA WFF. Timmons Group Project No. 27888. August 2009.
- _____. 2008. Integrated Natural Resources Management Plan Goddard Space Flight Center Wallops Flight Facility. Prepared by Geo-Marine Inc. Hampton, Virginia for NASA. Contract N62470-02-D-9997. September.
- National Marine Fisheries Service (NMFS). 2011. Loggerhead sea turtle (*Caretta caretta*). National Oceanographic and Atmospheric Administration (NOAA) NMFS Office of Protected Species. Accessed on 27 April 2011 at: <http://www.nmfs.noaa.gov/pr/species/turtles/loggerhead.htm>.

- Smit, C. J. & Visser, G. J. M. 1993. Effects of disturbance on shorebirds: a summary of existing knowledge from the Dutch Wadden Sea and Delta area. *Wader Study Group Bull.* 68: 6-19.
- USFWS. 2011. Federally Listed species in Accomack County, Virginia. U.S. Fish and Wildlife Service, Endangered Species Program, Environmental Conservation Online System. Accessed on 27 April 2011 at:
<http://www.fws.gov/endangered/?s8fid=112761032793&s8fid=112762573903&countyName=accomack>
- _____. 2005. Red Knot (*Calidris canutus rufa*). U.S. Fish and Wildlife Service: Northeast Region, Hadley, MA. <http://www.fws.gov/northeast/redknot/facts.pdf>. August.
- USFWS and NMFS. 1993. Recovery Plan US Population of Loggerhead Turtle (*Caretta caretta*). Prepared by the Loggerhead/Green Turtle Recovery Team for US Fish and Wildlife Service, Southeast Region, Atlanta, Georgia, and National Marine Fisheries Service, Washington, DC.
- Virginia Department of Game and Inland Fisheries (VDGIF). 2009. Special Status Faunal Species in Virginia. Dated 02/03/09. 13p.

**APPENDIX A
WALLOPS ISLAND PROTECTED SPECIES
MONITORING PLAN**

This document is available online at
<http://sites.wff.nasa.gov/code250/docs/2011WFFProtectedSpeciesMonitoringPlan.pdf>



United States Department of the Interior



FISH AND WILDLIFE SERVICE
Ecological Services
6669 Short Lane
Gloucester, Virginia 23061

SEP 22 2011

Mr. Josh Bundick
NASA Wallops Flight Facility
Code 250.W
Wallops Island, Virginia 23337

Re: Wallops Flight Facility – Unmanned
Aerial Systems Airstrip, Accomack
County, Virginia, Project # 2010-I-
0642

Dear Mr. Bundick:

This document transmits the U.S. Fish and Wildlife Service's (Service) the results of our review of the National Aeronautics and Space Administration's (NASA) referenced proposed project at the Wallops Flight Facility (WFF), in Accomack County, Virginia and its effects on the federally listed endangered green sea turtle (*Chelonia mydas*), leatherback sea turtle (*Dermochelys coriacea*), and Delmarva fox squirrel (*Sciurus niger cinereus*), and the threatened Atlantic coast population of the piping plover (*Charadrius melodus*), loggerhead turtle (*Caretta caretta*), seabeach amaranth (*Amaranthus pumilius*), and northeastern beach tiger beetle (*Cicindela dorsalis dorsalis*) in accordance with section 7 of the Endangered Species Act (16 U.S.C. 1531-1544, 87 Stat. 884), as amended (ESA).

Since 2003, unmanned aerial systems (UAS) have been operating from an airstrip on a then remote portion of south Wallops Island. In 2005, the airstrip was expanded to accommodate larger classes of UAS. The airstrip was lengthened to 1,500 feet (ft); two staging pads were also added. While this airstrip met an immediate and emerging need, the location has proven to be unsatisfactory for continued UAS flight operations. Storm events often inundate the runway with surf and sand, and the east/west orientation makes it susceptible to cross winds.

WFF has determined that a new airstrip is needed to provide an adequately-sized facility that will be capable of supporting the testing and deployment of existing and future UAS and UAS-based scientific instruments at WFF. UAS tests and UAS-based research opportunities form an important objective of NASA Goddard Space Flight Center's Suborbital and Special Orbital Projects Directorate and as such, this type of mission need requires an unencumbered operating environment. The new airstrip will have an asphalt surface and will measure approximately 3,000 ft long (2,500 ft plus an additional 500 ft clear zone) by 75 ft wide located at the northern portion of the island with an east-west orientation.

The federally listed species found on WFF inhabit the coastal beach zone of the island. The proposed runway site lies within the upland and marsh section of the island, well behind the coastal dune and shoreline side of the island. The Service agrees with NASA's determination that the proposed construction of the facility will have "no effect" on any of the federally listed species because construction activities will be limited to areas outside habitat that supports the listed species. However, the subsequent use of the runway and operation of UAS over the coastal zone associated with the construction of the runway as proposed has the potential to impact the federally listed species found within.

The candidate species red knot (*Calidris canutus rufa*) was included in NASA's June, 2011 biological assessment (BA). This species has not yet been proposed for listing and therefore will not be addressed further in this document; however, we appreciate NASA's consideration of this species and any conservation measures implemented to minimize or avoid threats to this species will contribute to its conservation. The Service would like to work with NASA to develop a candidate conservation agreement for the red knot.

The Service concurs with the NASA's determination that the proposed action will have "no effect" on the seabeach amaranth, Delmarva fox squirrel, and northeastern beach tiger beetle because these species are not found on Wallops Island.

The Service does not concur with NASA's determination of "no effect" on nesting sea turtles for the proposed project. NASA has proposed the following steps to reduce and minimize potential impacts to nesting sea turtles: (1) limit night flights for special circumstances like hurricane monitoring, (2) any safety lighting at the airstrip will be minimal intensity and downward-shielded, (3) over flying UAS will not use running lights, and (4) as directed by the WFF Threatened and Endangered Species Monitoring Program protocols, should WFF monitoring staff identify sea turtle nesting activity under UAS flight paths on the beach, UAS flights will be redirected or suspended until nesting activity has ceased or nestlings have completed their emergence. The avoidance and minimization measures proposed by NASA will be sufficient to prevent possible impacts to nesting sea turtles during normal UAS operations. However, during special circumstances (e.g., hurricane data collection missions) there may be a potential to affect nesting turtles. Based on the low number of nests at this site annually (between 1-4 nests per year), the low probability of hurricanes occurring during the nesting period here in Virginia, and the even lower probability that an emergency UAS flight would occur at night while turtles were nesting, the likelihood of disturbance resulting from UAS operations is low. Additionally, UAS operations and clearances from beach habitats will minimize the potential that UAS operations will affect sea turtles even if they do occur during nesting, and any effects are expected to be limited to temporary changes in behavior that will not reduce the likelihood of nesting. Consequently, these minor disturbances are considered to be insignificant and discountable, and the project as proposed, "may affect, but is not likely to adversely affect" nesting sea turtles.

The Service concurs with NASA's determination that the proposed action "may affect, but is not likely to adversely affect" piping plovers with the addition of avoidance and monitoring measures that NASA and the Service agreed to during a 19 August 2011 conference call. The

UAS flights may have the potential to disturb nesting plovers. NASA has proposed the following precautions to avoid and minimize disturbance of plovers: (1) UAS over-flights of the beach will be on average only four sorties each day (1,040 sorties maximum per year) and (2) UAS operators will be instructed to maintain a flight path both 1,000 ft vertically and horizontally away from nesting piping plovers. The Service has some concern regarding the 1,000 ft vertical and horizontal buffer proposed for UAS over flights adjacent to nesting piping plovers because this distance may not avoid all effects. Based on our review of available information on the effects of aircraft overflights on shorebirds, consultation with species experts, and past Service consultations on the effects of aircraft on nesting plovers, we recognized that the specific information on effects of aircraft is either limited to specific situations and/or aircraft types and no information was available that would allow evaluation of effects of small aircraft similar to those proposed. Current research that is being done is focusing primarily on larger and faster military aircraft types like the F-18 and the Osprey, and not the type of aircraft involved in this proposed action. Early results have shown that nesting plovers after such aircraft have flown over, are fast to return to normal behavior and there appears to be no adverse effects (Dr. Jim Fraser, Virginia Tech, pers. comm.).

The Service believes that conducting monitoring of the effects of UAS aircraft on plovers, in conjunction with an adaptive management type of approach, would be appropriate to ensure that any possible effects of these types of aircraft is addressed. On August 19, 2011, NASA and the Service held a conference call to discuss our concerns regarding what would be considered an appropriate buffer distance. NASA has agreed to work with the Service and other species experts to develop an approach to UAS operation and monitoring that would be compatible with NASA's needs and provide information on potential effects on shorebirds. NASA has agreed to monitor nesting plover behavior, through observation, video-recording, or even UAS-mounted cameras during aircraft operation to determine if plovers are affected. NASA may also attempt to establish disturbance thresholds and evaluate effects of other variables on likelihood of disturbance, including aircraft propulsion type, flight path relative to plovers, and others. The Service is confident that the monitoring program would provide good information on the response of plovers to UAS over-flights, and allow NASA to adopt appropriate modifications to avoidance buffers and flight paths if needed, and to reinitiate consultation under section 7 if necessary. Based on the best currently available data, the Service believes that with the conservation measures and the 1,000 foot horizontal and vertical buffers, disturbances to nesting plovers are unlikely to occur, and will be limited to temporary changes in behavior that are similar to responses to potential predators in the vicinity of nesting plovers and are unlikely to result in flushing from nests. The Service believes that the level of disturbance will be insignificant and discountable, and birds will return to normal activities quickly following disturbance, and the proposed action is not likely adversely affect piping plovers. In addition, the proposed monitoring in conjunction with UAS operation has the potential to significantly improve future conservation efforts for plovers and other shorebirds.

The proposed airstrip location was modified to minimize encroachment on an existing bald eagle nest. The project is outside the 660 ft buffer required to protect active nests, and there are no

identified eagle concentration areas, thus the proposed action is not likely to disturb bald eagles, and consequently, no eagle act permit is required.

Should project plans change or if additional information on the distribution of listed species or critical habitat becomes available, this determination may be reconsidered. If you have any questions, please contact Mike Drummond of this office at (804) 693-6694, extension 122, or via email at mike_drummond@fws.gov.

Sincerely,


Cindy Schulz
Supervisor
Virginia Field Office

cc: Chincoteague NWR, Chincoteague, VA (Lou Hinds)
VDACS, Richmond, VA (Keith Tignor)
VDCR, DNH, Richmond, VA (René Hypes)
VDGIF, Richmond, VA (Amy Ewing)

APPENDIX C

FEDERAL CONSISTENCY DETERMINATION

National Aeronautics and
Space Administration

**Goddard Space Flight Center
Wallops Flight Facility
Wallops Island, VA 23337**



Reply to Attn of: 250.W

December 21, 2011

Ms. Ellie Irons
Office of Environmental Impact Review
Virginia Department of Environmental Quality
629 East Main Street, Sixth Floor
Richmond, Virginia 23219

Dear Ms. Irons:

In accordance with the National Environmental Policy Act of 1969 (NEPA), as amended, and Section 307 (c) (1) of the Coastal Zone Management Act of 1972, the National Aeronautics and Space Administration (NASA) has prepared a Draft Environmental Assessment (EA) and Federal Consistency Determination (FCD) for the proposed Unmanned Aerial Systems (UAS) airstrip at its Goddard Space Flight Center's Wallops Flight Facility (WFF) on Wallops Island, Virginia. The location for the proposed airstrip is the north end of Wallops Island.

As the project sponsor, NASA is serving as the lead agency for both NEPA and Federal Consistency coordination with the Virginia Department of Environmental Quality. The U.S. Army Corps of Engineers (USACE) would undertake actions connected to the UAS airstrip and are participating in NASA's NEPA process and Consistency coordination.

In cooperation with USACE, NASA has found that the proposed construction of the UAS airstrip would be consistent to the maximum extent practicable with the enforceable policies of the Virginia Coastal Resources Management Program. NASA respectfully requests that you review the enclosed Draft EA and FCD and provide comments within 60 days of receiving this letter. Four (4) hard copies and fourteen (14) compact discs are enclosed to facilitate the consolidated state agency review process.

If you have any questions or require any additional information please contact me at (757) 824-1127, or Ms. Shari Silbert at (757) 824-2327.

Sincerely,

A handwritten signature in black ink that reads "Joel Mitchell".

Joel T. Mitchell
Natural Resources Manager

2 Enclosures

**FEDERAL CONSISTENCY DETERMINATION FOR THE
NORTH WALLOPS ISLAND
UNMANNED AERIAL SYSTEMS AIRSTRIP**

**NATIONAL AERONAUTICS AND SPACE ADMINISTRATION
GODDARD SPACE FLIGHT CENTER
WALLOPS FLIGHT FACILITY
WALLOPS ISLAND, VIRGINIA 23337**

INTRODUCTION

This document provides the Commonwealth of Virginia with the National Aeronautics and Space Administration's (NASA) Consistency Determination under Coastal Zone Management Act Section 307(c)(1) and Title 15 Code of Federal Regulations (CFR) Part 930, Subpart C, for construction of an Unmanned Aerial Systems (UAS) airstrip at NASA's Goddard Space Flight Center Wallops Flight Facility (WFF), Wallops Island, Virginia. The location for the proposed airstrip is the north end of Wallops Island. The information in this Consistency Determination is provided pursuant to 15 CFR Section 930.39.

NASA has prepared an Environmental Assessment (EA) to evaluate the potential environmental impacts from the proposed UAS airstrip in accordance with the National Environmental Policy Act of 1969 (NEPA), as amended (42 U.S. Code 4321-4347), the Council on Environmental Quality (CEQ) regulations for implementing NEPA (40 Code of Federal Regulations [CFR] 1500-1508), NASA's regulations for implementing NEPA (14 CFR Subpart 1216.3), and the *NASA Procedural Requirements (NPR) for Implementing NEPA* and *Executive Order (EO) 12114* (NPR 8580.1).

The U.S. Army Corps of Engineers (USACE), Norfolk District, has served as a Cooperating Agency in preparing the EA and this Consistency Determination, because they possess regulatory authority and specialized expertise pertaining to the Proposed Action. The ES is being developed to fulfill all three Federal agencies' obligations under NEPA. NASA, as the WFF property owner and project proponent, is the Lead Agency and responsible for ensuring overall compliance with applicable environmental statutes, including NEPA.

Based on the data and analysis, NASA finds that the activities associated with the construction of the proposed UAS airstrip are consistent to the maximum extent practicable with the enforceable polices of the Virginia Coastal Resources Management Program. The summary below supports NASA's determination.

**ENFORCEABLE POLICIES COMPRISING VIRGINIA’S COASTAL ZONE MANAGEMENT PROGRAM
AND PROPOSED ACTION ANALYSIS**

- a. Fisheries Management - The program stresses the conservation and enhancement of finfish and shellfish resources and the promotion of commercial and recreational fisheries to maximize food production and recreational opportunities. This program is administered by the Marine Resources Commission (MRC) (Virginia Code §28.2-200 through §28.2 - 713) and the Department of Game and Inland Fisheries (DGIF) (Virginia Code §29.1-100 through §29.1-570).

Consistent? Yes

Analysis –No fisheries habitat areas located within the footprint of the airstrip. Tidal wetlands are located outside of the footprint and all impacts to tidal wetlands have been avoided. The proposed airstrip construction would not have an impact on fisheries management.

The State Tributyltin (TBT) Regulatory Program has been added to the Fisheries Management program. The General Assembly amended the Virginia Pesticide Use and Application Act as it related to the possession, sale, or use of marine antifoulant paints containing TBT. The use of TBT in boat paint constitutes a serious threat to important marine animal species. The TBT program monitors boating activities and boat painting activities to ensure compliance with TBT regulations promulgated pursuant to the amendment. The MRC, DGIF, and Virginia Department of Agriculture and Consumer Services share enforcement responsibilities (Virginia Code §3.1-249.59 through §3.1-249.62).

Consistent? Yes

Analysis - No boating areas located within the footprint of the airstrip or adjacent to it. The proposed airstrip construction would not have an impact on the State TBT Regulatory Program.

- b. Subaqueous Lands Management - The management program for subaqueous lands establishes conditions for granting or denying permits to use state-owned bottomlands based on considerations of potential effects on marine and fisheries resources, wetlands, adjacent or nearby properties, anticipated public and private benefits, and water quality standards established by the Department of Environmental Quality (DEQ) Water Division. The program is administered by the MRC (Virginia Code §28.2-1200 through §28.2-1213).

Consistent? Yes

Analysis - There are no regulated subaqueous lands located within the footprint of the airstrip construction. The proposed range renovation would not have an impact on subaqueous lands.

- c. Wetlands Management - The purpose of the wetlands management program is to preserve tidal wetlands, prevent their despoliation, and accommodate economic development in a manner

consistent with wetlands preservation. (i) The tidal wetlands program is administered by the MRC (Virginia Code §28.2-1301 through §28.2-1320).

Consistent? Yes

Analysis –No tidal wetlands are located in the footprint of the airstrip construction. Impacts to tidal wetlands have been avoided. The proposed airstrip construction would not have an impact on tidal wetlands.

(ii) The Virginia Water Protection Permit program administered by the DEQ includes protection of wetlands --both tidal and non-tidal. This program is authorized by Virginia Code § 62.1-44.15.5 and the Water Quality Certification requirements of §401 of the Clean Water Act of 1972.

Consistent? Yes

Analysis –Non-tidal wetlands are present in the footprint of the airstrip. These non-tidal wetlands have been delineated and the limits confirmed by the Army Corps of Engineers (the Corps) in 2009. The wetland limits have been located by survey and illustrated on the attached exhibits. These wetlands are comprised of emergent and scrub shrub habitats. Impacts to forested areas have also been avoided. A Joint Permit application has been prepared to secure authorization for the necessary wetland impacts. A detailed alternatives analysis has been completed as part of this project. Additionally, many avoidance and minimization measures have been incorporated to further reduce wetland impacts. Mitigation will be provided to compensate for all wetland losses. Funds will be donated to the Virginia Aquatic Resources Trust Fund, managed by The Nature Conservancy. NASA has already initiated discussions with TNC to identify suitable mitigation for the proposed impacts. Wetland impacts are summarized in the table below.

Habitat Type	Acreage
Emergent Wetlands	0.9 hectares (2.32 acres)
Scrub Shrub Wetlands	0.06 hectares (0.15 ac.)
<i>Total</i>	1.0 hectares (2.47 ac.)

- d. Dunes Management - Dune protection is carried out pursuant to the Coastal Primary Sand Dune Protection Act and is intended to prevent destruction or alteration of primary dunes. This program is administered by the MRC (Virginia Code §28.2-1400 through §28.2-1420).

Consistent? Yes

Analysis - No dunes are located within the footprint of the airstrip construction. The proposed range renovation would not have an impact on dunes.

- e. Non-point Source Pollution Control - Virginia's Erosion and Sediment Control Law requires soil-disturbing projects to be designed to reduce soil erosion and to decrease inputs of chemical nutrients and sediments to the Chesapeake Bay, its tributaries, and other rivers and waters of the Commonwealth. This program is administered by the Department of Conservation and Recreation (DCR) (Virginia Code §10.1-560 *et.seq.*).

Consistent? Yes

Analysis – The proposed airstrip construction incorporates temporary and permanent best management practices to reduce soil erosion. Low Impact Development (LID) principles were utilized in the development of the stormwater management plan for the project. In addition, WFF's most recent Stormwater Pollution Prevention Plan (SWPPP), developed in 2009 will be revised to include this airstrip. The SWPPP describes current stormwater management systems and associated outfalls, potential pollutant sources, and best management practices (BMPs) implemented to reduce runoff. In addition, the SWPPP details stormwater sampling activities, procedures for completing annual comprehensive site compliance evaluations, and the employee training program.

- f. Point Source Pollution Control - The point source program is administered by the State Water Control Board pursuant to Virginia Code §62.1-44.15. Point source pollution control is accomplished through the implementation of the National Pollutant Discharge Elimination System permit program established pursuant to §402 of the federal Clean Water Act and administered in Virginia as the Virginia Pollutant Discharge Elimination System permit program. The Water Quality Certification requirements of §401 of the Clean Water Act of 1972 is administered under the Virginia Water Protection Permit program.

Consistent? Yes

Analysis – The proposed airstrip construction would not create any new point sources for pollution. Therefore, the action would have no impact on point source pollution control.

- g. Shoreline Sanitation - The purpose of this program is to regulate the installation of septic tanks, set standards concerning soil types suitable for septic tanks, and specify minimum distances that tanks must be placed away from streams, rivers, and other waters of the Commonwealth. This program is administered by the Department of Health (Virginia Code §32.1-164 through §32.1-165).

Consistent? Yes

Analysis - This action does not require the construction of facilities that require a septic tank. The proposed range renovation would not have an impact on shoreline sanitation.

- h. Air Pollution Control - The program implements the federal Clean Air Act to provide a legally enforceable State Implementation Plan for the attainment and maintenance of the National Ambient Air Quality Standards. This program is administered by the State Air Pollution Control Board (Virginia Code §10.1-1300 through 10.1-1320).

Consistent? Yes

Analysis – Minimal impacts to air quality would occur during airstrip construction activities. The action would not lead to non-attainment to any of the National Ambient Air Quality Standards. The proposed range renovation would have minimal impacts to air pollution control.

- i. Coastal Lands Management is a state-local cooperative program administered by the DCR's Division of Chesapeake Bay Local Assistance and 84 localities in Tidewater, Virginia established pursuant to the Chesapeake Bay Preservation Act (CBPA); Virginia Code §§ 10.1-2100 through 10.1-2114 and Chesapeake Bay Preservation Area Designation and Management Regulations; Virginia Administrative code 9 VAC10-20-10 *et seq.*

Consistent? Yes

Analysis –The site is not located within the Chesapeake Bay Drainage Area. The proposed airstrip construction would not have an impact on Chesapeake Bay Preservation Areas resources.

APPENDIX D

**NATIONAL HISTORIC PRESERVATION ACT,
SECTION 106 CORRESPONDENCE**

**APPENDIX D. NATIONAL HISTORIC PRESERVATION ACT,
SECTION 106 CORRESPONDENCES**

Date	From	To
April 28, 2009	Wallops Flight Facility	Virginia Department of Historic Resources
May 28, 2009	Virginia Department of Historic Resources	Wallops Flight Facility
October 9, 2009	Wallops Flight Facility	Virginia Department of Historic Resources
November 12, 2009	Virginia Department of Historic Resources	Wallops Flight Facility
July 20, 2010	Wallops Flight Facility	Assateague Island National Seashore
August 9, 2010	Assateague Island National Seashore	Wallops Flight Facility
August 11, 2010	Virginia Department of Historic Resources	Wallops Flight Facility
September 24, 2010	Telephone Log between VDHR and WFF	
November 22, 2010	Virginia Department of Historic Resources	Wallops Flight Facility
December 13, 2010	Wallops Flight Facility	Virginia Department of Historic Resources
January 10, 2011	Virginia Department of Historic Resources	Wallops Flight Facility

National Aeronautics and
Space Administration

**Goddard Space Flight Center
Wallops Flight Facility
Wallops Island, VA 23337**



April 28, 2009

Reply to Attn of: 250.W

Virginia Department of Historic Resources
Attn: Mr. Ron Grayson
Archaeologist, Office of Review and Compliance
2801 Kensington Avenue
Richmond Virginia, 23221

Subject: Request for Study Plan Review of the NASA, Goddard Space Flight Center's Wallops Flight Facility, Wallops Island, Virginia, Proposed UAS Airstrip

To satisfy its obligations under the National Environmental Policy Act and Section 106 of the National Historic Preservation Act, the Wallops Flight Facility (WFF) has retained the Timmons Group and New South Associates to assist with the planning for a 5,200 foot x 75 foot airstrip on the north end of Wallops Island in Accomack County, Virginia (See attached Site Vicinity Map). The preparation of an Environmental Assessment (EA) is forthcoming; however, WFF is moving forward with the early scoping process. The Unmanned Aerial Systems (UAS) Airstrip is being proposed to serve NASA and NASA partners for small-scale uninhabited aerial vehicles. The WFF invites your agency to participate in the scoping process. We are currently seeking your input and recommendations concerning WFF's proposed scope for evaluating the potential effect this project may have on cultural resources.


A study was previously conducted for WFF that included the current project area. The study, *Cultural Resources Assessment (CRA) of WFF, Accomack County, Virginia*, identified high sensitivity areas that would require further investigations. The purpose of the proposed investigation is to conduct a Phase I Archaeological Survey to determine if high sensitivity areas in the Area of Potential Effect (APE) contain sites that are eligible for listing on the National Register of Historic Places, and determine the effects this project may have on cultural resources. One previously identified site, 44AC0089, which is a probable Revolutionary War fort, will be investigated as part of this scope. This work is being undertaken proactively and will also be incorporated in the EA that will be prepared for this proposed action.

The UAS Airstrip at WFF is proposed to have a ground disturbance impact of 125 feet x 5,200 feet to accommodate the grading and surfacing of the 75-foot runway for its entire proposed

length. The runway would actually be elevated 2-to-3 feet above existing ground surface. There is no excavation proposed as the water table is relatively high in this area. Two 100 foot x 100 foot hangars would be constructed to service the airway. The site access road (existing dirt road) would be improved to service the runway and hangars. No other ground disturbance is planned for the project (See attached Cultural Resources Investigation Limits Map). Vegetation clearing for line of sight would be perpendicular from the edge and along the entire length of the runway fill to approximately 250 feet at a maintained height of approximately 2 feet or less. An additional 500 feet of vegetation would be cleared to the same height off of each end of the runway. Additionally, vegetation beyond the 250-foot limit would be maintained at a height of approximately 5-to-10 feet.

The APE for this project as defined in the attached scope includes the 125 feet x 5,200 feet of ground disturbance for the airstrip, the two 100 foot x 100 foot hangar sites, and the improvements to the existing site access road. The vegetation clearings for line of sight have not been included in the proposed scope, as no ground disturbance will occur within those areas (See attached Cultural Resources Investigation Limits Map).


A detailed description technical proposal outlining the proposed survey methodology and staff qualification from New South Associates is attached for you review. If you have any additional questions or require more information about the project, please Mr. Josh Bundick at 757-824-2319 (joshua.a.bundick@nasa.gov) or me at 757-824-1309 (randall.m.stanley@nasa.gov). If you have any specific questions regarding the technical proposal, please contact New South Associates via Mr. Chris Espenshade at (336) 379-0433 (cespenshade@newsouthassoc.com). Thank you for your attention to this request and we look forward to receiving your comments.



Randall M. Stanley
Facility Historic Preservation Officer

4 Enclosures

cc: (w/o encl.)
200/Ms. C. Massey
228/Mr. P. Bull
228/Mr. G. Lilly
250/Mr. J. Bundick



UAS AIRFIELD AT WFF
 ACCOMACK COUNTY, VIRGINIA
 SITE VICINITY MAP

TIMMONS GROUP 
 YOUR VISION ACHIEVED THROUGH OURS.

TIMMONS GROUP JOB NUMBER: 27597
 PROJECT STUDY LIMITS: 161.1 ACRES
 LATITUDE: 35°53'05"
 LONGITUDE: 75°26'16"

U.S.G.S. QUADRANGLE(S): CHINCOTEAGUE WEST AND WALLOPS ISLAND
 DATE: 1989
 WATERSHED: CHINCOTEAGUE & EASTERN LOWER DELMARVA
 HUC IDENTIFICATION: 02060010, 02080110

NEW SOUTH TECHNICAL PROPOSAL

Principal Investigator: Chris Espenshade, MA, RPA

WFF Page 1 of 2

Cultural Resources Assessment

The Historian will conduct background research at the Wallops Flight Facility, the Library of Virginia, and the Virginia Department of Historic Resources. The research will begin with a review of the 2003 Cultural Resource Assessment. It is anticipated that a focus of the background research will be better defining the history of the military earthwork in the Area of Potential Effect (APE). For this survey, the APE is defined as an area that captures the proposed airstrip plus a construction corridor (125 x 5,200), (2) 100 x 100 hangars, and access road improvements. The APE will be established in the field through the use of Trimble GeoXT GPS receivers with sub-meter positional accuracy.

The main method for site discovery will be excavation of subsurface shovel tests. Given the high sensitivity of the APE for archaeological sites, it is appropriate that this survey use shovel tests excavated at 15-meter intervals. The 15-meter interval is recommended for areas of high archaeological potential by the VDHR in their survey guidelines. At 15-meter intervals, there will be 16 shovel tests per acre for site discovery. These will be positioned through pacing and compass bearing from known points, and the locations of all positive shovel tests will be plotted with the GPS. The shovel tests will measure 30 centimeters in diameter and will be excavated to sterile subsoil, groundwater, or 70 centimeters below surface. The majority of the APE is mapped as Fisherman-Assateague complex, which is characterized by deep sands. It is likely that the majority of the units will need to be excavated to 70 centimeters below surface. Soil will be screened through 0.25-inch mesh. Notes will be made on the soil strata and artifact content of each test.

When artifacts are recovered from a unit, the site will be delineated using a cruciform of shovel tests at 7.5-meter intervals. The site boundaries will be pursued until there are two negative tests in each direction, the landform drops away, or the edge of the APE is reached. A plan map will be prepared for each site, and photographs will be made of each site. All site boundaries, surface finds, positive shovel tests, and any other pertinent natural or cultural features will be recorded with the sub-meter GPS receiver. It is anticipated that 318 shovel tests will be excavated for runway (3 transects of 106 tests each), an estimated 100 additional tests will be required for the road along 1 transect, and an additional 64 tests for site discovery.

Artifacts will be accessioned by discrete field provenience. They will be washed and rebagged with appropriate identifying tags. The focus of the analysis will be to characterize the temporal and functional dimensions of each site, and to provide a comprehensive artifact catalog. Prehistoric pottery will be sorted by aplastic content and surface decoration; type names will be assigned as feasible. Lithic artifacts will be described by raw material and technotype. Shell or bone tools will be described by species and function. Historic artifacts will be first classified by material class (e.g., ceramics). Additional technological and stylistic details will be recorded to narrow the production span (e.g., amethyst glass was produced only 1890-1905). Form will also be recorded when feasible (e.g., pint flask).

Military items will be sorted to army of origin, as feasible. Diameter will be recorded for all munitions; musket balls will be classed as dropped or fired. Buttons and other uniform items will be identified through consultation with published artifact guides.

NEW SOUTH TECHNICAL PROPOSAL

Principal Investigator: Chris Espenshade, MA, RPA

WFF Page 2 of 2

The consultant will complete a full technical report, as per the guidelines of the VDHR. The report will include: a detailed description of the project and APE; a natural context chapter; a cultural context chapter including a historic overview of the APE; a chapter describing the methods for the background research, field survey, analysis, and curation; a detailed results chapter with throughout descriptions of each site, their soils, and the recovered artifacts; a recommendations chapter that details the eligibility recommendations and appropriate further work; a bibliography; and a complete artifact catalog. The report will have a detailed map of every positive and negative shovel test, a map of every metal detector find, a photograph and plan map for every site discovered, drawings of representative soil profiles, and illustrations of key artifacts.



COMMONWEALTH of VIRGINIA

L. Preston Bryant, Jr.
Secretary of Natural Resources

Department of Historic Resources
2801 Kensington Avenue, Richmond, Virginia 23221-0311

Kathleen S. Kilpatrick
Director

Tel: (804) 367-2323
Fax: (804) 367-2391
TDD: (804) 367-2386
www.dhr.virginia.gov

May 28, 2009

Mr. Randall Stanley
Facility Historic Preservation Officer
Goddard Space Flight Center
Wallops Flight Facility
Wallops Island, VA 23337

Re: Study Plan Review of the Proposed UAS Airstrip
Wallops Island
DHR File #: 2009-0696
Date Received: April 29, 2009

Dear Mr. Stanley:

We have received information for our review and comment regarding the above referenced project. The proposed survey methodology and Area of Potential Effect appears appropriate for the archaeological investigation proposed. However, because of the possible increase in noise, we recommend that you request the comments of the National Park Service (NPS) Assateague Island National Seashore regarding indirect effects to the NRHP-listed Assateague Beach Lifeboat Station. According to the NPS directory, Trish Kicklighter is Superintendent and Carl Zimmerman is the Resource Management Specialist. These comments will allow us to better comment on the effects of the proposed undertaking.

We look forward to further consultation on this project. If you have any questions about our comments, please contact me at: ron.grayson@dhr.virginia.gov or (804) 367-2323, Ext. 105.

Sincerely,

Ronald Grayson, RPA, Archaeologist
Office of Review and Compliance

National Aeronautics and
Space Administration



**Goddard Space Flight Center
Wallops Flight Facility
Wallops Island, VA 23337**

Reply to Attn of: 250.W

July 20, 2010

Ms. Trish Kicklighter
Superintendent
National Park Service, Assateague Island National Seashore
7206 National Seashore Lane
Berlin, MD 21811

Dear Ms. Kicklighter:

In accordance with the National Environmental Policy Act of 1969 (NEPA), as amended, the National Aeronautics and Space Administration (NASA) Goddard Space Flight Center's Wallops Flight Facility (WFF) is preparing an Environmental Assessment to analyze potential impacts associated with the construction and operation of an Unmanned Aerial Systems (UAS) airstrip at the north end of Wallops Island in Accomack County, Virginia (Enclosure 1).

A letter we recently sent to you dated July 14, 2010, describes the full scope of this project. In summary, the proposed UAS airstrip would be constructed of asphalt and measure approximately 914 meters (3,000 feet long [2,500 feet plus an additional 500 feet clear zone]) by 18 meters (60 feet) wide. The airstrip would be elevated approximately 1 meter (3 feet) above the existing ground surface. Two asphalt pads also would be constructed adjacent to the airstrip for staging aircraft and support vehicles during flight operations. A clear line of sight for UAS operators is necessary; therefore, vegetation alongside the length (up to 30 meters [100 feet]) on each side of the proposed airstrip would be cleared and maintained. Additionally, vegetation height would be maintained beyond the ends of the airstrip. Crushed gravel would be used to improve the existing dirt access road to provide service to the airstrip. Infrastructure improvements to provide electrical and telecommunication service would be implemented; however, it is anticipated that most UAS operators would use small portable generators. The total affected area would be approximately 2 hectares (5 acres). The proposed airstrip would likely be constructed in several phases to reach the dimensions described above.


In mid-2009, WFF was preparing for a cultural resources investigation of the project area for the proposed UAS airstrip and consulted with the Virginia Department of Historic Resources (VDHR), which is the Virginia State Historic Preservation Office, regarding the area of potential effects and survey methodology for the investigation. In turn, VDHR recommended consulting with you regarding potential indirect effects of the project on the National Register-eligible Assateague Beach Life-Saving Station located on Toms Cove Hook (Enclosure 1). We are seeking your input concerning WFF's UAS airstrip proposal.

We have determined that UAS operations from the proposed airstrip on Wallops Island would have no adverse effect on the Assateague Beach Life-Saving Station. UAS operations would be conducted year round during NASA's normal Air Traffic Control tower hours (7 AM to 5 PM). Night operations would only take place under special circumstances (e.g., hurricane monitoring). The UAS aircraft would operate within the existing NASA controlled Restricted Airspace Areas (R-6604A/B) and within the Virginia Capes Operating Area (VACAPES OPREA), the Navy's offshore training area (Enclosure 1). Aside from takeoff and landing, the minimum operating altitude would be 152 meters (500 feet). The largest UAS that would be authorized to operate from the proposed airstrip is the Viking 400. The Viking 400 has a 6 meter (20 foot) wingspan, is 4.5 meters (14.7 feet) in length, and would have a maximum weight of 240 kilograms (530 pounds).

UAS would not operate over Assateague Island National Seashore. UAS would take off from the airstrip and fly southeast over water. Preliminary noise analysis indicates the loudest noise would be at the airstrip on Wallops Island; otherwise, the noise environment would not perceptibly change. Because UAS would not fly over Assateague Island National Seashore and the current noise environment beyond Wallops Island would not change, the proposed project would have no indirect visual or audible effects on the Assateague Beach Life-Saving Station.

If you have any questions or require additional information about the project, please contact Mr. Joel Mitchell at (757) 824-1127 or me at (757) 824-1309. Thank you for your attention to this request and we look forward to receiving your comments.

Sincerely,

A handwritten signature in black ink that reads "Randall M. Stanley". The signature is written in a cursive style with a large, prominent initial 'R'.

Randall M. Stanley
Facility Historic Preservation Officer

Enclosure



United States Department of the Interior
NATIONAL PARK SERVICE
Assateague Island National Seashore
7206 National Seashore Lane
Berlin, MD 21811
(410) 641-1443



August 9, 2010

Mr. Joel Mitchell, Natural Resources Manager
250.W
NASA Goddard Space Flight Center
Wallops Flight Facility
Wallops Island, Virginia 23337

Dear Mr. Mitchell:

Assateague Island National Seashore (AINS), a unit of the National Park Service located in Virginia and Maryland, appreciates the opportunity to provide comments during the preparation of the Environmental Assessment to analyze potential impacts associated with a new UAS airstrip at the north end of Wallops Island, Virginia.

The southern portion of AINS is located approximately 2 miles east of the proposed project. After speaking with you about this project, our understanding is that the project would not add any additional restrictions to the airspace over Assateague Island, that the flight lines would not cross over Assateague Island, and that the noise levels associated with flights would not exceed the ambient noise levels on Assateague Island. With that understanding, we do not have significant concerns at this time about the project's potential impacts on AINS resources or visitor experience.

Thank you for the opportunity to comment. We would appreciate continued communication about this project and any changes to the proposal.

Sincerely,

Trish Kicklighter
Superintendent, Assateague Island National Seashore

National Aeronautics and
Space Administration
Goddard Space Flight Center
Wallops Flight Facility
Wallops Island, VA 23337



Reply to Attn of: 228

October 9, 2009

Virginia Department of Historic Resources
Attn: Mr. Ron Grayson
Archaeologist, Office of Review and Compliance
2801 Kensington Avenue
Richmond Virginia, 23221

Subject: UAS Airstrip at Wallops Flight Facility, Draft Cultural Resources
Investigation for the Proposed Uninhabited Aerial Systems Airstrip,
Wallops Flight Facility, Accomack County, Virginia

In accordance with Section 106 of the National Historic Preservation Act, as amended, the National Aeronautics and Space Administration (NASA) Goddard Space Flight Center's (GSFC) Wallops Flight Facility (WFF) is submitting the enclosed draft "*Cultural Resources Investigation of the Proposed Uninhabited Aerial Systems Airstrip*" (Enclosure 1) for your review and concurrence concerning the below-described undertaking.

Wallops Flight Facility (WFF) has contracted Timmons Group to assist with a proposal to create a 1,500 x 34 meter airstrip and associated improvements on the north end of Wallops Island in Accomack County, Virginia. The Uninhabited Aerial Systems (UAS) Airstrip is being proposed to serve as a takeoff and landing facility for UAS. WFF previously consulted with Virginia Department of Historic Resources (VDHR) while preparing the study plan for the proposed undertaking (DHR File #:2009-0696).

Brief Background:

Previously, an archaeological study was conducted for WFF that included the current project area. The study, *Cultural Resources Assessment, (CRA) NASA Wallops Flight Facility (NASA, 2003c), Accomack County, Virginia*, identified areas of increased sensitivity for the presence of archaeological resources that would require further investigations if the areas were to be disturbed. The CRA briefly discussed the recordation and discovery of Site, 44AC0089, described as a probable Revolutionary War fort. Because no development was planned for the north end of Wallops Island, Site 44AC0089 was not further investigated at that time.

In 2009, Timmons Group sub-contractor New South Associates completed a cultural resource study in support of the proposed construction of UAS Airstrip on north Wallops Island. . The proposed airstrip effectively would reach from the Atlantic Ocean beach across the northern end of the island, to the tidal marshes between the island and the mainland. The project vicinity has mixed vegetation including small hardwoods, 20 to 30-year old planted pines, and dense underbrush. Soils are generally deep sands. The proposed project would entail the construction of a paved airstrip and two hangar buildings, as well as improvements to the current access road.

The archaeological Area of Potential Effects (APE) was originally defined as 1,100 x 10 meters of road improvements, two 30 x 30-meter hangar locations, and 1,500 x 34 meters of airstrip and apron. When it was discovered that the original airstrip location threatened a site recommended eligible for the National Register of Historic Places (NRHP), the APE was revised by shifting the northwestern end of the airstrip to the south as detailed in the enclosed report. The revised APE now completely avoids this area.

The cultural resources investigations also included:

- archaeological survey of the APE as originally defined;
- delineation and evaluation of site 44AC0089, a Revolutionary War fort;
- archaeological survey of the APE after revision to avoid 44AC0089;
- architectural resource survey of the original and revised APEs; and
- architectural evaluation of the North Observation Mound, a mid-late twentieth-century structure.

The background research revealed that 44AC0089 was the only previously recorded site in the original APE. The examination of the APE through screened shovel tests at 15-meter intervals encountered only 44AC0089. The APE was revised to avoid this site, and the survey of the revised APE found no additional archaeological sites. Metal detector survey behind the fort failed to discover any evidence of an associated camp. Site 44AC0089 is a well-preserved example of a small, coastal, gun emplacement from the Revolutionary War. It is recommended eligible for the NRHP under Criteria C and D. The revised APE does not include the site, and the proposed undertaking will have no effect on any sites eligible for, or listed on, the NRHP.

NASA has determined that this undertaking will have no adverse effect on historic properties. NASA is requesting VDHR's concurrence with this determination, and submits the enclosed draft of the *Cultural Resources Investigation of the Proposed Uninhabited Aerial Systems Airstrip* (Enclosure 1) and associated Project Review Form (Enclosure 2) which describes this undertaking for your consideration.

If you have any questions or require any additional information please contact me at (757) 824-1309, or Ms. Shari Silbert at (757) 824-2327.

A handwritten signature in black ink that reads "Randall M. Stanley". The signature is written in a cursive style with a large, stylized initial 'R'.

Randall M. Stanley
Facility Historic Preservation Officer

2 Enclosures

cc:
200/Ms. C. Massey
228/Mr. G. Lilly
250/Ms. C. Turner



COMMONWEALTH of VIRGINIA

Department of Historic Resources

2801 Kensington Avenue, Richmond, Virginia 23221-0311

L. Preston Bryant, Jr.
Secretary of Natural Resources

Kathleen S. Kilpatrick
Director

Tel: (804) 367-2323
Fax: (804) 367-2391
TDD: (804) 367-2386
www.dhr.virginia.gov

November 12, 2009

Mr. Randall Stanley
Facility Historic Preservation Officer
Goddard Space Flight Center
Wallops Flight Facility
Wallops Island, VA 23337

Re: UAS Airstrip Draft Cultural Resources Investigation
Wallops Flight Facility
DHR File #: 2009-0696
Date Received: October 13, 2009

Dear Mr. Stanley:

We have received information regarding our review of the above referenced undertaking, including a copy of the Draft report *Cultural Resources Investigations of the Proposed Uninhabited Aerial Systems Airstrip, Wallops Flight Facility, Accomack County, Virginia* (Espenshade and Lockerman: 2009). Based upon information presented in the report, the level of effort appears to be sufficient to have identified any historic properties within the area investigated. However, we are unable to comment on the effect of this undertaking to historic properties without additional information.

We are unable to provide comments regarding the eligibility of the ca. 1952 North Observation Mound (DHR ID# 001-0027-0125) at this time. The hard copy survey file that accompanies the Data Sharing System (DSS) record is incomplete, and the record does not meet the Department's Quality Assurance and Quality Control (QA/QC) requirements. We require the supporting materials (USGS topographic map of the resource, black and white photographs, and sketch plan) be provided to complete this record.

Additional information is also needed to positively determine the eligibility of archaeological site 44AC0089 for listing in the National Register or Historic Places (NRHP). The boundary of the site must be indicated on the contour map (Figure 15). Additionally, further information concerning the soils of the earthwork is needed, including a comparison of soil profiles from within the site to those of the surrounding area. Given the lack of cultural materials, this information is crucial to understanding the construction/formation of this landform.

It is stated within the report and in the accompanying cover letter that the plans of the project have been revised to avoid impacts to 44AC0089. However, the plans in the report do not clearly indicate this alteration. Additional plans are needed to assess the impacts of the proposed construction on 44AC0089.

We also request an update regarding the agreements concerning the Wallops Beach Lifeboat Station (DHR ID# 011-0027-0100) and Observation Tower (DHR ID# 011-0027-0101).

We look forward to further consultation on this project. If you have any questions about our comments, please contact me at: ron.grayson@dhr.virginia.gov or (804) 367-2323, Ext. 105.

Sincerely,



Ronald Grayson, RPA, Archaeologist
Office of Review and Compliance



COMMONWEALTH of VIRGINIA

Department of Historic Resources

2801 Kensington Avenue, Richmond, Virginia 23221

Douglas W. Domenech
Secretary of Natural Resources

Kathleen S. Kilpatrick
Director

Tel: (804) 367-2323
Fax: (804) 367-2391
TDD: (804) 367-2386
www.dhr.virginia.gov

August 11, 2010

Mr. Joel T. Mitchell
Natural Resources Manager
Goddard Space Flight Center
Wallops Flight Facility
Wallops Island, VA 23337

Re: UAS Airstrip Impacts
Wallops Flight Facility
DHR File #: 2009-0696
Date Received: July 15, 2010

Dear Mr. Mitchell:

We have received information regarding our review of the above referenced undertaking, our office previously responded to your agency in a letter dated November 12, 2009. Our current comments are largely the same as those forwarded to you in 2009. However, we are unable to comment on the effect of this undertaking to historic properties without additional information.

We are unable to provide comments regarding the eligibility of the ca. 1952 North Observation Mound (DHR ID# 001-0027-0125) at this time. The hard copy survey file that accompanies the Data Sharing System (DSS) record is incomplete, and the record does not meet the Department's Quality Assurance and Quality Control (QA/QC) requirements. We require the supporting materials (USGS topographic map of the resource, black and white photographs, and sketch plan) be provided to complete this record.

Additional information is also needed to positively determine the eligibility of archaeological site 44AC0089 for listing in the National Register or Historic Places (NRHP). Further information concerning the soils of the earthwork is needed, including a comparison of soil profiles from within the site to those of the surrounding area. Given the lack of cultural materials, this information is crucial to understanding the construction/formation of this landform.

Administrative Services
10 Courthouse Ave.
Petersburg, VA 23803
Tel: (804) 862-6416
Fax: (804) 862-6196

Capital Region Office
2801 Kensington Office
Richmond, VA 23221
Tel: (804) 367-2323
Fax: (804) 367-2391

Tidewater Region Office
14415 Old Courthouse Way
2nd Floor
Newport News, VA 23608
Tel: (757) 886-2807
Fax: (757) 886-2808

Roanoke Region Office
1030 Penmar Avenue, SE
Roanoke, VA 24013
Tel: (540) 857-7585
Fax: (540) 857-7588

Northern Region
Preservation Office
P.O. Box 519
Stephens City, VA 22655
Tel: (540) 868-7029
Fax: (540) 868-7033

Even though it appears that direct impacts from the airstrip avoid the archaeological site 44AC0089, the impacts from other activities are unknown. We require a more complete description of the ground disturbing activities in the vicinity of archaeological site 44AC0089. The description should include impacts related to the construction of the airstrip itself and any vegetation clearing activities.

We look forward to further consultation on this project. If you have any questions about our comments, please contact me at: ron.grayson@dhr.virginia.gov or (804) 367-2323, Ext. 105.

Sincerely,

A handwritten signature in blue ink, appearing to read 'Ron Grayson', written in a cursive style.

Ronald Grayson, RPA, Archaeologist
Office of Review and Compliance

c.c. Randall Stanley, NASA Wallops Historic Preservation Officer

Silbert, Shari A. (WFF-200.C)[EGG, Inc. (WICC)]

From: Mitchell, Joel T. (WFF-2500)
Sent: Wednesday, September 22, 2010 2:45 PM
To: Bundick, Joshua A. (WFF-2500); Silbert, Shari A. (WFF-200.C)[EG&G, Inc. (WICC)]
Cc: Bull, Paul C. (WFF-2280); Turner, Carolyn (WFF-2500); Stanley, Randall M. (WFF-2280)
Subject: UAS and the revolutionary war earthworks

Randy Stanley and I, along w/ the TEC folks (Charee, Kim, and Matt) talked w/Ron Grayson and Amanda Lee of VDHR today concerning the extent of buffer zone that would be required for construction of the air strip and the associated vegetation clearing activities.

First of all, Ron said that DHR had not yet determined that the site was eligible and referred to the information DHR requested back in 2009 and again this summer in 2010. Specifically it was soil profile information that would determine the boundaries of the earthworks and determine if changing conditions over the years would have redeposited soils or filled areas which would minimize the archaeological value of portions of the site..

Ron continued that typically a Phase II survey would answer these questions. I responded that New South had conducted a "limited Phase II at the site and Ron said that he still needed the information that DHR had requested. He also said that in the interests of time you can just assume that the site is eligible and use the profile information to determine the buffer and the type of clearing activities (if any) would be allowed on and within the earthworks themselves. When pressed about typical buffer distances for very unstable soils, he would not commit. Evidently depending on the site, you may need no buffer and a buffer up to 100+ feet.

The upshot of the meeting was that DHR cannot advise us on buffer zones and clearance activities until it is provided with the soil profile information. Kim indicated that she had the information, would pull it together and send it to NASA for review, whereupon we'll forward it to DHR with all due dispatch.

Ron said that information should be sent to Amanda Lee, who will be our point of contact until a permanent replacement for Ron Grayson is chosen. Ron is leaving DHR as of next Thursday.

Randy, if you have anything to add or change, please reply to the group. Thanks.

Joel Mitchell
Environmental Engineer
NASA Wallops Flight Facility
757-824-1127



COMMONWEALTH of VIRGINIA

Department of Historic Resources

Douglas W. Domenech
Secretary of Natural Resources

2801 Kensington Avenue, Richmond, Virginia 23221

Kathleen S. Kilpatrick
Director

Tel: (804) 367-2323
Fax: (804) 367-2391
TDD: (804) 367-2386
www.dhr.virginia.gov

November 22, 2010

Mr. Randall M. Stanley, Historic Preservation Officer
NASA Goddard Space Flight Center
Wallops Flight Facility
Building N-161, Room 127
Wallops Island, Virginia 23337

Re: UAS Airstrip Cultural Resources Investigations
Accomack County
DHR File No. 2009-0696

Dear Mr. Stanley,

On October 26, 2010, the Virginia Department of Historic Resources (DHR) received additional information (letter describing the proposed action as well as the additional information requested by DHR in its letter of November 12, 2009) regarding the above referenced project for our review and comment pursuant to Section 106 of the National Historic Preservation Act of 1966, as amended. Unfortunately, we are unable to comment on the effect of this undertaking to historic properties.

We are unable to provide comments regarding the eligibility of the ca. 1952 North Observation Mound (DHR ID# 001-0027-0125) at this time. The hard copy survey file that accompanies the Data Sharing System (DSS) record is incomplete, and the record does not meet DHR's Quality Assurance/Quality Control (QA/QC) requirements. We require the supporting materials (USGS topographic map of the resource, black and white photographs, and sketch plan) be provided to complete this record. While your submission noted that black and white photographs were provided, none accompanied the report. We do appreciate the submission of the digital photographs, but current survey standards require black and white photographs for the file as well as mapping that is separate for a produced report.

DHR understands that NASA WFF wishes to treat archaeological site 44AC0089, the Revolutionary War earthworks, as eligible for listing in the National Register of Historic Places. DHR agrees to this treatment for the purposes of compliance with Section 106 of the National Historic Preservation Act. The proposed UAS Airstrip has the potential to affect site 44AC0089, perhaps adversely, and NASA proposes five options for protection of the resource

Administrative Services
10 Courthouse Ave.
Petersburg, VA 23803
Tel: (804) 862-6416
Fax: (804) 862-6196

Capital Region Office
2801 Kensington Office
Richmond, VA 23221
Tel: (804) 367-2323
Fax: (804) 367-2391

Tidewater Region Office
14415 Old Courthouse Way
2nd Floor
Newport News, VA 23608
Tel: (757) 886-2807
Fax: (757) 886-2808

Roanoke Region Office
1030 Penmar Avenue, SE
Roanoke, VA 24013
Tel: (540) 857-7585
Fax: (540) 857-7588

Northern Region
Preservation Office
P.O. Box 519
Stephens City, VA 22655
Tel: (540) 868-7029
Fax: (540) 868-7033

during construction. While the "No Disturbance" option, which calls for retaining all current vegetation and excluding heavy machinery on the site and within a reasonable buffer, may be the most effective way to preserve site 44AC0089, DHR accepts that this is not the only feasible option. Accordingly, DHR would accept the following as appropriate treatment of site 44AC0089:

1. Establish a 25-foot buffer around the site within which no heavy machinery is allowed.
2. Depict the buffer zone on all construction plans.
3. Erect during construction a temporary exclusion fence around the site, including the buffer.
4. Remove, by hand, all vegetation on the site at or above ground level while keeping all roots intact and minimizing foot traffic on the earthworks.
5. Seed the site with a low-lying, non-woody ground cover.
6. Establish a maintenance plan that monitors the condition of the earthworks and stipulates procedures for future vegetation removal, as needed.

We look forward to receiving the DSS record and supporting materials for North Observation Mound (DHR ID# 001-0027-0125) and notice of your preferred option regarding the treatment of archaeological site 44AC0089. Should you have any questions, I may be reached via email at amanda.lee@dhr.virginia.gov or by phone at 804-367-2323 Ext. 122.

Sincerely,



M. Amanda Lee, Historic Preservationist
Office of Review and Compliance

Administrative Services
10 Courthouse Ave.
Petersburg, VA 23803
Tel: (804) 862-6416
Fax: (804) 862-6196

Capital Region Office
2801 Kensington Office
Richmond, VA 23221
Tel: (804) 367-2323
Fax: (804) 367-2391

Tidewater Region Office
14415 Old Courthouse Way
2nd Floor
Newport News, VA 23608
Tel: (757) 886-2807
Fax: (757) 886-2808

Roanoke Region Office
1030 Penmar Avenue, SE
Roanoke, VA 24013
Tel: (540) 857-7585
Fax: (540) 857-7588

Northern Region
Preservation Office
P.O. Box 519
Stephens City, VA 22655
Tel: (540) 868-7029
Fax: (540) 868-7033



National Aeronautics and
Space Administration
Goddard Space Flight Center
Wallops Flight Facility
Wallops Island, VA 23337

December 13, 2010

Amanda Lee
Commonwealth of Virginia
Department of Historic Resources
2801 Kensington Avenue
Richmond, Virginia 23221-0311

RE: UAS Airstrip Cultural Resources Investigations
Wallops Flight Facility
DHR File #2009-0696

Dear Ms. Lee:

As per your request in your letter of November 22, 2010, please find enclosed the additional information for the determination of eligibility for the 1952 North Observation Mound (DHR# 001-0027-0125). Included are a copy of the VDHR resource survey form, topographical maps, and a site sketch on acid-free paper. A set of black and white photographs (from digital) in Print File sleeves are included, as well as a CD with the digital photo files.

In addition, NASA has determined that the following options will be taken to preserve and protect the earthworks associated with the Revolutionary War Fort (44AC0089) during construction of the new UAS airstrip. Option 1 would establish a 25-foot buffer zone around the earthworks within which no clearing will be done and the site will be maintained and preserved in its current state.

Should it be determined that the vegetation must be removed from the site for safety concerns, trees and large vegetation will be hand-cleared from the site and 25-foot buffer zone. NASA will attempt to control excess foot traffic and inadvertent damage to the earthworks during clearing activities. The roots of trees and other vegetation will not be removed from the earthworks to minimize damage and the site will be reseeded with an approved, non-woody ground cover.

A long-term maintenance plan will be established that will outline procedures for yearly vegetation removal and that will monitor the state of the earthworks. The plan may include observations of erosion and/or other damage to the earthworks through photodocumentation and

include provisions for short and long term stabilization techniques and emergency stabilization in the event of natural disasters, including hurricanes. Long-term maintenance may include the erection of a permanent enclosure to guard against vandalism or inadvertent damage to the site.

If you have any questions or require additional information about the project, please contact Mr. Joel Mitchell at (757) 824-1127 or me at (757) 824-1309. Thank you for your attention to this request and we look forward to receiving your comments.

Sincerely,

A handwritten signature in black ink that reads "Randall M. Stanley". The signature is written in a cursive style with a large initial 'R' and a long, sweeping underline.

Randall M. Stanley
Facility Historic Preservation Officer

Enclosure



COMMONWEALTH of VIRGINIA

Department of Historic Resources

Douglas W. Domenech
Secretary of Natural Resources

2801 Kensington Avenue, Richmond, Virginia 23221

Kathleen S. Kilpatrick
Director

Tel: (804) 367-2323
Fax: (804) 367-2391
TDD: (804) 367-2386
www.dhr.virginia.gov

January 10, 2011

Mr. Randall M. Stanley, Historic Preservation Officer
NASA Goddard Space Flight Center
Wallops Flight Facility (WFF)
Building N-161, Room 127
Wallops Island, Virginia 23337

Re: UAS Airstrip Cultural Resources Investigations
Accomack County
DHR File No. 2009-0696

Dear Mr. Stanley,

On December 14, 2010, the Virginia Department of Historic Resources (DHR) received additional information regarding the above referenced project for our review and comment pursuant to Section 106 of the National Historic Preservation Act of 1966, as amended.

Based upon a review of the information provided regarding the ca. 1952 North Observation Mound (DHR ID# 001-0027-0125), DHR concurs that the resource is not eligible for inclusion in the National Register of Historic Places.

DHR understands that NASA WFF has determined that it will implement Option 1 regarding the treatment of the Revolutionary War Fort, archaeological site (44AC0089). NASA WFF will establish a 25-foot buffer zone around the earthworks within which no clearing will be done, and the site will be maintained and preserved in its current state. DHR recommends no adverse effect to 44AC0089 by this option.

Should you have any questions, I may be reached via email at amanda.lee@dhr.virginia.gov or by phone at 804-367-2323 Ext. 122.

Sincerely,

A handwritten signature in blue ink that reads "M. Amanda Lee".

M. Amanda Lee, Historic Preservationist
Office of Review and Compliance

Cc: Shari A. Silbert, NASA WFF

Administrative Services
10 Courthouse Ave.
Petersburg, VA 23803
Tel: (804) 862-6416
Fax: (804) 862-6196

Capital Region Office
2801 Kensington Office
Richmond, VA 23221
Tel: (804) 367-2323
Fax: (804) 367-2391

Tidewater Region Office
14415 Old Courthouse Way 2nd
Floor
Newport News, VA 23608
Tel: (757) 886-2807
Fax: (757) 886-2808

Western Region Office
Hundley Hall
962 Kime Lane
Salem, VA 24153
Tel: (540) 387-5428
Fax: (540) 387-5446

Northern Region Office
5357 Main Street
PO Box 519
Stephens City, VA 22655
Tel: (540) 868-7031
Fax: (540) 868-7033

APPENDIX E

AIR QUALITY CALCULATIONS

APPENDIX E

AIR QUALITY ANALYSIS

As described in Section 3.9, air quality in a given location is described by the concentration of various pollutants in the atmosphere. The significance of the pollutant concentration is determined by comparing it to the federal and state ambient air quality standards.

The air quality analysis in this Environmental Assessment (EA) examined impacts from air emissions associated with the proposed construction and operation activities associated with the Proposed Action. As part of the analysis, emissions generated from construction equipment, motor vehicles and Unmanned Aerial Systems (UAS), and other area (nonmobile) sources (i.e., generators) were examined for carbon monoxide (CO), nitrogen oxides (NO_x), sulfur dioxide (SO_x), ozone (in the form of volatile organic compounds [VOCs]), and particulate matter (PM₁₀ and PM_{2.5}). Air quality at Wallops Island is regulated by the United States Environmental Protection Agency (USEPA) and Virginia Department of Environmental Quality (VDEQ). The Northeastern Virginia Intrastate Air Quality Control Region (AQCR), including Accomack County, is attainment/unclassifiable for all criteria pollutants.

CONSTRUCTION

Air quality impacts from proposed construction activities were estimated from (1) combustion emissions due to the use of fossil fuel-powered equipment; (2) fugitive dust emissions (PM₁₀ and PM_{2.5}) during earth-moving activities, and the operation of equipment on bare soil; and (3) VOC emissions from application of asphalt materials during paving operations.

Factors needed to derive the construction source emission rates were obtained from *Median Life, Annual Activity, and Load Factor Values for Nonroad Engine Emissions Modeling* (USEPA 2010a); *Exhaust and Crankcase Emission Factors for Nonroad Engine Modeling—Compression-Ignition* (USEPA 2010b); *Nonroad Engine and Vehicle Emission Study—Report* (USEPA 1991); *Conversion Factors for Hydrocarbon Emission Components* (USEPA 2005); and *Western Regional Air Partnership (WRAP) Fugitive Dust Handbook* (WRAP 2006).

The analysis assumed that all construction equipment was manufactured before 2000. This approach is based on the well-known longevity of diesel engines, although use of 100% Tier 0 equipment may be somewhat conservative. The analysis also inherently reduced PM₁₀ fugitive dust emissions from earth-moving activities by 50 percent as this control level is included in the emission factor itself.

Off-Road Equipment Emissions. The NONROAD model (USEPA 2008) is the EPA standard method for preparing emission inventories for mobile sources that are not classified as being related to on-road traffic, railroads, air traffic, or water-going vessels. As such, it is the starting place for quantifying emissions from construction-related equipment.

The NONROAD model uses the following general equation to estimate emissions separately for CO, NO_x, PM (essentially all of which is PM_{2.5} from construction sources), and total hydrocarbons (THC), nearly all of which are nonmethane hydrocarbons:

$$EMS = EF * HP * LF * Act * DF$$

Where:

EMS = estimated emissions

EF = emissions factor in grams per horsepower hours

HP = peak horsepower

LF = load factor (assumed percentage of peak horsepower)

Act = activity in hours of operation per period of operation

DF = deterioration factor

The emissions factor is specific to the equipment type, engine size, and technology type. The technology type for diesel equipment can be “base” (before 1988), “tier 0” (1988 to 1999), or “tier 1” (2000 to 2005). Tier 2 emissions factors could be applied to equipment that satisfies 2006 national standards (or slightly earlier California standards). The technology type for two-stroke gasoline equipment can be “base” (before 1997), “phase 1” (1997 to 2001), or “phase 2” (2002 to 2007). Equipment for phases 1 and 2 can have catalytic converters. For this study, all diesel equipment was assumed to be either tier 0 or tier 1 and all two-stroke diesel equipment was assumed to be phase 1 without catalytic converters.

The load factor is specific to the equipment type in the NONROAD model regardless of engine size or technology type, and it represents the average fraction of peak horsepower at which the engine is assumed to operate. NONROAD model default values were used in all cases. Because Tier 0 equipment was conservatively used throughout the analysis period (begin in 2016; complete within 9 months), deterioration factors were not used to estimate increased emissions due to engine age. Based on the methodology described, it is possible to make a conservative estimate of emissions from off-road equipment if the types of equipment and durations of use are known.

Fugitive Dust. Emission rates for fugitive dust were estimated using guidelines outlined in the *WRAP Fugitive Dust Handbook* (WRAP 2006). The WRAP handbook offers several options for selecting factors for PM₁₀ (coarse PM) depending on what information is known. After PM₁₀ is estimated, the fraction of fugitive dust emitted as PM_{2.5} is estimated, the most recent WRAP study (MRI 2005) recommends the use of a fractional factor of 0.10 to estimate the PM_{2.5} portion of the PM₁₀. For site preparation activities, the emission factor was obtained from Table 3-2 of the WRAP Fugitive Dust Handbook. The areas of disturbance and approximate durations were used in conjunction with the large scale of land-disturbing activities occurring, resulting in the selection of the first factor with worst-case conditions for use in the analysis.

PM₁₀, PM_{2.5}, and Mobile Sources. Diesel exhaust is a primary, well-documented source of PM_{2.5} emissions. The vast majority of PM emissions in diesel exhaust is PM_{2.5}. Therefore, all calculated PM is assumed to be PM_{2.5}. A corollary result of this is that the PM₁₀ fraction of diesel exhaust is estimated very conservatively as only a small fraction of PM₁₀ is present in the exhaust. However, ratios of PM₁₀ to PM_{2.5} in diesel exhaust are not yet published and therefore for the purposes of the EA calculations, all PM emissions are equally distributed as PM₁₀ and PM_{2.5}.

VOC Emissions from Paving. VOC emissions from the application of hot mix asphalt were calculated throughout the nine month construction period in 2016. The estimates used asphalt volumes as provided in the Final Cost Estimate (NASA 2011) , and used the published California Air Resources Board (CARB) hot mix asphalt emission factor.

OPERATIONS

Air emissions from the air strip operations are due to the UAS themselves and generators that power the mobile command centers that are associated with each UAS.

UAS Operations. The total number of flights per year for each model of UAS was evenly split from the proposed annual total, including the flights for battery-powered UAS. The maximum flight duration for each model was provided by NASA personnel, and these data were conservatively used as the standard flight duration. Brake specific fuel consumption (BSFC) and criteria pollutant emission factors were obtained from) *Exhaust and Crankcase Emission Factors for Nonroad Engine Modeling—Compression-Ignition* (USEPA 2010b).

For the GTM AirSTAR, which is a 5.5% scaled version of a Boeing 757, throughput and emission factors were derived from the International Civil Aviation Organization (ICAO) Engine Emissions Databank Datasheets for two common 757 engine models, the PW2037 and PW2040 (ICAO 2004a and ICAO 2004b). The emission factors for these two engines were averaged because the exact engine model that has been scaled for the GTM AirSTAR is not known. In order to appropriately scale the emission factors, the rated turbofan engine output for each engine type was scaled to 5.5% of the actual full-size output (in kilonewtons) as indicated in the datasheets, and the average taken of the scaled outputs for the two engine models. The emission factors were then multiplied by the scaled output and the number of engines (2) to calculate total air emissions from operation of the UAS.

Command Center Generator Operations. Mobile generators are required to power the command centers for the UAS. A generator size of 60 kW was assumed for all command centers, based on the use of this size generator for the GTM AirSTAR Command Center (Jordan *et al.* undated). The total hours of operation of a 60 kW generator for one year was established by adding the total maximum duration flight times X total annual flights for each UAS (including battery operated UAS). Emission factors for the rated generator size were obtained from *Exhaust and Crankcase Emission Factors for Nonroad Engine Modeling—Compression-Ignition* (USEPA 2010b) and the use of diesel fuel was assumed for generator operation.

REFERENCES

- International Civil Aviation Organization (ICAO). 2004a. Engine Exhaust Emissions Data Bank. PW2037.
- _____. 2004b. Engine Exhaust Emissions Data Bank. PW2040.
- Jordan, T.L., J.V. Foster, R.M. Bailey, and C.M. Belcastro. Undated. AirSTAR: A UAS Platform for Flight Dynamics and Control System Testing. American Institute of Aeronautics and Astronautics.
- Midwest Research Institute (MRI). 2005. MRI Project No. 110397. Analysis of the Fine Fraction of Particulate Matter in Fugitive Dust, conducted for the Western Governors Association Western Regional Air Partnership (WRAP). October.
- National Aeronautic and Space Administration (NASA). 2011. Final Cost Estimate for Unmanned Aerial Systems Airstrip. May 6.
- U.S. Environmental Protection Agency (USEPA). 2010a. EPA Report No. NR-005d, Median Life, Annual Activity, and Load Factor Values for Nonroad Engine Emissions Modeling. July.
- _____. 2010b. EPA Report No. NR-009d, Exhaust and Crankcase Emission Factors for Nonroad Engine Modeling—Compression-Ignition. July.
- _____. 2008. NONROAD Model (nonroad engines, equipment, and vehicles). USEPA Modeling and Inventories. Accessible at <http://www.epa.gov/otaq/nonrdmdl.htm>
- _____. 2005. EPA420-R-05-015, NR-002c. Conversion Factors for Hydrocarbon Emission Components. December.
- _____. 1991. EPA 460/3-91-02, Nonroad Engine and Vehicle Emission Study—Report.
- Western Regional Air Partnership (WRAP). 2006. WRAP Fugitive Dust Handbook.

UAS Airstrip Construction Air Emissions - Wallops Flight Facility, VA

Airstrip Construction

Begin in 2016 and completion within 9 months

Construct Airstrip measuring 3,000 ft long by 75 feet wide
Fill brought from offsite except 978 CY from onsite trenching.

14cy

Land Clearing						13 AC									
<i>Equipment</i>	<i>Number</i>	<i>Hr/day</i>	<i># days</i>	<i>Hp</i>	<i>LF</i>	VOC	CO	NOx	SO2	PM	VOC	CO	NOx	SO2	PM
						g/hp-hr	g/hp-hr	g/hp-hr	g/hp-hr	g/hp-hr	lb	lb	lb	lb	lb
Excavator	1	6	13	95	0.21	0.99	3.49	6.9	0.85	0.722	3	12	24	3	2
Mulching head	1	6	13	150	0.58	0.68	2.7	8.38	0.93	0.402	10	40	125	14	6
Backhoe/loader	2	4	30	98	0.21	0.99	3.49	6.9	0.85	0.722	11	38	75	9	8
Skid/steer Loader	1	8	13	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	2	8	20	3	2
Dump truck	6	0.5	30	275	0.21	0.68	2.7	8.38	0.89	0.402	8	31	96	10	5
Subtotal											34	130	340	40	23

Site fill						44228 CY									
<i>Equipment</i>	<i>Number</i>	<i>Hr/day</i>	<i># days</i>	<i>Hp</i>	<i>LF</i>	VOC	CO	NOx	SO2	PM	VOC	CO	NOx	SO2	PM
						g/hp-hr	g/hp-hr	g/hp-hr	g/hp-hr	g/hp-hr	lb	lb	lb	lb	lb
Skid steer loader	2	8	91	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	26	117	277	46	23
Backhoe/loader	4	8	105	98	0.21	0.99	3.49	6.9	0.85	0.722	151	532	1,052	130	110
Dump truck	30	0.5	105	275	0.21	0.68	2.7	8.38	0.89	0.402	136	541	1,680	178	81
Subtotal											177	649	1,329	176	133

Grading						95571 SY									
<i>Equipment</i>	<i>Number</i>	<i>Hr/day</i>	<i># days</i>	<i>Hp</i>	<i>LF</i>	VOC	CO	NOx	SO2	PM	VOC	CO	NOx	SO2	PM
						g/hp-hr	g/hp-hr	g/hp-hr	g/hp-hr	g/hp-hr	lb	lb	lb	lb	lb
Dozer	1	6	22	90	0.59	0.99	3.49	6.9	0.93	0.722	15	54	107	14	11
Skid steer loader	2	4	55	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	8	35	84	14	7
Backhoe/loader	2	6	22	98	0.21	0.99	3.49	6.9	0.85	0.722	12	42	83	10	9
Small diesel engines	2	4	44	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	3	14	17	3	1
Grader	2	2	22	150	0.59	0.68	2.7	8.38	0.93	0.402	12	46	144	16	7
Subtotal											49	191	434	58	35

Trenching						978 CY									
<i>Equipment</i>	<i>Number</i>	<i>Hr/day</i>	<i>days</i>	<i>Hp</i>	<i>LF</i>	VOC	CO	NOx	SO2	PM	VOC	CO	NOx	SO2	PM
						g/hp-hr	g/hp-hr	g/hp-hr	g/hp-hr	g/hp-hr	lb	lb	lb	lb	lb
Backhoe/loader	1	8	10	98	0.21	0.99	3.49	6.9	0.85	0.722	4	13	25	3	3
Excavator	1	8	7	90	0.21	0.99	3.49	6.9	0.85	0.722	2	8	16	2	2
Dump truck	1	4	10	275	0.21	0.68	2.7	8.38	0.89	0.402	3	14	43	5	2
Small diesel engines	1	8	7	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	0	2	3	0	0
Trencher	1	8	8	100	0.21	0.99	3.49	6.9	0.85	0.722	3	10	20	3	2
Subtotal											13	47	107	13	9

Gravel Work						2666 CY									
<i>Equipment</i>	<i>Number</i>	<i>Hr/day</i>	<i># days</i>	<i>Hp</i>	<i>LF</i>	VOC	CO	NOx	SO2	PM	VOC	CO	NOx	SO2	PM
						g/hp-hr	g/hp-hr	g/hp-hr	g/hp-hr	g/hp-hr	lb	lb	lb	lb	lb
Backhoe/loader	1	8	28	98	0.21	0.990	3.49	6.9	0.85	0.722	10	35	70	9	7
Skid steer loader	2	6	83	67	0.23	0.521	2.3655	5.5988	0.93	0.473	18	80	189	31	16
Small diesel engines	1	8	83	10	0.43	0.763	4.1127	5.2298	0.93	0.4474	5	26	33	6	3
Dump truck	8	0.5	28	275	0.21	0.680	2.7	8.38	0.89	0.402	10	39	119	13	6
Subtotal											42	180	412	59	32

Construct/pave airstrip 225,000 SF

<i>Equipment</i>	<i>Number</i>	<i>Hr/day</i>	<i># days</i>	<i>Hp</i>	<i>LF</i>	VOC g/hp-hr	CO g/hp-hr	NOx g/hp-hr	SO2 g/hp-hr	PM g/hp-hr	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Grader	1	4	38	150	0.59	0.68	2.7	8.38	0.93	0.402	20	81	251	28	12
Roller	1	4	13	30	0.59	1.8	5	6.9	1	0.8	4	10	14	2	2
Paver	1	8	13	107	0.59	0.68	2.7	8.38	0.93	0.402	10	39	121	13	6
Delivery truck	1	2	13	180	0.21	0.68	2.7	8.38	0.89	0.402	1	6	18	2	1
Skid steer loader	1	4	38	67	0.23	0.5213	2.3655	5.5988	0.93	0.473	3	12	29	5	2
Small diesel engines	1	4	26	10	0.43	0.7628	4.1127	5.2298	0.93	0.4474	1	4	5	1	0
Dump truck (12 CY)	1	0.5	26	275	0.21	0.68	2.7	8.38	0.89	0.402	1	4	14	1	1
Subtotal											40	157	452	52	24

Volume of hot mix asphalt 56,250 ft³
 Average density of HMA 145 lb/ft³
 CARB EF for HMA 0.04 lb/ton
 VOC emissions from HMA paving 163 lb

Fugitive Dust Emissions:

PM₁₀ tons/acre/mo	acres	days of disturbance	PM₁₀ Total	PM_{2.5}/PM₁₀ Ratio	PM_{2.5} Total
0.42	2.5	180	6.3	0.1	0.63

Heavy duty truck trips to/from site (primarily for fill and gravel):
 Assume 50 mile roundtrip:

<i>Equipment</i>	<i>Distance</i>	<i># Trips</i>	VOC g/mi	CO g/mi	NOx g/mi	SO2 g/mi	PM g/mi	VOC lb	CO lb	NOx lb	SO2 lb	PM lb
Dump Truck (Heavy Duty Diesel Vehicle)	50	3694	0.4216	2.0378	7.853	0.0132	0.22902	172	830	3,198	5	93

2016 Emission Totals:

VOC T/yr	CO T/yr	NOx T/yr	SO2 T/yr	PM₁₀ T/yr	PM_{2.5} T/yr
0.34	1.09	3.14	0.20	6.47	0.80

generator for mobile ops center
fuel
1040 flights per year total

UAS ops

Model	Engine (HP) Rating	¹ annual # flights	flight time in hours	² BSFC lb/hp-hr	³ VOC lb/hp-hr	CO lb/hp-hr	³ NOx lb/hp-hr	³ PM lb/hp-hr	⁴ CO2 g/hp-hr	VOC lb	CO lb	NOx lb	PM lb	CO2 lb
Viking 100	16	130	12	0.408	0.000966	0.004764	0.00978836	0.000588	188	9.83	48.52	99.68	5.98	4220.84
Viking 300	25	130	9	0.408	0.000966	0.004764	0.00978836	0.000588	188	11.52	56.86	116.81	7.01	4946.30
Viking 400	38	130	10	0.408	0.000615	0.003378	0.01042329	0.000747	188	12.39	68.09	210.08	15.06	8353.75
Exdrone	8	130	2	0.408	0.0016817	0.009067	0.011529796	0.0009864	188	1.43	7.69	9.78	0.84	351.74
Shadow 200	38	130	4	0.408	0.000615	0.003378	0.01042329	0.000747	188	4.96	27.24	84.03	6.02	3341.50
				turbofan 757 engines rated output scaled to										
GTM AirSTAR		5.5% in kN	# engines	¹ annual # flights	⁵ VOC g/kN	⁵ CO g/kN	⁵ NOx g/kN	⁵ PM g/kN	⁶ CO2 g/kN	VOC lb	CO lb	NOx lb	PM lb	CO2 lb
average flight		9.5978	2	130	3.23	33.6	51.6	11.6	NA	17.77	184.85	283.88	63.82	NA
Grand Total in Tons/yr for All Flight Ops										0.03	0.20	0.40	0.05	10.61
										CO2 in metric tons (CO _{2e})			9.6	

¹Total number of flights per year/number of aircraft that may fly (1040/8) - includes battery operated aircraft (2)

²Brake Specific Fuel Consumption

³From Table A-4 of Exhaust and Crankcase Emission Factors for Nonroad Engine Modeling - Compression-Ignition, EPA, July 2010.

⁴Converted from emission factor for Distillate Fuel Oil #2 (diesel) as listed in Table C-1 to Subpart C of Part 98 Default CO2 Emissions Factors and High Heat Values for Various Types of Fuel.

Listed factor 73.96 kg CO2/mmBtu
393 hp-hr = mmBtu
188 g CO2/hp-hr

⁵Averaged and scaled EFs from ICAO Engine Emissions Databank Datasheets for engines PW2037 and PW2040 (common 757 engine models)(could find no data on the scaled engines).

⁶Scaled EF from Good Practice Guidance and Uncertainty Management in National Greenhouse Gas Inventories, Sect 2.5, Table 2, IPCC, 2001.

Operational Emissions - Mobile Generators Assume 60kW generators used for all mobile control centers

Generator size HP	hours of operation	BSFC lb/hp-hr	¹ CO lb/yr	¹ NOx lb/yr	¹ PM lb/yr	¹ VOC lb/yr	CO2 lb/yr
80.46	15210	0.408	3475	15479	360	7490	539,263
Tons/yr			1.74	7.74	0.18	3.74	269.63
CO2 in metric tons (CO _{2e})							244.6

Pollutant	Emission Factors Diesel Fuel ^{a, b} lb/hp-hr
CO	0.00696
NO _x	0.031
PM	0.00072
VOC	0.015
CO2	1.08

^a Emission factors used to estimate emissions from the consumption of diesel fuel from AP-42, Section 3.3, Table 3.3-1, EPA 1996.

^b Emission factors from From Table A-4 of Exhaust and Crankcase Emission Factors for Nonroad Engine Modeling - Compression-Ignition, EPA, July 2010.

Total Annual Operation Emissions/Year in Tons

VOC	CO	NOx	PM	CO2
3.79	1.77	7.94	0.58	280.24
CO2 in metric tons (CO _{2e})				254